2020 CATALOGUE

DISC ROTORS & DRUMS

KANGAROO PAW

T2 T3

4000 SERIES
5000 SERIES

dba®

DISC BRAKES AUSTRALIA

For latest electronic catalogue,
visit www.dba.com.au

INTRODUCTION

DISC BRAKES AUSTRALIA

MANUFACTURING SAFETY & BRAKING EXCELLENCE FOR OVER 40 YEARS



- SYDNEY, AUSTRALIA HEAD OFFICE
- 6 3PL'S ACROSS AUSTRALIA
- KEY DISTRIBUTION HUBS IN USA, EUROPE & ASIA

TABLE OF CONTENT

DBA'S PRODUCT RANGE	1
THINK DBA	3
MANUFACTURING/QUALITY	5
DIRECT REPLACEMENT GUIDE	7
DISC ROTOR OVERVIEW	9
DBA ROTOR TECHNOLOGY	13
BRAKE PAD OVERVIEW	19
BRAKE FLUID OVERVIEW	23
CATALOGUE	27



T3®

T2®

TÜVRheinland® CERTIFIED

ISO 9001:2015 Incl. Approval Relevant Requirements Management System

www.tuv.com ID 9105060733

DBA'S PRODUCT RANGE

DISC ROTORS

STREET SERIES

EN-SHIELD FOR RUST FREE ROTORS · X GOLD · T2

4000 SERIES



HD · 4000 XS · T3

5000 SERIES



XD · T3 · WAVE

PERFORMANCE BRAKE PADS

STREET PERFORMANCE

XTREME PERFORMANCE

RACE PERFORMANCE

BRAKE DRUMS & SHOES

BRAKE FLUIDS

DOT 3 · DOT 4 · DOT 4.1 · DOT 5.1

FOR MORE INFORMATION, CHECK OUR WEBSITE
WWW.DBA.COM.AU

FOLLOW US ON

Over 40 years of braking excellence

KANGAROO PAW®

dba®

DISC BRAKES AUSTRALIA

#1 choice by workshops

#1 recommended & recognised brand by customers

#1 for product range

#1 technical leader and braking expert

#1 in product and technical support

#1 choice for mechanics own vehicle

#1 choice this time, next time & everytime

*AS PER INDEPENDENT MARKET SURVEY - MAY 2018

DON'T RISK IT, TRUST dba®

DBA MANUFACTURING FACILITY
& SYDNEY HEAD OFFICE

THINK PERFORMANCE
THINK SAFETY
THINK DBA

HISTORY

Founded in the 1970's from a small suburban workshop in Sydney, Australia, Disc Brakes Australia (DBA) has grown to be the #1 choice of replacement disc rotor by workshops and customers in Australia.

DBA has proudly grown from a small local Australian manufacturer and distributor to supplying disc rotors, drums, pads and accessories across Australia, USA, Europe, Middle East, Russia, Asia and everywhere in between.

DBA is also proud to be an Original Equipment Supplier (OES), the control product for multiple race series and a highly active manufacturer of performance one and two piece rotors.

RANGE

DBA's range covers over 97% of the Australian Car Parc, with direct replacement disc rotors and pads applications catering for street vehicles, performance upgrades, towing, 4×4 / SUV, military / armoured vehicles, track and motorsport applications.

DBA's range covers applications for over 50 global car brands including, Audi, Mercedes, BMW, Volkswagen, Holden, Ford, Lotus, Rolls Royce, Toyota, Landrover, Lexus, Nissan, Subaru, Jeep, Mini, Porsche, Volvo, Mazda and more applications developed each month.

QUALITY, PERFORMANCE & SAFETY

DBA's focus is on Quality, Performance and Safety.

When manufacturing and distributing safety critical components, DBA believes there can be no shortcuts or substitutions for quality. DBA sets the bar in quality, tolerances, premium metals and manufacturing equipment that delivers premium quality disc brakes rotors.

Drivers worldwide demand DBA products for consistent, reliable and superior performance. DBA ensures this by engineering discs that are far superior to generic and aftermarket counterparts.

DBA holds its performance and motorsport roots closely as it continues to supply the world with leading braking solutions, for both street and performance vehicles.

DBA has long been a champion of safety in the Australian Automotive industry and our dedication to quality has been recognised with over 16 manufacturing awards from the Australian Automotive Aftermarket Association (AAAA).

DBA maintains ISO9001:2015 accreditation through TÜV Rheinland® and is a founding member of the Australian Auto Innovation Centre (AIC).

MANUFACTURING/QUALITY



RAW CASTING





MANUFACTURING

PACKAGING & DISTRIBUTION

"From cast iron to the finished product - total control"

With over 40 years of manufacturing, research & development and design experience, DBA truly understands what it takes to make leading performance and safety critical disc brake rotors. DBA has partnered with race teams, OEM's and police and military forces around the world to solve their braking needs and push the edge of cutting-edge technology.

Unlike other brands who are merely importers or distributors, DBA is in control from the initial R&D and design stage, throughout the casting, manufacturing and distribution process.

DBA's experience and continual research & development has led to the development of leading technology including a proprietary cast iron formulation (XG-150), bi-directional slot designed (T2 and T3), TSP heating processing and our patented Kangaroo Paw ventilation system.

DBA's XG-150 is a supersaturated solution of carbon in an iron matrix, the excess carbon precipitates out in the form of graphite flakes. The structural distribution of these graphite flakes provides excellent thermal properties, increasing the thermal shock resistance.

DBA's grey iron is rich in carbon and alloyed to produce excellent thermal characteristics, which is a key factor in the production of the casting. This is combined with our patented Kangaroo Paw ventilation design.

When combined with DBA's TSP process it allows the material to cope with rapid thermal cycling with core-heat levels reaching approximately 700*C and above.

The DBA developed TSP™ process, stress relieves the cast iron during the manufacturing process. Unlike any other cast irons, the XG-150 formulation was developed to respond to the TSP process resulting in a rotor that is ideal for heavy duty braking and suitable for motorsport applications.

XG 150
HIGH CARBON ALLOYED IRON

XG-150 Features & Benefits

Feature	*Benefit*
High thermal conductivity	*Reduced brake fade, improved heat dissipation Consistent brake pedal feel*
Thermal Stability	*Minimises the risk of brake shudder/judder*

DBA MANUFACTURING PROCESS

FOUNDRY

RAW CASTINGS



MACHINING

PACKAGING & DISTRIBUTION

DIRECT REPLACEMENT GUIDE

dba DISC BRAKES AUSTRALIA	STREETSERIES			4000 SERIES		
	DIRECT replacement / EN-SHIELD FOR RUST FREE ROTORS	X GOLD	T2	HD	XS	
DAILY STREET DRIVER						
FAMILY 4WD & SUV						
PERFORMANCE						
LIGHT COMMERCIAL						
VEHICLE TOWING <750KG						
VEHICLE TOWING >750KG						
OFFROAD 4WDS						
ARMOURED VEHICLES						
TRACK DAY SPORT						
CLUB RACING						
RALLY SPORT						

	XD	T3	5000 SERIES® T3	BRAKE PADS	
				SP	SP
				SP	SP
				XP	SP
				XP	SP
				XP	SP
				XP	XP
				XP	XP
				XP	XP
				XP	SP
				RP	XP
				RP	XP

STREET PERFORMANCE

FRICTION LEVEL INITIAL BITE TEMPERATURE

XTREME PERFORMANCE

FRICTION LEVEL INITIAL BITE TEMPERATURE

RACE PERFORMANCE

FRICTION LEVEL INITIAL BITE TEMPERATURE

DISC OVERVIEW

STREETSERIES®

4000 SERIES®

5000 SERIES®



Behind every great wheel should be a great disc brake

STREETSERIES®

Direct replacement rotors for drivers seeking O.E level braking performance or better. Manufacturing to OEM standards is our minimum requirement.

Street Series rotors are available with several added benefits including En-Shield (E), cross drilled and slotted and T2 bi-directional slot (S). DBA recommends the Street Series for daily drivers, light commercial and SUV applications.

- DIRECT O.E REPLACEMENT
- KANGAROO PAW VENTILATION TECHNOLOGY
- EN-SHIELD, XS & T2 SLOT AVAILABLE

4000 SERIES®

Direct replacement single-piece disc brake rotors that are designed for drivers seeking improved braking performance.

Our most popular choice for performance upgrades, featuring DBA's patented Kangaroo Paw ventilation system, high carbon cast-iron, Thermal Stability Profiling (TSP), Thermo-Graphic paint markings and T3 slot.

We recommend the 4000 Series for high stress applications including performance vehicles, SUV and 4×4, towing applications, light commercial vehicles (utes & vans), armoured vehicles and light track day duties.

- DIRECT O.E REPLACEMENT
- HIGH CARBON & HEAT TREATED
- KANGAROO PAW VENTILATION TECHNOLOGY
- XD & T3 SLOT AVAILABLE

5000 SERIES®

A composite 2 piece direct replacement brake rotor, combining high carbon cast-iron rings with aerospace grade aluminium hats (T6061-T6).

The 5000 Series share all the performance technology featured in the 4000 Series, with the added benefits of weight reduction and improved heat management via the aluminium hats. The 2 piece 5000 Series allows users to re-use their 5000 Series aluminium hats with replacement DBA flat disc rotors (rings) available.

The 5000 Series disc rotors are recommended for high performance street vehicles, track days, club racing and rally sport applications.

- 2 PIECE PERFORMANCE ROTORS
- HIGH CARBON & HEAT TREATED RINGS
- AEROSPACE GRADE ALUMINIUM HATS
- KANGAROO PAW VENTILATION TECHNOLOGY
- XD & T3 AVAILABLE

Australian engineering
EURO FLAVOUR
Available in
4000 & 5000 series

DISC PATTERN

STREETSERIES®	4000 SERIES®	5000 SERIES®

PLAIN



SLOTTED



CROSS DRILLED & SLOTTED



XDS/XD/WAVE



ROTOR TECHNOLOGY

Built and engineered for tough Australian conditions – DBA uses a process called thermal stability profiling (TSP) on all HD and CLUBSPEC discs manufactured with XG-150. TSP re-aligns the micro-structure of the iron, resistance to extreme heat and reducing disc wear.

Thermo-graphic paint markings allow clear identification of disc temperature and disc performance.



Initial Colour	When the rotor exceeds this temperature:	The colour will change to:
	458°C / 856°F	
	550°C / 1022°F	
	630°C / 1166°F	

Performance metals – Usually only found in high-end performance discs, XG-150 is a unique formulation developed for all DBA products. High carbon alloyed iron may look like regular iron found on standard discs, but DBA's unique XG-150 iron formula has been tested the world over to the absolute limits of braking punishment.

XG 150
HIGH CARBON ALLOYED IRON

Patented design – 'Kangaroo Paw' is a patented hi-tech disc rotor ventilation system which features a series of 144 diamond and tear drop shaped pillars individually spaced between the rotor faces. This design cools the rotor faster and increases dimensional strength and stability across the disc rotor.

KANGAROO PAW™

T3 slot design - DBA's T3 slot design is built on the T2 design but with an increased number of slots, taking it from 32 to 48 CNC machined slots. For more aggressive braking

T2® T3®

XD - Cross Drilled & Dimpled design -
DBA's XD design consist of a combination of approximately 84 cross drilled holes and 36 dimples across the rotor surface, to provide an O.E performance design without the risk of cracking in traditional designs.
The XD design is also available in DBA's Wave rotor.



Protection in packaging – DBA delivers added value to ensure their products are received in perfect condition by covering each and every disc in a moisture resistant, corrosion protective dual layer package.

Premium discs, premium appeal – The premium paint coating found on all DBA discs* in non-friction areas ensures corrosion protection. DBA discs aid vehicle appearance and last longer against the elements.
*excludes street series OE replacment discs



Thermo-graphic paint markings - This allows clear identification of disc temperature and disc performance.

™

En-shield - Traditionally only seen on OE product, DBA's En-Shield coating is a chromium free, non-toxic water-based, environmentally friendly coating designed to protect the entire disc rotor surface from rust and corrosion and is specifically formulated to prevent brake pad contamination.

EN-SHIELD
FOR RUST FREE ROTORS

"We are consistent in both quality and performance. This is what separate us from the rest"

Phillip Joseph
International Sales

WHY PICK DBA

OTHER BRANDS



PERFORMANCE IMITATIONS USING DATED TECHNOLOGY

- **Straight vane design** (Outdated)
  Common in standard rotors. Not suited to heat generated in high speed braking scenarios

- **Antiquated slot and/or drill design** (Out dated)
  Less responsive, noiser and an old style design that is common on the cheaper style products. Supplied as left and right hand parts and if fitted incorrectly will affect performance

- **Inaccurate disc thicknesses** (Out dated)
  Cheap, inferior manufacturing process causing uneven structure that will affect braking performance. Increased distance between vanes reduces surface area which will affect the rotors ability to dissipate heat, a major contributor to disc thickness variation, resulting in brake shudder

- **Inferior surface machining** (Out dated)
  Harsher on performance brake pads and can affect the bedding in process. Less resistant to severe changes in rotor temperature

- **Cheaper cast iron quality** (Out dated)
  Standard grey iron found in stock brake rotors is not designed for repetitive high speed braking

DBA

DBA PROVEN & MARKET LEADING TECHNOLOGY

- **Kangaroo Paw vane technology** (Guaranteed)
  Designed for better pad loading and even weight distribution. Better distribution of cooling air to more of the rotor surface area

- **T2 & T3 Slot Design** (Guaranteed)
  Worldwide patented T2 and T3 universal slot design, for even pad wear, less noise and eliminates the need for a left and right handed product

- **Accurate & even disc thicknesses** (Guaranteed)
  A quality focused and consistent manufacturing process that ensures accurate disc face thickness and correct vane distance, to provide better dissipation of heat

- **Surface machining at the micron level** (Guaranteed)
  Smoother disc surface for better feel and reduced pad wear and is ideal for bedding in high performance pads. Well suited for extreme temperature changes suited for racing

- **The best quality cast iron** (Guaranteed)
  (XG-150) highest grade alloyed iron unlike any other cast irons. The formulation is ideal for heavy duty braking when TSP is applied

KANGAROO PAW

Kangaroo Paw: Home grown inspiration

- INCREASES COOLING EFFICIENCY
- PROVIDES ADDITIONAL SUPPORT TO THE FRICTION FACE
- INCREASES DIMENSIONAL STRENGTH & STABILITY ACROSS THE DISC ROTOR



DBA introduced a new design in brake rotor technology.

'Kangaroo Paw' is a patented hi-tech disc rotor ventilation system which features a series of 144 diamond and tear drop shaped pillars individually spaced between the rotor faces.

This design cools the rotor faster, working on the same principal as an air-impeller designed to extract hot air and increases dimensional strength and stability across the disc rotor.

These advances increase the disc rotor's efficiency by as much as 20% when compared to a conventional rotor designs and tests are proving that the design is effective for vehicles prone to brake 'judder' which is a growing problem around the world.

Importantly, customers fitting DBA 'Kangaroo Paw' rotors will benefit from significantly better braking performance at no extra cost (Patent No. 742353) individually spaced between the rotor faces.

Comparing the ventilation air space between friction faces of a DBA Kangaroo Paw design and a conventional straight vane sample

Increased distance between vanes reduces surface area which will affect the rotors ability to dissipate heat



A recent discovery has found that "lightweight" inferior discs have reduced braking plate surface thickness. This is a common method employed to reduce manufacturing costs. The result is lower thermal mass causing unpredictable performance characteristics and sacrificing safety and longevity.

CONVENTIONAL STRAIGHT VANE ✕



CONVENTIONAL STRAIGHT VANE

VS

DBA'S KANGAROO PAW COOLING SYSTEM

Other than material composition, another major factor that affects the thermal performance of brake rotors is the surface area within the ventilation design. The more surface area, the more heat that can be removed from the brake rotor.

The mass of the brake rotor also plays an important role. The greater the mass, the more heat that can be stored and must be dissipated, this is why the design of the Kangaroo Paw is so effective. This minimises the risk of brake fade and restores normal braking much sooner.



Thick-and-thin friction face is a result of poor casting control and can affect braking performance

A typical conventional straight vane rotor

The ventilation system of a brake rotor is best described as the foundation and support between the friction surfaces.

FEATURE	KANGAROO PAW	STRAIGHT VANE
Surface Area	12,937 mm^2	8,100 mm^2 = 37.3% less surface area
Weight	8.28 kg	7.68 kg = 7.25% less mass
No. of Pillars	144	36

DISC BRAKES AUSTRALIA

INTRODUCING DBA'S RANGE OF

BRAKE SHOES

- LOW DUST
- LOW NOISE
- SHORTER BEDDING IN TIMES
- BETTER BRAKING PERFORMANCE

THINK SAFETY, THINK PERFORMANCE, THINK DBA

THINK PERFORMANCE - THINK SAFETY - THINK DBA

STREETSERIES
DISC BRAKE ROTORS

EN-SHIELD
FOR RUST FREE ROTORS

T2

DBA's Street Series direct replacement rotors are ideal for drivers seeking OE level braking or entry level performance braking.

As one of the most safety critical components in any vehicle, DBA manufactures performance OEM standards as our minimum requirement.

We recommend our Street Series range for daily drivers (including performance daily drives), light commercial and street SUV applications.

- Patented 'Kangaroo Paw' ventilation design*
- CBN (Cubic Boron Nitride) machine turned
- Moisture proof corrosion protection packaging
- Paint protection on non-friction areas

- Patented 'Kangaroo Paw' ventilation design*
- Symmetrical for left or right hand applications
- T2 performance slotted rotors
- Paint protection on non-friction areas
- CBN (Cubic Boron Nitride) machine turned
- Moisture proof corrosion protection packaging



INTRODUCING OUR
PERFORMANCE BRAKE PADS

STREET PERFORMANCE

DBA's Street Performance brake pad is for drivers seeking improved braking performance without the compromises associated with an aggressive, track-style pad.

Specifications:

- Semi-Metallic friction material
- F-F Class Friction (0.35 avg mu from low to high temps)
- Consistent friction at higher temperatures

Recommended for:

- All vehicles seeking a step up from traditional O.E level friction
- Performance cars & 4WDs
- Use with all DBA rotors
- DBA T2 and T3 rotors for best performance

XTREME PERFORMANCE

DBA's Xtreme Performance brake pad is for drivers seeking high initial bite and friction consistency from low to high temperatures. Ideal for performance car track days, 4x4' towing heavy loads or high GVM outfitted vehicles.

Specifications:

- Semi Metallic, Carbon fibre friction material
- G-G Class Friction. (0.45 avg mu from low to high temps)
- Excellent high temperature performance

Recommended for:

- Performance street cars
- Club track days
- High GVM towing
- Use with all 4000 & 5000 Series DBA rotors
- DBA T3 rotors for best performance

RACE PERFORMANCE

DBA's Race Performance brake pad is designed for track/circuit use, where minimum temps are above 350°C. This pad formula is enhanced with carbon fibre for high strength and stable friction at temperatures above 735°C.

Specifications:

- Copper Free Carbon Metallic friction material
- G-G Class Friction. (0.45 avg mu from low to high temps)
- Optimal braking consistency up to 735°C

Recommended for:

- Super sprints and circuit racing
- Extreme temperature applications
- Not recommended for road use
- Recommended for use only with T3, 4000 & 5000 series DBA rotors

BRAKE PAD OVERVIEW

TECHNICAL FEATURES

1 CHAMFER
Reduce noise, vibration and harshness

2 SLOT
Facilitate temperature stability

3 PREMIUM QUALITY SHIM
Dual layer elastomeric coated shim

4 SCORCHING PROCESS (TSP)
Raises cold friction effectiveness & reduces bedding-in time

5 BACKING PLATE
G3131 steel - dimensionally stable and wear resistant

STREET PERFORMANCE

XTREME PERFORMANCE

RACE PERFORMANCE

WHAT'S IN THE BOX?®

1. PERFORMANCE BRAKE PADS (AXLE SET)
2. BEDDING -IN INSTRUCTIONS
3. HIGH TEMPERATURE BRAKE PAD LUBRICANT
4. SERVICING STICKER (DOOR FRAME)
5. BRAKE PAD SENSOR*

*WHERE APPLICABLE

STREET PERFORMANCE | XTREME PERFORMANCE | RACE PERFORMANCE

CUTTING EDGE BRAKE PAD TECHNOLOGY

After four decades at the forefront of disc brake rotor manufacturing, DBA is proud to bring its very own range of high-quality performance brake pads to market. The result of an exhaustive research and development program, DBA's all-new brake pads have been put through their paces on the street, off-road, racetrack & dynamometer testing.

Not only do DBA's range of performance brake pads offer industry-leading performance, but they are also designed to match perfectly with DBA's long-established and trusted range of disc brake rotors.

With a range of brake pad options available to suit all driving needs, from daily drivers to four-wheel drives and days out on the track, DBA is now able to offer a pad and rotor combination to suit your needs.



WHICH BRAKE PAD SUITS YOU?

When braking under more challenging situations or towing heavy loads, various pad friction combinations can be used to balance the brake torque on the front and rear axles for greater performance. This guide below provides suggestions for common applications.

Application	FRONT	REAR
Daily street driving	SP	SP
Performance cars and 4WDs	XP	SP
Towing < 750kg & trade vehicles	XP	SP
Towing > 750kg	XP	XP
GVM upgrade & Armoured vehicles	XP	XP
Track days (Rookie driver)	XP	SP
Track days (Experienced driver)	RP	XP

BRAKE PAD PERFORMANCE GRAPH



STREET PERFORMANCE
Great high performance street pad for better braking and stopping power on the road

XTREME PERFORMANCE
High peak effectiveness for SUV's and heavy load braking applications and weekend trackday enthusiasts

RACE PERFORMANCE
High initial bite track day pad for late braking in super sprint type applications

PREMIUM BRAKE FLUIDS

ADD NEW LIFE BLOOD *TO YOUR BRAKING SYSTEM*

THE PERFECT MATCH WITH DBA ROTORS & PADS

- HIGH TEMPERATURE RESISTANCE
- POLYGLYCOL FLUIDS
- RESTORES PEDAL FEEL
- ENSURE BRAKING EFFICIENCY

INTRODUCING OUR
PERFORMANCE BRAKE FLUID

Packed in the popular 500ml sizes, DBA's range comprises of DOT 3, DOT 4, Super Dot 4 and DOT 5.1 brake fluids, which are polyglycol fluids suitable for popular vehicle applications.

DBA Brake Fluid has high temperature resistance, low moisture absorption and anti corrosion properties in every grade of fluid. Brake fluids that inhibit metal corrosion from absorbed moisture can reduce the costs in maintaining hydraulic brake systems.

MIN. BOILING POINT PER DBA BRAKE FLUID GRADE



TYPES OF BRAKE FLUID

BRAKE FLUID DOT 3

Brake fluid Dot 3 is a premium quality, non silicone, non-mineral/petroleum based, fully synthetic brake fluid designed for use in a wide range of brake and clutch applications.

BRAKE FLUID DOT 4

Brake fluid Dot 4 is a high performance polyglycol synthetic brake fluid suitable for both passenger and commercial vehicles including ABS systems.

BRAKE FLUID DOT 4.1

Brake fluid Dot 4 is a high performance grade brake fluid with superior quality for universal use in modern brake systems and is ideal for vehicles with ABS systems.

BRAKE FLUID DOT 5.1

Brake fluid Dot 5.1 is a premium quality, full synthetic, non silicone brake fluid designed for use in a wide range of brake and clutch applications.

HOW TO READ THIS CATALOGUE



CATALOGUE LEGEND

F Front Disc Brake Rotor

R Rear Disc Brake Rotor

DBA No. DBA Part Number

SYMBOL / ABBREVIATION - Explanation

A Diameter (mm)

B Original Height (mm)

C Original Thickness (mm)

D Min. Thickness, i.e. Replacement (mm)

E Centre Hole (mm)

F No. of Bolt Holes

THE DBA PART NUMBERING SYSTEM

DBA has designed an intuitive numbering system that allows the same underlying part number to be carried through the different DBA rotor series and disc styles.

All disc part numbers will begin with "DBA", a number prefix is then used to denote the Series, while Suffix's are used to denote the style.

A part number will be assigned a base part number for a Street Series disc. **E.g. DBA040.**

Though the addition of prefixes and suffixes, you will be able to easily identify which product number you are after. A part number may have more than one suffix if it has multiple features.

DBA Street Series part number structure:

* All DBA rotors have a black painted hat with the exception of Enshield, or where noted

PART NO. CODE	DISC STYLE
DBA 040	= Standard Disc
DBA 040E	= Enshield
DBA 040X	= Gold - Cross Drilled & Slotted
DBA 040S	= Slotted (T2)
DBA 040XD	= Cross Drilled & Dimpled
DBA 040XDS	= OE style Cross Drilled & Slotted

DBA 4000 Series part number structure:



PART NO. CODE	DISC STYLE
DBA 4040	= Standard Disc
DBA 4040S	= Slotted (T3)
DBA 4040XS	= Gold - Cross Drilled & Slotted
DBA 4040XD	= Cross Drilled & Dimpled
DBA 4040W	= Wave style rotor

DBA 5000 Series (2-piece rotors) part number structure:



Fully Assembled
2-piece Disc Rotors

PART NO. CODE	DISC STYLE
DBA 5040S	= Slotted (T3)
DBA 5040XD	= Cross Drilled & Dimpled
DBA 5040W	= Wave style rotor
DBA 5040WXD	= Wave + XD

Replacement Disc
rotor only (without hat)

VW GROUP (VAG) PR NUMBERS EXPLAINED

It is used at production to define everything unique about the car such as the paint colour, engine type and braking system.

The cars data sticker can be found on the inside cover of the original service book and it is also located on the car body, normally in the spare wheel well or under the rear seats.

The data sticker contains all the information about the car such as:

- Chassis Number
- Model type
- Engine Code
- Engine number
- Gearbox code
- Paint code
- Interior trim code

PRODUCTION CODES (PR) NUMBERS

PR numbers are a great help when you cannot clearly identify the rotor by diameter/thickness. They are primarily feature numbers. Each number contains three characters (see image on the right) and are listed in a block on the data sticker. Each PR number relates to a specific feature fitted to the car.

An example of this would be:

- T41 - 3.0 litre diesel engine
- 7A3 - CD changer
- 1KW Disc Brake rear
- 1LA Disc brakes front
- OG& - Tiptronic transmission

PR codes now relate to our printed and online catalogue. When you look for the vehicle you will note that we have listed the PR code against the vehicle model and DBA part.
This code relates to details of the vehicle.





You can see from the snapshot of our catalogue and the image on the label how this is all linked, so when you have two rotors options for your vehicle it is great help.

This system is not perfect and in those cases where you cannot match the PR code with the vehicle, a VIN number search will be required to match it up.

The first step is to find the PR codes on the online catalogue first, then see if you can make a match with the PR code from your vehicle label.

Also, you need to be aware that you have two vehicles of the same model/year and they could both have different rotor combination. Therefore, the PR number is very important in these situations.

DISC BRAKES AUSTRALIA

DISC BRAKE ROTORS & DRUM BRAKES
2020 CATALOGUE

CONTENTS

VEHICLE MAKE / COMPATIBLE WITH	PAGE #	VEHICLE MAKE / COMPATIBLE WITH	PAGE #
ABARTH	28	MAZDA	146
ACURA	29	MERCEDES BENZ	152
ALFA ROMEO	30	MG	175
ASTON MARTIN	32	MINI COOPER	176
AUDI	33	MITSUBISHI	179
AUSTIN HEALEY	41	NISSAN	185
BMW	42	OPEL	193
CADILLAC	65	PEUGEOT	194
CHERY	66	PONTIAC	197
CHEVROLET	67	PORSCHE	198
CHRYSLER	71	PROTON	200
CITROEN	73	RENAULT	201
DAEWOO	77	ROLLS ROYCE	203
DAIHATSU	78	ROVER	204
DAIMLER	79	SAAB	205
DODGE	80	SCION	206
DS	82	SEAT	207
EUNOS	83	SKODA	208
FIAT	84	SMART	210
FORD (Inc FPV)	85	SSANYONG	211
FOTON	98	SUBARU (Inc WRX Upgrade)	212
GMC	99	SUZUKI	219
GREAT WALL	102	TESLA	222
HOLDEN (Inc HSV)	103	TOYOTA	223
HONDA	116	VOLKSWAGEN	237
HUMMER	122	VOLVO	244
HYUNDAI	123	ROTOR WEIGHT & DIMENSIONS CHART	248
INFINITY	127	IMPORTANT INFO FOR HAT TYPE ROTORS	276
ISUZU	129	WARRANTY STATEMENT	278
JAGUAR	130	MOTORSPORT INFORMATION	279
JEEP	132	DISC ROTOR: APPLICATION Q&A	280
KIA	134	DISC PADS: APPLICATION Q&A	281
LANDROVER / RANGE ROVER	137	BRAKE PADS: APPLICATION/TECHNICAL Q&A	282
LEXUS	140	GLOBAL DISTRIBUTION CENTRES	284
LEYLAND	144		
LOTUS	145		

GENERAL DISCLAIMER
Important Disclaimer: Certain information in this Catalogue has been compiled from data published by original equipment manufacturers. Disc Brakes Australia Pty Ltd is unable to warrant the accuracy of third party data, and does not accept responsibility for loss or damage of any kind caused as a result of such data being inaccurate. We also encourage you to contact DBA if you have any concerns about the information provided. We will make every effort to correct any errors once they are brought to our attention.

TRADEMARKS
DBA, 4000 series, 5000 series Kangaroo Paw, TSP, Thermal Stability Profiling, DBA XS, ALUMALITE logos are either registered or trademarks of Disc Brakes Australia Pty Ltd.

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. **TRADEMARKS**: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd. Trademarks include Part Number identification issued by DISC BRAKES AUSTRALIA PTY LTD.

COPYRIGHT © DISC BRAKES AUSTRALIA
This work is copyright. You may display this material in unaltered form only (retaining this notice) for your use within your organisation. All other rights are reserved. Requests and inquiries concerning reproduction and rights should be addressed to DBA - PO Box 6666, Silverwater DC, NSW, 1811, Australia; or by e-mail info@dba.com.au

THE KANGAROO PAW DESIGN IS NOT AVAILABLE ON ALL PART NUMBERS, ASK YOUR SUPPLIER FOR DETAILS.

F721 2019 Red Master v45.indd 27 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

ABARTH

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
ABARTH																	
595 & 595C 312 1.4L x 103kW TURBO	04/2016-on	F	**665**	●	○						V	284	44	22	**20.2**	59	4
		R	**2405**	●	○						S	240	40	11	**9.2**	59	4
124 SPIDER 1.4L TURBO	10/2016-on	F	**2964E**	●	○		●	●			V	280	44	22	**20**	55	4
		R	**2965E**	●	○		○	○			S	280	35.6	9.5	**7.5**	55	4

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 28 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

ACURA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
CL																	
2.3L	1998-1999	F	**480**	●	○	○					V	260	47	23	**21**	64	4
3.2L COUPE – V6	2001-2003	F	**2510E**	●	●	○	●	●	○	○	V	300	48	28	**26**	64	5
CX																	
TYPE S	2007	F	**2500**	●	●	○	●	●	○	○	V	300	47.5	25	**23**	64	5
INTEGRA																	
ALL – EXCL TYPE R	1990-2001	F	**474**	●	●	○	○	●	○		V	262	45	21	**19**	64	4
		R	**475**	●	●	○	●	●	●		S	239	48	9	**8**	61	4
TYPE R – 5 LUG	1997-2001	F	**478**	●	●	○	●	●	○		V	282	47	23	**21**	70	5
TYPE R – DC5 – JDM	2001-on	F	**2508**	●	●	●	○	●	●	○	V	300	57.8	25	**23**	64	5
LEGEND																	
COUPE	1991-1992	F	**478**	●	●	○	●	●	○		V	282	47	23	**21**	70	5
SEDAN – *Except* GS	1991-1995	F	**478**	●	●	○	●	●	○		V	282	47	23	**21**	70	5
NSX																	
ALL 6 SPEED TRANSMISSION	4/1997-2005	F	**478**	●	●	○	●	●	○		V	282	47	23	**21**	70	5
RL																	
ALL	1996-1998	F	**478**	●	●	○	●	●	○		V	282	47	23	**21**	70	5
ALL	1999-2004	F	**476**	●	●	○					V	300	47.5	28	**26**	70	5
RSX																	
TYPE S	2002-2006	F	**2500**	●	●	○	●	●	○	○	V	300	47.5	25	**23**	64	5
TL																	
ALL	1995-2005	F	**2510E**	●	●	○	●	●	○	○	V	300	48	28	**26**	64	5
3.2	1996-1998	F	**478**	●	●	○	●	●	○		V	282	47	23	**21**	70	5
ALL	1999-2003	F	**2510E**	●	●	○	●	●	○	○	V	300	48	28	**26**	64	5
ALL – With STANDARD FRONT CALIPERS	2004-2008	F	**2510E**	●	●	○	●	●	○	○	V	300	48	28	**26**	64	5
TSX																	
ALL	2004-2008	F	**2510E**	●	●	○	●	●	○	○	V	300	48	28	**26**	64	5
MDX																	
ALL	2002-2006	F	**2510E**	●	●	○	●	●	○	○	V	300	48	28	**26**	64	5

The Kangaroo Paw design is not available on all part numbers, ask your supplier for details. FOR LATEST CATALOGUE LISTINGS REFER TO WWW.DBA.COM.AU

F721 2019 Red Master v45.indd 29 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

ALFA ROMEO

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
ALFA 147																	
1.9L 937	2001-2011	F	**356**	●	○	○					V	284	44	22	**20.2**	59	5
		R	**359E**	●							S	251	50.5	10	**9**	59	5
ALFA 147 GTA																	
V6 DOHC 2 DR HATCHBACK 937	7/2003-09/2003	F	**769**								V	305	45	28	**26**	59	5
	10/2003-2007	F	**TBA**								V	330	44.7	32	**30**	59	5
		R	**TBA**								S	276	45.7	10	**9**	59	5
ALFA 155																	
2.0L TURBO 16V Q4 167 2.5L V6 2.5L TURBO DIESEL	1992-1997	F	**665**	●	○						V	284	44	22	**20.2**	59	4
ALFA 156																	
2.0L & 2.5L V6 932	1999-2006	F	**356**	●	○	○					V	284	44	22	**20.2**	59	5
		R	**359E**	●							S	251	50.5	10	**9**	59	5
3.2L GTA 932	7/2003-09/2003	F	**769**								V	305	45	28	**26**	59	5
	10/2003-2007	F	**TBA**								V	330	44.7	32	**30**	59	5
		R	**TBA**								S	276	45.7	10	**9**	59	5
ALFA 159																	
1.9L & 2.2L	2006-06/2012	F	**3260E**	●	○						V	305	39.7	28	**26**	70	5
		R	**2297**	●	○	○					S	278	43	12	**10**	70	5
2.4L & 3.0L		F	**2298**	●	●						V	330	40	28	**26**	70	5
		R	**2299**	●	○	○					S	292	43	22	**20**	70	5
		R	**2807E**	●	●	○	●	●	○		S	285.6	48.4	11.7	**10**	65	5
ALFA 164																	
3.0L	1988-1998	F	**356**	●	○	○					V	284	44	22	**20.2**	59	5
		R	**359E**	●							S	251	50.5	10	**9**	59	5
ALFA 166																	
2.5L, 3.0L & 3.2L 936	1998-2009	F	**TBA**								V	310	47.3	28	**26**	59	5
		R	**TBA**								S	276	51.5	10	**9**	59	5
BRERA																	
939 1.8L, 2.2L	2006-2012	F	**3260E**	●	○						V	305	39.7	28	**26**	70	5
939 3.2L V6		F	**2298**	●	●						V	330	40	28	**26**	70	5
939 1.8L, 2.2L		R	**2297**	●	○	○					S	278	43	12	**10**	70	5
939 3.2L V6		R	**2299**	●	○	○					S	292	43	22	**20**	70	5
GIULIETTA 940																	
1.4L TURBO – Non SPORTS	01/2011-2017	F	**2294E**	●	○						V	281	39.5	26	**24.2**	70	5
		F	**3260E**	●	○						V	305	39.7	28	**26**	70	5
SPORT PACK		F	**2298**	●	●						V	330	40	28	**26**	70	5
Non SPORTS PACK		R	**2295E**	●							S	264	40.5	10	**8**	70	5
SPORT PACK		R	**2297**	●	○	○					S	278	43	12	**10**	70	5
1.7L & 2.0L		F	**2298**	●	●						V	330	40	28	**26**	70	5
		R	**2297**	●	○	○					S	278	43	12	**10**	70	5
GT																	
2.0L 937	2004-07/2010	F	**356**	●	○	○					V	284	44	22	**20.2**	59	5
		R	**TBA**								S	276	45.7	10	**9**	59	5
3.2L 937	2004-07/2012	F	**TBA**								V	330	44.7	32	**30**	59	5
		R	**TBA**								S	276	45.7	10	**9**	59	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 30 17/9/19 7:15 pm

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

ALFA ROMEO

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
MITO																	
1.4L x 88kW & 99kW PETROL TURBO	2009-2016	F	**TBA**								V	281	43.5	26	**24.2**	59	4
		R	**TBA**								S	251	40.7	10	**9**	59	4
1.4L x 114kW & 125kW PETROL TURBO		F	**TBA**								V	305	44.8	28	**26**	59	4
		R	**TBA**								S	251	40.7	10	**9**	59	4
0.875L 875cc x 77kW PETROL TURBO	2013-2016	F	**2404**	●							V	257	40.5	22	**20.2**	59	4
		R	**TBA**								S	251	40.7	10	**9**	59	4
MONTREAL																	
2.6L V8 DOHC	1970-1977	F	**2360**								V	272	58	22	**20**	82.1	4
SPIDER																	
939 2.2L JTS	2006-2011	F	**2296**	●	●	○					V	305	40	28	**26**	70	5
		F	**3260E**	●	○						V	305	39.7	28	**26**	70	5
		R	**2297**	●	○	○					S	278	43	12	**10**	70	5
939 3.2L JTS V6	2006-2012	F	**2298**	●	●						V	330	40	28	**26**	70	5
		R	**2299**	●	○	○					S	292	43	22	**20**	70	5
939 1.8L TURBO	2011-02/2012	F	**2298**	●	●						V	330	40	28	**26**	70	5
		R	**2299**	●	○	○					S	292	43	22	**20**	70	5

F721 2019 Red Master v45.indd 31 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

ASTON MARTIN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
ASTON MARTIN																	
DB9 MODELS – *Check All Specs*	2005-on	F	**42767**				●	○	○		V	355	52.5	32	**30**	71	5
V8 VANTAGE – *Check All Specs*	08/2010-on	F	**42767**				●	○	○		V	355	52.5	32	**30**	71	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 32 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

AUDI

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
AUDI 80 Inc FOX																	
1.5L, 1.6L FOX	9/1976-1979	F	**240**							○	S	239	35.2	12	**10**	65	4
AUDI 100																	
ALL MODELS	1974-1977	F	**440**								S	257	40.5	13	**11**	68	4
2.0L 4 Cyl – 74kW 2.4L DIESEL 2.0E 4 Cyl – 85kW 2.3E 5 Cyl	12/1990-1994	F	**805**								S	288	46.2	15	**13**	68	5
2.0E 16V	1992-1994																
2.6E V6	05/1992-1994	F	**807**	●	○	○					V	288	46.2	25	**23**	68	5
2.8E V6	12/1990-1994																
ALL MODELS Inc AVANT & QUATTRO REAR	1990-1994	R	**810**	○	○						S	245	63.9	10	**8**	68	5
A1																	
8X Series – 1ZG	11/2011-2016	F	**800**	●	●	●	●	●			V	256	36.5	22	**19**	65	5
1ZC		F	**802**	●	●	○					V	288	34	25	**22**	65	5
1ZM, 1ZN & 1ZS		F	**4838**				●	●	●		V	312	34.2	25	**23**	65	5
1LJ		F	**2806E**	●	●	●	●	●	○		V	312	49.8	25	**22**	65	5
1KT		R	**803**	●	●	○					S	232	39.5	9	**7**	65	5
A1 / S1																	
8X Series – 1ZG	09/2014-2016	F	**800**	●	●	●	●	●			V	256	36.5	22	**19**	65	5
1ZC		F	**802**	●	●	○					V	288	34	25	**22**	65	5
1ZS		F	**4838**				●	●	●		V	312	34.2	25	**23**	65	5
1LJ		F	**2806E**	●	●	●	●	●	○		V	312	49.8	25	**22**	65	5
1KT		R	**803**	●	●	○					S	232	39.5	9	**7**	65	5
A2																	
8Z Series		F	**800**	●	●	●	●	●			V	256	36.7	22	**19**	65	5
		R	**803**	●	●	○					S	232	39.5	9	**7**	65	5
A3																	
1LQ	1997-4/2003	F	**800**	●	●	●	●	●			V	256	36.7	22	**19**	65	5
1LR, 1LS & 1ZP		F	**801**	●	○	○					V	280	36.7	22	**19**	65	5
1LE, 1LN & 1ZD		F	**802**	●	●	○					V	288	34	25	**22**	65	5
1KK & 1KV		R	**803**	●	●	○					S	232	39.5	9	**7**	65	5
8P Series – 1ZF & 1ZM	2004-2013	F	**2812E**	●	●	○					V	280	49	22	**19**	65	5
1ZE & 1ZP		F	**2810E**	●	●	○					V	288	49.7	25	**22**	65	5
1LJ, 1ZA & 1ZD		F	**2806E**	●	●	●	●	●	○		V	312	49.8	25	**22**	65	5
1LK		F	**2808E**	●	●	○	●	●	●	○	V	345	49.8	30	**27**	65	5
1KL – WAVE Design of DBA2808		F	**42808W**				○		●	●	V	345	49.8	30	**27**	65	5
1KQ & 1KD		R	**2811E**	●	●	○					S	253	51.5	10	**8**	65	5
1KE		R	**2813E**	●	●	○					S	259.8	48.5	12	**10**	65	5
1KS		R	**2814E**	●	●	○	●	○	○		S	272	48.2	9.7	**8**	65	5
1KZ		R	**2816E**	●	●	○	○	●	○		S	282	47.3	12	**10**	65	5
		R	**2807E**	●	●	○	●	●	○		S	285.6	48.4	11.7	**10**	65	5
8V Series – 1ZE & 1ZP	2013-2017	F	**2810E**	●	●	○					V	288	49.7	25	**22**	65	5
1ZD & 1ZA		F	**2806E**	●	●	●	●	●	○		V	312	49.8	25	**22**	65	5
1KE		R	**2814E**	●	●	○	●	○	○		S	272	48.2	9.7	**8**	65	5
2ED		R	**2837E**	●	●	○	●	●			S	300	48.3	12	**10**	65	5
1KJ & 1KY		R	**2809E**	●	●	○	●	●	●		V	310	48.5	22	**20**	65	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

AUDI

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
A3 / S3																	
8L Series 1.8L TURBO	12/1999-2005	F	**4838**				●	●	●		V	312	34.2	25	**23**	65	5
FWD	2000-2002	R	**803**	●	●	○					S	232	39.5	9	**7**	65	5
QUATTRO 1KF V REAR DISC		R	**800**	●	●	●	●	●			V	256	36.5	22	**19**	65	5
8P Series 2.0L TURBO – 1ZK	2007-2013	F	**2808E**	●	●	○	●	●	●	○	V	345	49.8	30	**27**	65	5
1ZK – WAVE Design of 2808E		F	**42808W**				○		●	●	V	345	49.8	30	**27**	65	5
1KW		R	**2809E**	●	●	○	●	●	●		V	310	48.5	22	**20**	65	5
1KW – WAVE Design of 2809E			**42809W**						●		V	310	48.5	22	**20**	65	5
8V Series 2.0L TURBO – 1LC & 1LJ	2013-2017	F	**2830E**	●	●	●	●	●	●	●	V	340	49.7	30	**27**	65	5
1KE		R	**2814E**	●	●	○	●	○	○		S	272	48.2	9.7	**8**	65	5
2ED		R	**2837E**	●	●	○	●	●			S	300	48.3	12	**10**	65	5
1KW		R	**2809E**	●	●	○	●	●	●		V	310	48.5	22	**20**	65	5
1KW – WAVE Design of 2809E		R	**42809W**						●		V	310	48.5	22	**20**	65	5
A3 / RS3																	
8P Series 2.5L TURBO	2011-2012	F	**TBA**								V	370		32			
		R	**2809E**	●	●	○	●	●	●		V	310	48.5	22	**20**	65	5
WAVE Design of 2809E		R	**42809W**						●		V	310	48.5	22	**20**	65	5
8V Series 2.5L TURBO WAVE Design	2015-06/2017	F	**52844**							●	V	370	59.7	34	**32**	65	5
1KX & 2EE		R	**2809E**	●	●	○	●	●	●		V	310	48.5	22	**20**	65	5
1KX & 2EE – WAVE Design of 2809E		R	**42809W**						●		V	310	48.5	22	**20**	65	5
8V Series SEDAN 4P1, 1LH, 1LU, 1LL & 1LN	07/2017-on	F	**53004**								V	370	52	34	**32**	65	5
1KX		R	**2809E**	●	●	○	●	●	●		V	310	48.5	22	**20**	65	5
A4																	
B5 SERIES																	
1.6L x 74kW	1995-2003	F	**804**								S	280	46.2	13	**11**	68	5
		F	**806**								V	280	46.2	22	**20**	68	5
		R	**808**	○		○					S	245	83.6	10	**8**	HUB	5
1.8L x 92kW	1995-2000	F	**805**								S	288	46.2	15	**13**	68	5
		F	**806**								V	280	46.2	22	**20**	68	5
		R	**808**	●		○					S	245	83.6	10	**8**	HUB	5
1.8L x 110kW & 132kW	1995-2002	F	**807**	●	○	○					V	288	46.2	25	**23**	68	5
1KD		R	**809**								S	245	48	10	**8**	68	5
2.4L x 121kW V6	1998-2003	F	**807**	●	○	○					V	288	46.2	25	**23**	68	5
		R	**809**								S	245	48	10	**8**	68	5
2.6L x 110kW V6	1995-1998	F	**807**	●	○	○					V	288	46.2	25	**23**	68	5
SEDAN		R	**808**	○		○					S	245	83.6	10	**8**	HUB	5
WAGON 1KD		R	**809**								S	245	48	10	**8**	68	5
2.8L x 142kW V6	1997-2001	F	**807**	●	○	○					V	288	46.2	25	**23**	68	5
1KD		R	**809**								S	245	48	10	**8**	68	5
B6 SERIES																	
1LZ	2001-2005	F	**806**								V	280	46.2	22	**20**	68	5
1LB & 1LE		F	**807**	●	○	○					V	288	46.2	25	**23**	68	5
1LF & 1LT		F	**2800**	●	○	○	●	○	○		V	312	46.2	25	**23**	68	5
1LA		F	**4240**							○	V	320	52	30	**28**	68	5
1KD		R	**2801E**	●	○						S	245	39.8	10	**8**	68	5
1KP		R	**2802E**	●	○						S	255	40	12	**10**	68	5
1KW		R	**2825**							○	S	288	36	12	**10**	68	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 34 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

AUDI

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
B7 SERIES																	
1LZ	2005-2008	F	**806**								V	280	46.2	22	**20**	68	5
1LB & 1LE		F	**807**	●	○	○					V	288	46.2	25	**23**	68	5
1LF & 1LT		F	**2800**	●	○	○	●	○	○		V	312	46.2	25	**23**	68	5
1LA		F	**4240**							○	V	320	52	30	**28**	68	5
1KD		R	**2801E**	●	○						S	245	39.8	10	**8**	68	5
1KP		R	**2802E**	●	○						S	255	40	12	**10**	68	5
1KW – *From Chassis 8E540001*		R	**2825**								S	288	36	12	**10**	68	5
B8 SERIES																	
1LT & 1LY	2008-2015	F	**2824**	●	●						V	314	52	25	**23**	68	5
1LA & 1LB	2008-06/2011	F	**2822E**	●	●	○					V	320	52	30	**28**	68	5
1LJ, 1LD & 1ZT	07/2011-2015	F	**2832E**	●	●	○	●	●		●	V	345	52	30	**28**	68	5
1LJ, 1LD & 1ZT – WAVE Design		F	**52832W**							●	V	345	52	30	**28**	68	5
1KW & 2EH		R	**2823**	●	●	○					S	300	36	12	**10**	68	5
1KP		R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
B9 SERIES																	
1LA & 1LB	2015-on	F	**2824**	●	●						V	314	52.4	25	**23**	68	5
1LC & 1LD		F	**3010E**								V	318	57.4	30	**28**	68	5
1LE, 1LF & 1LH		F	**3012E**								V	338	57.4	30	**28**	68	5
1KD & 1KE		R	**2823**	●	●	○					S	300	36	12	**10**	68	5
1KF, 1KJ, 1KK, 1KU & 2EJ		R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
40 TFSi S-TRONIC SPORT 1LA & 1LB	01/2019-on	F	**2824**	●	●						V	314	52.4	25	**23**	68	5
1LE, 1LF & 1LH		F	**3012E**								V	338	57.4	30	**28**	68	5
1KD & 1KE		R	**2823**	●	●	○				S	300	36	12	10	**68**	5	
1KF & 1KJ		R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
45 TFSi S-TRONIC SPORT 1LE, 1LF & 1LH	01/2019-on	F	**3012E**								V	338	57.4	30	**28**	68	5
1KF & 1KJ		R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
B9 SERIES ALLROAD																	
1LA & 1LB	2016-on	F	**2824**	●	●						V	314	52.4	25	**23**	68	5
1LC & 1LD		F	**3010E**								V	318	57.4	30	**28**	68	5
1LE, 1LF & 1LH		F	**3012E**								V	338	57.4	30	**28**	68	5
1KD & 1KE		R	**2823**	●	●	○					S	300	36	12	**10**	68	5
1KF, 1KJ, 1KK, 1KU & 2EJ		R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
A4 / S4																	
B5 Series 2.7L TWIN TURBO	1999-08/2003	F	**5575**							○	V	320	45.5	30	**28**	68	5
		R	**4569**				○	○	○		V	256	48	22	**20**	68	5
B6 Series	2003-2005	F	**42575**				●	●	○		V	344.5	46.7	30	**28**	68	5
		R	**42576**				●	●	○		V	300	36.5	22	**20**	68	5
B7 Series	2005-09/2008	F	**42575**				●	●	○		V	344.5	46.7	30	**28**	68	5
		R	**42576**				●	●	○		V	300	36.5	22	**20**	68	5
B8 Series – 1LA	2009-06/2015	F	**2822E**	●	●	○					V	320	52	30	**28**	68	5
1LJ & 1ZT	07/2011-2016	F	**2832E**	●	●	○	●	●		●	V	345	52	30	**28**	68	5
1LJ & 1ZT – WAVE Design		F	**52832W**							●	V	345	52	30	**28**	68	5
1KE	2009-10/2010	R	**2821**	●	●						V	330	36	22	**20**	68	5
1KE	11/2010-2016	R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
B9 Series 3.0L TURBO, 1LA & 1LB	2017-on	F	**2824**	●	●						V	314	52.4	25	**23**	68	5
1KD & 1KE		R	**2823**	●	●	○					S	300	36	12	**10**	68	5
1KF, 1KJ, 1KK & 2EJ		R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

AUDI

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
A4 / RS4																	
B5 Series	11/2000-07/2001	F	**52804**							○	V	360	46.7	32	**30.4**	68	10
		R	**TBA**								V	312	45	22	**20.4**	68	5
B7 Brembo FLOATING REPLACEMENT 10 HOLE	2005-2009	F	**52838.1**							○	V	365	34	34	**32.4**		
8T Series – 1LM & 1LZ *DBA Replacement*	10/2012-2016	F	**52834**							●	V	365	52.4	34	**32.4**	68	5
2ED & 1KZ – WAVE Design *DBA Replacement*		R	**52841**							●	V	330	36	22	**20.4**	68	5
Must Check Rear Rotor Height		R	**52835**							●	V	330	41	22	**20.4**	68	5
A5																	
Series 8T – 1LT & 1LY	2008-2016	F	**2824**	●	●						V	314	52	25	**23**	68	5
1LA & 1LB		F	**2822E**	●	●	○					V	320	52	30	**28**	68	5
1LD, 1LJ & 1ZT		F	**2832E**	●	●	○	●	●		●	V	345	52	30	**28**	68	5
1LD, 1LJ & 1ZT – WAVE Design		F	**52832W**							●	V	345	52	30	**28**	68	5
1KW & 2EH		R	**2823**	●	●	○					S	300	36	12	**10**	68	5
1KE & 1KP	2008-11/2010	R	**2821**	●	●						V	330	36	22	**20**	68	5
1KE & 1KP	11/2010-2016	R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
Series F5 AWD – 1LA & ILB	2017-on	F	**2824**	●	●						V	314	52	25	**23**	68	5
1KF, 1KJ, 1KK & 2EJ		R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
A5 / S5																	
Series 8T – 1LA & 1LB	2007-on	F	**2822E**	●	●	○					V	320	52	30	**28**	68	5
1LJ & ZT		F	**2832E**	●	●	○	●	●		●	V	345	52	30	**28**	68	5
1LJ & ZT – WAVE Design		F	**52832W**							●	V	345	52	30	**28**	68	5
1KE & 1KP	2008-11/2010	R	**2821**	●	●						V	330	36	22	**20**	68	5
1KE & 1KP	11/2010-on	R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
Series 8T – 1LT 3.0L SUPERCHARGED	2015-2016	F	**TBA**								V	314	52.4	25	**23**	68	5
1LA		F	**2822E**	●	●	○					V	320	52	30	**28**	68	5
1LJ & 1ZT		F	**2832E**	●	●	○	●	●		●	V	345	52	30	**28**	68	5
1LJ & 1ZT – WAVE Design		F	**52832W**							●	V	345	52	30	**28**	68	5
1KW		R	**2823**	●	●	○					S	300	36	12	**10**	68	5
1KE		R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
Series 8F – 1LJ	03/2012-2016	F	**2832E**	●	●	○	●	●		●	V	345	52	30	**28**	68	5
Series 8F – 1LJ – WAVE Design		F	**52832W**							●	V	345	52	30	**28**	68	5
1KE		R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
Series F5 3.0L – 1LA & 1LB	2017-on	F	**2824**	●	●						V	314	52	25	**23**	68	5
1KF, 1KJ, 1KK & 2EJ		R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
A5 / RS5																	
Series 8T – 1LM & 1ZL	10/2010-2012	F	**52834**							●	V	365	52.4	34	**32.4**	68	5
2ED & 1KZ – NORMAL & WAVE Design		R	**52841**							●	V	330	36	22	**20.4**	68	5
Must Check Rear Rotor Height		R	**52835**							●	V	330	41	22	**20.4**	68	5
Series 8F	2013-2016	F	**52834**							●	V	365	52.4	34	**32.4**	68	5
WAVE Design		R	**52841**							●	V	330	36	22	**20.4**	68	5
2ED & 1KZ – NORMAL & WAVE Design		R	**52835**							●	V	330	41	22	**20.4**	68	5
Must Check Rear Rotor Height																	

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 36 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

AUDI

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
A6																	
C4 Series 2.6 & 2.8L	1994-1997	F	**807**	●	○	○					V	288	46.2	25	**23**	68	5
		F	**2800**	●	○	○	●	○	○		V	312	46.2	25	**23**	68	5
		R	**810**	○	○						S	245	63.9	10	**8**	68	5
C5 Series – 1LB & 1LE	1997-2004	F	**807**	●	○	○					V	288	46.2	25	**23**	68	5
1LF & 1LT		F	**2800**	●	○	○	●	○	○		V	312	46.2	25	**23**	68	5
1LG, 1LA, & 1LX-T7Z		F	**5575**							○	V	320	46.2	30	**28**	68	5
1LX-T7S – *Height 52mm*		F	**4240**							○	V	321	52	30	**28**	68	5
0N1		R	**2803**	●	○						S	245	53.8	10	**8**	68	5
0N6		R	**2805**	○	○						S	255	47.8	10	**8**	68	5
Height 63.9mm		R	**810**	○	○						S	245	63.9	10	**8**	68	5
C6 Series – 1LT	2004-06/2011	F	**TBA**								V	314	59.7	25	**23**	68	5
1LG, 1LD & 1LV		F	**2826E**	●	○	○					V	321	59.6	30	**28**	68	5
1ZL,1LH & 1ZT		F	**TBA**								V	347	59.7	30	**28**	68	5
1LL – *Armoured Vehicles*		F	**TBA**								V	360	59.6	34	**31**	68	5
1KD, 1KQ & 2ED *With Electric Handbrake*		R	**2827E**	●	○	○					S	302	49	12	**10**	68	5
1KW, 2EE & 2EL *With Manual Handbrake*		R	**TBA**								V	330	49.4	22	**20**	68	5
C7 Series – 1LA	07/2011-2018	F	**2822E**	●	●	○					V	320	52	30	**28**	68	5
1LJ & 1LP		F	**2832E**	●	●	○	●	●		●	V	345	52	30	**28**	68	5
1LJ & 1LP – WAVE Design		F	**52832W**							●	V	345	52	30	**28**	68	5
1LL, 1LF & 1ZK		F	**2848E**	●	○		○	○			V	356	52.4	34	**31.5**	68	5
1KW		R	**2823**	●	●	○					S	300	36	12	**10**	68	5
2EA, 2EE & 2EJ		R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
1KY		R	**2849E**	●	○	○	●	●	○		V	356	36.5	22	**20**	68	5
A6 / S6																	
C5 Series – 1LG, 1LA, & 1LX-T7Z	02/2001-12/2004	F	**5575**							○	V	320	46.2	30	**28**	68	5
1LX-T7S – *Height 52mm*		F	**4240**							○	V	321	52	30	**28**	68	5
		R	**4241**								V	269	54	22	**20**	68	5
C6 Series 5.2L V10	11/2006-2012	F	**52778**							●	V	385	64.1	36	**33.5**	68	5
		R	**2779E**	●	○		●	●			V	330	42.5	22	**20**	68	5
C7 Series – 1LA	10/2012-2017	F	**TBA**								V	320	52.4	30	**28**	68	5
1LJ		F	**2832E**	●	●	○	●	●		●	V	345	52	30	**28**	68	5
1LJ – WAVE Design		F	**52832W**							●	V	345	52	30	**28**	68	5
1LL, 1LF & 1ZK		F	**2848E**	●	○		○	○			V	356	52.4	34	**31.5**	68	5
1KW		R	**2823**	●	●	○					S	300	36	12	**10**	68	5
2EA & 2EE		R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
1KY		R	**2849E**	●	○	○	●	●	○		V	356	36.5	22	**20**	68	5
A6 / RS6																	
C5 Series 4.2L V8 – 1LJ & 1LP	10/2003-01/2005	F	**TBA**								V	365	52.5	34	**32.4**	68	5
1KZ & 1KY		R	**TBA**								V	335	48	22	**20.4**	68	5
C6 Series 5.0L V10 1LM	2008-10/2010	F	**53000**							●	V	390	59.5	36	**34.4**	68	5
1KJ		R	**53001**							●	V	356	42.4	28	**26.4**	68	5
4G Series 4.0L V8 1LM & 1LX – WAVE Design	10/2013-on	F	**53002**							●	V	390	52.2	36	**34.4**	68	5
1KJ & 1KQ – WAVE Design		R	**53003**							●	V	356	36.3	22	**20.4**	68	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

AUDI

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
ALLROAD																	
Series C5 4B 2.7L V6 30V TURBO – 1LA & 1LX 4.2l V8 40V TURBO DIESEL 1.9L TDI	2000-2006	F	**5575**							○	V	320	46.2	30	**28**	68	5
S REAR DISC MODELS		R	**2805**	○	○						S	255	47.8	10	**8**	68	5
4G C7 Series 3.0L TURBO / TWIN TURBO – 1LA	10/2012-on	F	**2822E**	●	●	○					V	320	52	30	**28**	68	5
1LJ		F	**TBA**								V	345	62.1	30	**28**	68	5
1LL & 1LF		F	**TBA**								V	356	62.1	34	**31.5**	68	5
1KW		R	**2823**	●	●	○					S	300	36	12	**10**	68	5
2EA, 2EE & 2EJ		R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
1KY		R	**2849E**	●	○	○	●	●	○		V	356	36.5	22	**20**	68	5
A7																	
4G Series – 1LA	2011-2017	F	**2822E**	●	●	○					V	320	52	30	**28**	68	5
1LJ & 1LP		F	**2832E**	●	●	○	●	●		●	V	345	52	30	**28**	68	5
1LJ & 1LP – WAVE Design		F	**52832W**							●	V	345	52	30	**28**	68	5
1LL & 1LF		F	**2848E**	●	○		○	○			V	356	52.4	34	**31.5**	68	5
1KW		R	**2823**	●	●	○					S	300	36	12	**10**	68	5
2EA, 2EE & 2EJ		R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
1KY		R	**2849E**	●	○	○	●	●	○		V	356	36.5	22	**20**	68	5
4K Series Sportback 55 1LN & 1LP	11/2018-on	F	**3014**								V	375		36			
1KF & 1KJ		R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
A7 / S7																	
C7 Series TWIN TURBO – 1LA	10/2012-2017	F	**2822E**	●	●	○					V	320	52	30	**28**	68	5
1LJ		F	**2832E**	●	●	○	●	●		●	V	345	52	30	**28**	68	5
1LJ – WAVE Design		F	**52832W**							●	V	345	52	30	**28**	68	5
1LL & 1LF		F	**2848E**	●	○		○	○			V	356	52.4	34	**31.5**	68	5
1KW		R	**2823**	●	●	○					S	300	36	12	**10**	68	5
2EA, 2EE & 2EJ		R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
1KY		R	**2849E**	●	○	○	●	●	○		V	356	36.5	22	**20**	68	5
A7 / RS7																	
4G Series 1LM & 1LX – WAVE Design	10/2013-2017	F	**53002**							●	V	390	52.2	36	**34.4**	68	5
1KJ & 1KQ – WAVE Design		R	**53003**							●	V	356	36.3	22	**20.4**	68	5
A8																	
D3 Series 4E 1LG	2006-2010	F	**2826E**	●	○	○					V	321	59.6	30	**28**	68	5
1LL & 1LM		F	**TBA**								V	360	59.6	34	**31**	68	5
1KE		R	**TBA**								V	280	42.4	22	**20**	68	5
1KW		R	**TBA**								V	310	42.4	22	**20**	68	5
D4 Series 4H Suits PR Code 1LJ	2010-2016	F	**TBA**								V	380		36			
1KW		R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
1KY & 1KZ		R	**2849E**	●	○	○	●	●	○		V	356	36.5	22	**20**	68	5
D4 Series 4H Suits PR Code 1LJ & 1LP	2016-on	F	**2848E**	●	○		○	○			V	356	52.4	34	**31.5**	68	5
1LJ & 1LP		F	**TBA**								V	380	52.4	36	**34**	68	5
1KW		R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
1KY, 1KZ & 1KE		R	**2849E**	●	○	○	●	●	○		V	356	36.5	22	**20**	68	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 38 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

AUDI

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
A8 / S8																	
D2 Series	1998-1999	F	**2826E**	●	○	○					V	321	59.6	30	**28**	68	5
1KW		R	**806**								V	280	46.2	22	**20**	68	5
D3 Series 4E 1LG – *To VIN 4E5003250*	2006-2010	F	**2826E**	●	○						V	321	59.4	30	**28**	68	5
1LG – *From VIN 4E5003251*		F	**2826E**	●	○	○					V	321	59.6	30	**28**	68	5
1LL & 1LM		F	**TBA**								V	360	59.7	34	**31**	68	5
1LJ		F	**TBA**								V	385	59.7	36	**33.5**	68	5
1KE		R	**TBA**									280	42.4	22	**20**	68	5
1KW		R	**TBA**									310	42.4	22	**20**	68	5
IKY & 1KZ		R	**TBA**								V	335	42.2	22	**20**	68	5
D4 Series 4H 1LL	2012-2016	F	**2848E**	●	○		○	○			V	356	52.4	34	**31.5**	68	5
1KW		R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
1KY & 1KZ		R	**2849E**	●	○	○	●	●	○		V	356	36.5	22	**20**	68	5
R8																	
Series 42 V8 & V10 1LA	2008-2013	F	**52834**							●	V	365	52.4	34	**32.4**	68	5
2ED		R	**52833**							●	V	356	43.4	32	**30**	68	5
WAVE Design	2014-2016	F	**52834W**							●	V	365	52.4	34	**32.4**	68	5
2ED & 1KY		R	**TBA**								V	356		32			
4S Series RWS 5.2L V10 1LA & 1LJ – WAVE Design	09/2017-on	F	**52834W**							●	V	365	52.4	34	**32.4**	68	5
SQ5																	
8R Series TWIN TURBO 1LB & 1LC	2013-2017	F	**3008E**								V	320	52.4	30	**28**	68	5
1LJ		F	**2832E**	●	●	○	●	●		●	V	345	52	30	**28**	68	5
1LJ, 1LE & 1LP – WAVE Design		F	**52832W**							●	V	345	52	30	**28**	68	5
1LV & 1ZK		F	**52774**							●	V	380	52.5	36	**34**	68	5
1KW & 2EK		R	**2823**	●	●	○					S	300	36	12	**10**	68	5
1KE, 1KF, 2EL & 2EJ		R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
SQ7																	
4M Series 1LB, 1LV & 1LW	12/2016-on	F	**TBA**														
1KQ, 1KU, 1KW, 1KD & 2EA		R	**3007E**								V	350	36.4	28	**26**	68	5
TT																	
8N Series 1.8L TURBO PR Code 1LD, 1LT & 1LV	1999-2006	F	**4838**				●	●	●		V	312	34.2	25	**23**	65	5
1KK & 2EK		R	**803**	●	●	○					S	232	39.5	9	**7**	65	5
3.2L V6	2004-2006	F	**52828**							●	V	334	35	32	**30**	65	5
		R	**800**	●	●	●	●	●			V	256	36.5	22	**19**	65	5
8J Series 1.8 & 2.0L TURBO 1LJ & 1LL	2006-2014	F	**2806E**	●	●	●	●	●	○		V	312	49.8	25	**22**	65	5
1LM, 1LK & 1LN		F	**2830E**	●	●	●	●	●	●	●	V	340	49.7	30	**27**	65	5
RS PLUS		F	**52842**							●	V	370	49.7	32	**30**	65	5
1KZ, 1KJ, 2ED & 2EE		R	**2829E**	●	○	○	●	●			S	286	58.6	12	**10**	65	5
2EA, 2EF & 2EG		R	**2831E**	●	○	○	○	○	●		V	310	58.2	22	**20**	65	5
TT / TTS																	
FV Series – 1LJ & 1ZD	2015-2017	F	**2806E**	●	●	●	●	●	○		V	312	49.8	25	**22**	65	5
1LK & 1LH		F	**2830E**	●	●	●	●	●	●	●	V	340	49.7	30	**27**	65	5
1KZ		R	**2814E**	●	●	○	●	○	○		S	272	48.4	10	**8**	65	5
2ED		R	**2837E**	●	●	○	●	●			S	300	48.3	12	**10**	65	5
2EG & 2EK		R	**2809E**	●	●	○	●	●	●		V	310	48.5	22	**20**	65	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

AUDI

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
Q2																	
GA Series – 1ZA & 1ZD	06/2016-on	F	**2806E**	●	●	●	●	●	○		V	312	49.8	25	**22**	65	5
1KE		R	**2814E**	●	●	○	●	○	○		S	272	48.4	10	**8**	65	5
35 TFSi 1.4L Turbo 1ZA	08/2018-on	F	**2806E**	●	●	○	●	●	●		V	312	49.8	25	**22**	65	5
40 TFSi 2.0L TD 1ZA		F	**2806E**	●	●	○	●	●	●		V	312	49.8	25	**22**	65	5
40 TFSi 2.0L TD 1KE		R	**2814E**	●	○						S	272	48.4	10	**8**	65	5
Q3																	
8U Series – 1LJ & 1ZD	2012-2017	F	**2806E**	●	●	●	●	●	○		V	312	49.8	25	**22**	65	5
1KU	2012-2014	R	**2816E**	●	●	○	○	●	○		S	282	47.3	12	**10**	65	5
1KU	2015-2017	R	**2837E**	●	●	○	●	●			S	300	48.3	12	**10**	65	5
RS Q3																	
Series 8U 2.5L TURBO 1LA & 1ZT	02/2014-on	F	**52836**								V	365	49.7	34	**32.4**	65.5	5
2EA & 2EJ		R	**2809E**	●	●	○	●	●	●		V	310	48.5	22	**20**	65	5
Q5																	
8R Series – 1LA & 1ZB	03/2009-2015	F	**2822E**	●	●	○					V	320	52	30	**28**	68	5
1LE, 1LJ, 1LP & 1ZT		F	**2832E**	●	●	○	●	●		●	V	345	52	30	**28**	68	5
1LE, 1LJ, 1LP & 1ZT WAVE Design		F	**52832W**							●	V	345	52	30	**28**	68	5
1KW & 2EK		R	**2823**	●	●	○					S	300	36	12	**10**	68	5
1KE	03/2009-10/2010	R	**2821**	●	●						V	330	36	22	**20**	68	5
1KE & 2EL	11/2010-2015	R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
8R Series – 1LB & 1LC	04/2016-on	F	**3008E**								V	320	52.4	30	**28**	68	5
1LJ, 1LP & 1LE		F	**2832E**	●	●	○	●	●		●	V	345	52	30	**28**	68	5
1LE, 1LP & 1LJ – WAVE Design		F	**52832W**							●	V	345	52	30	**28**	68	5
1KW & 2EK		R	**2823**	●	●	○					S	300	36	12	**10**	68	5
1KE & 2EL		R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
Q7																	
4L Series – 1LF	03/2006-2015	F	**2246E**	●	●	●	●	●	●		V	350	69	34	**32**	85	5
1KF		R	**2245E**	●	●	●	●	●	●		V	330	74	28	**26**	85	5
1KD & 2EA		R	**2249**	●	●	○	○				V	358	73.5	28	**26**	85	5
4M Series – 1LF, 1ZA & 1ZK	08/2015-on	F	**2246E**	●	●	●	●	●	●		V	350	69	34	**32**	85	5
1LN, 1LP & 1ZT		F	**3014**								V	375		36			
2ED & 2EE		R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
1KQ, 1KU, 1KW, 1KD & 2EA		R	**3007E**								V	350	36.4	28	**26**	68	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 40 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

AUSTIN HEALEY

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
AUSTIN HEALEY																	
SPRITE MK II-II – 1100	1962-1971	F	**060**								S	209.8	39.5	7.5	**7**	63.5	4
SPRITE MK IV 1275																	
SPRITE MK II-III – 1100	1962-1971	F	**061**								S	209.8	60	7.7	**7**	63	4
SPRITE MK IV 1275																	
3000 MK II-III – 3 Litre	1960-1968	F	**094B**								S	281	38	12.7	**11.4**	82.6	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

BMW

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
ACTIVEHYBRID 3																	
F30 3.0L TURBO	12/2012-12/2015	F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
SPORT PACK		F	**TBA**								V	370	73	30	**28.4**	79	5
		R	**TBA**								V	330	66.2	20	**18.4**	75	5
SPORT PACK		R	**42287**				●	●			V	345	66.2	24	**22.4**	75	5
ACTIVEHYBRID 5																	
F10 & F18 3.0L x 250kW HYBRID TURBO	09/2011-09/2016	F	**2674E**	●	○						V	348	66	30	**28.4**	75	5
		F	**3290EL/R**								V	348	66	36	**34.4**	75	5
		R	**2673E**	●	●						V	330	68.8	20	**18.4**	75	5
		R	**3291E**								V	345	69	24	**22.4**	75	5
ACTIVEHYBRID 7 & 7L																	
F01 & F02 3.0L TURBO	2013-10/2015	F	**3290EL/R**								V	348	66	36	**34.4**	75	5
		R	**3291E**								V	345	69	24	**22.4**	75	5
1M																	
E82 Series 3.0L TWIN TURBO	06/2011-02/2014	F	**2280E**	●	○		●	●		●	V	360	62.3	30	**28.4**	79	5
		R	**2281E**	●	○		●	○	○		V	350	66.5	24	**22.4**	75	5
116D																	
E81 & E87 1.6L & 2.0L	2004-2008	F	**2882**	●	○						V	284	73	22	**20.4**	79	5
E81 PERFORMANCE UPGRADE	11/2008-09/2012	F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2881**	○	○						S	280	65	10	**8.4**	75	5
116i																	
E81 1.6L & 2.0L HATCHBACK PERFORMANCE UPGRADE	03/2007-09/2012	F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
E87	3/2003-10/2008	F	**2882**	●	○						V	284	73	22	**20.4**	79	5
Check Rear Disc Dimensions		R	**2881**	○	○						S	280	65	10	**8.4**	75	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
F20 1.6L TURBO	10/2011-05/2015	F	**2882**	●	○						V	284	73	22	**20.4**	79	5
		F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
		R	**2679E**	●	○						S	290	66	11	**9.4**	75	5
118D																	
E87	3/2003-2011	F	**2866**	●	●						V	292	73	22	**20.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2879**	●	○						S	296	65	10.5	**8.9**	75	5
PERFORMANCE UPGRADE		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
E81	9/2006-11/2011	F	**2866**	●	●						V	292	73	22	**20.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
E82 COUPE	9/2009-10/2013	F	**2866**	●	●						V	292	73	22	**20.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
E88 2.0L CONVERTIBLE	09/2008-10/2013	F	**2866**	●	●						V	292	73	22	**20.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2863E**	●	○		●	●			V	300	76	20	**18.4**	75	5
F20 2.0L TD	10/2011-12/2016	F	**2882**	●	○						V	284	73	22	**20.4**	79	5
		F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
SPORT PACK		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
		R	**2679E**	●	○						S	290	66	11	**9.4**	75	5
SPORT PACK		R	**2677E**	●	○		●	●			V	345	66	24	**22.4**	75	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 42 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

BMW

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
118D – Continued																	
F20 2.0L DIESEL X/DRIVE HATCHBACK	07/2013-1/2015	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
		R	**2679E**	●	○						S	290	66	11	**9.4**	75	5
PERFORMANCE UPGRADE		R	**2677E**	●	○		●	●			V	345	66	24	**22.4**	75	5
F21 2.0L DIESEL X/DRIVE HATCHBACK	05/2013-2015	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
		R	**2679E**	●	○						S	290	66	11	**9.4**	75	5
118i																	
E87	7/2004-2011	F	**2866**	●	●						V	292	73	22	**20.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2879**	●	○						S	296	65	10.5	**8.9**	75	5
PERFORMANCE UPGRADE		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
E81	9/2006-09/2012	F	**2866**	●	●						V	292	73	22	**20.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2879**	●	○						S	296	65	10.5	**8.9**	75	5
PERFORMANCE UPGRADE		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
E88 2.0L CONVERTIBLE	03/2008-10/2013	F	**2866**	●	●						V	292	73	22	**20.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2863E**	●	○		●	●			V	300	76	20	**18.4**	75	5
F20 1.6L TURBO & X/DRIVE HATCHBACK	10/2010-2017	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
		F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
SPORT PACK		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
		R	**2679E**	●	○						S	290	66	11	**9.4**	75	5
SPORT PACK		R	**2677E**	●	○		●	●			V	345	66	24	**22.4**	75	5
F20 1.6L TURBO	2015-on	F	**2882**	●	○						V	284	73	22	**20.4**	79	5
		F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
SPORT PACK		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
		R	**2679E**	●	○						S	290	66	11	**9.4**	75	5
SPORT PACK		R	**2677E**	●	○		●	●			V	345	66	24	**22.4**	75	5
F21 1.6L HATCHBACK	07/2012-2015	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
		R	**2679E**	●	○						S	290	66	11	**9.4**	75	5
120D																	
E87	5/2006-2010	F	**2866**	●	●						V	292	73	22	**20.4**	79	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
E81	5/2006-2010	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
E82 2.0L COUPE	10/2007-10/2013	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2863E**	●	○		●	●			V	300	76	20	**18.4**	75	5
E88	5/2007-12/2013	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
F20 2.0L DIESEL & X/DRIVE HATCHBACK	2010-2015	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
F21 2.0L DIESEL & X/DRIVE HATCHBACK	01/2012-2015	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

BMW

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
120i																	
E87	3/2003-2011	F	**2866**	●	●						V	292	73	22	**20.4**	79	5
Check Disc Dimensions		F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
		R	**2879**	●	○						S	296	65	10.5	**8.9**	75	5
E81 2.0L HATCHBACK	2/2006-09/2012	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
Check Rear Disc Dimensions		R	**2879**	●	○						S	296	65	10.5	**8.9**	75	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
E82 2.0L & 3.0L	09/2009-10/2013	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
COUPE		R	**2863E**	●	○		●	●			V	300	76	20	**18.4**	75	5
E88 2.0L CONVERTIBLE	3/2008-10/2013	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2863E**	●	○		●	●			V	300	76	20	**18.4**	75	5
F20 1.6L TURBO	2015-on	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
		F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
SPORT PACK		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
		R	**2679E**	●	○						S	290	66	11	**9.4**	75	5
SPORT PACK		R	**2677E**	●	○		●	●			V	345	66	24	**22.4**	75	5
123D																	
E87	5/2008-9/2011	F	**2860E**	●	●						V	330	73.2	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
185mm Handbrake		R	**2861**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE		R	**2675E**	●	○		●	○			V	324	67	22	**20.4**	75	5
E81	9/2006-09/2012	F	**2860E**	●	●						V	330	73.2	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
E82	5/2008-2/2014	F	**2860E**	●	●						V	330	73.2	24	**22.4**	79	5
PERFORMANCE UPGRADE	10/2007-2/2014	F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
PERFORMANCE UPGRADE		R	**2887E**	●	●	○					V	324	77	22	**20.1**	75	5
E88	2008-2014	F	**2860E**	●	●						V	330	73.2	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
185mm Handbrake		R	**2861**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE		R	**2887E**	●	●	○					V	324	77	22	**20.1**	75	5
125i																	
E82 3.0L COUPE	2008-10/2013	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2863E**	●	○		●	●			V	300	76	20	**18.4**	75	5
E88 3.0L CONVERTIBLE	03/2008-10/2013	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2863E**	●	○		●	●			V	300	76	20	**18.4**	75	5
F20 2.0L TURBO	04/2012-2017	F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
SPORT PACK		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
SPORT PACK		R	**2677E**	●	○		●	●			V	345	66	24	**22.4**	75	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 44 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

BMW

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
130i																	
E87	2005-2010	F	**2860E**	●	●						V	330	73.2	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2861**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE		R	**2675E**	●	○		●	○			V	324	67	22	**20.4**	75	5
E81	9/2006-11/2011	F	**2860E**	●	●						V	330	73.2	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2861**	●	●						V	300	66	20	**18.4**	75	5
135i																	
E82 E88	2008-2014	F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2887E**	●	●	○					V	324	77	22	**20.1**	75	5
218D																	
F45 2.0L 110kW TURBO WAGON	11/2014-on	F	**3280E**	●	○						V	294	45.2	22	**20.4**	67	5
		R	**3281E**	●	○						S	280	50.6	10	**8**	67	5
218i																	
F45 1.5L 100kW TURBO WAGON	11/2014-on	F	**3280E**	●	○						V	294	45.2	22	**20.4**	67	5
		F	**3294E**								V	307	45.2	24	**22.4**	67	5
		R	**3281E**	●	○						S	280	50.6	10	**8**	67	5
220D																	
F22 220D M SPORT 2.0L TD	02/2015-on	F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE		R	**2677E**	●	○		●	●			V	345	66	24	**22.4**	75	5
220i																	
F22 F23 220i 2.0L TURBO	11/2014-2018	F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
M-SPORT PACKAGE		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
M-SPORT PACKAGE		R	**2677E**	●	○		●	●			V	345	66	24	**22.4**	75	5
F45 Series 2.0L 141kW TURBO	01/2015-on	F	**3280E**	●	○						V	294	45.2	22	**20.4**	67	5
		F	**3294E**								V	307	45.2	24	**22.4**	67	5
		R	**3281E**	●	○						S	280	50.6	10	**8**	67	5
225i & 225xe																	
F45 1.5L & 2.0L WAGON	11/2014-on	F	**3286E**	●							V	330	45.2	24	**22.4**	67	5
		R	**3287E**	●							V	300	50.6	20	**18.4**	67	5
228i																	
F22	03/2014-2016	F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
		F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
PERFORMANCE PACK		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE PACK		R	**2677E**	●	○		●	●			V	345	66	24	**22.4**	75	5
F23 2.0L CONVERTIBLE	11/2014-2016	F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
PERFORMANCE PACK		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE PACK		R	**2677E**	●	○		●	●			V	345	66	24	**22.4**	75	5

F721 2019 Red Master v45.indd 45 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

BMW

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
230i																	
F22 & F23 2.0L TURBO	11/2016-on	F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
M SPORT		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
M PERFORMANCE		F	**2286E**	●	○		●	●		●	V	370	73.1	30	**28.4**	79	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE PACK		R	**2677E**	●	○		●	●			V	345	66	24	**22.4**	75	5
316D																	
E90 PERFORMANCE UPGRADE	07/2009-12/2011	F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
F30 / F35 / F80 UPGRADE 2.0L DIESEL SEDAN	02/2012-on	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
F31 2.0L DIESEL WAGON	06/2012-on	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
316i																	
E30	1982-1987	F	**678**								S	260	35.1	12.7	**11.1**	66	4
E30 Inc ABS	1982-1993	F	**679**	●	●	○	●	●	○		V	260	35.1	22	**20.4**	66	4
TOURING		R	**671**	●	●						S	258	60.1	10	**8.4**	62	4
E36 Inc ABS	1990-2000	F	**978**	●	○	○					S	286	51.7	12	**10.4**	79	5
		R	**983**	●	●	○	○	○	○		S	280	60.1	10	**8.4**	75	5
316i																	
E90 E92	2004-2011	F	**2866**	●	●						V	292	73	22	**20.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
Check Rear Disc Dimensions		R	**2879**	●	○						S	296	65	10.5	**8.9**	75	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
F31 1.6L WAGON	03/2013-2015	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
F30 / F35 / F80 1.6L TURBO SEDAN	10/2012-2015	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
F30 PERFORMANCE UPGRADE		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
F30 PERFORMANCE UPGRADE		R	**2677E**	●	○		●	●			V	345	66	24	**22.4**	75	5
318i 318D																	
E30	1982-1991	F	**678**								S	260	35.1	12.7	**11.1**	66	4
E30 Inc ABS	1982-1993	F	**679**	●	●	○	●	●	○		V	260	35.1	22	**20.4**	66	4
TOURING / CABRIOLET		R	**671**	●	●						S	258	60.1	10	**8.4**	62	4
E36 Inc ABS	12/90-1998	F	**978**	●	○	○					S	286	51.7	12	**10.4**	79	5
		R	**983**	●	●	○	○	○	○		S	280	60.1	10	**8.4**	75	5
E46 SALOON	4/1998-12/2001	F	**979**	●	●	○	●	●	○		V	286	51.6	22	**20.4**	79	5
		R	**983**	●	●	○	○	○	○		S	280	60.1	10	**8.4**	75	5
E90	2004-2007	F	**2866**	●	●						V	292	73	22	**20.4**	79	5
INCREASED PAYLOADS		F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2879**	●	○						S	296	65	10.5	**8.9**	75	5
PERFORMANCE UPGRADE		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
E91	2005-2008	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
PERFORMANCE UPGRADE	09/2005-12/2012	F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2861**	●	●						V	300	66	20	**18.4**	75	5
E92 2.0L COUPE	03/2010-2013	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 46 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

BMW

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
318i 318D – Continued																	
E93 2.0L CONVERTIBLE	03/2010-2013	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
F30 / F35 / F80 2.0L DIESEL & X/DRIVE SEDAN	02/2012-2016	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
F30 / F35 / F80 1.5L SEDAN	07/2015-on	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
F30 M-SPORT PACKAGE		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
M-SPORT PACKAGE		R	**2677E**	●	○		●	●			V	345	66	24	**22.4**	75	5
F30 318D 2.0L TD	2012-2016	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
PERFORMANCE UPGRADE		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE		R	**2677E**	●	○		●	●			V	345	66	24	**22.4**	75	5
F31 2.0L DIESEL & X/DRIVE WAGON	06/2012-6/2015	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
PERFORMANCE UPGRADE		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
160mm Handbrake		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
185mm Handbrake		R	**2285E**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE 160mm Handbrake		R	**2677E**	●	○		●	●			V	345	66	24	**22.4**	75	5
PERFORMANCE UPGRADE 185mm Handbrake		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
F31 1.5L WAGON	07/2015-on	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
PERFORMANCE UPGRADE		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE		R	**2677E**	●	○		●	●			V	345	66	24	**22.4**	75	5
F34 2.0L DIESEL GRAN TURISMO HATCHBACK	03/2013-2016	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
318iS																	
E30	1989-1991	F	**679**	●	●	○	●	●	○		V	260	35.1	22.5	**20.4**	66	4
		R	**671**	●	●						S	258	60.1	10	**8.4**	62	4
E36 SALOON / COUPE	1992-1998	F	**979**	●	●	○	●	●	○		V	286	51.6	22	**20.4**	79	5
		R	**983**	●	●	○	○	○	○		S	280	60.1	10	**8.4**	75	5
318TDS																	
E36 SALOON/COMPACT	1994-on	F	**978**	●	○	○					S	286	51.7	12	**10.4**	79	5
E36 TOURING		F	**978**	●	○	○					S	286	51.7	12	**10.4**	79	5
		R	**983**	●	●	○	○	○	○		S	280	60.1	10	**8.4**	75	5
318Ti																	
E36 COMPACT	1995-4/1998	F	**978**	●	○	○					S	286	51.7	12	**10.4**	79	5
		R	**983**	●	●	○	○	○	○		S	280	60.1	10	**8.4**	75	5
E46	2001-2005	F	**979**	●	●	○	●	●	○		V	286	51.6	22	**20.4**	79	5
		R	**980**	●	●	○					V	276	60	19	**17.4**	75	5
320Ci																	
E46 2.2L PETROL	2000-2007	F	**966E**	●	●	○	●	●			V	300	52	22	**20**	79	5
		R	**967**	●	●		●	○	○		V	294	59.5	19	**17.4**	75	5

F721 2019 Red Master v45.indd 47 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

BMW

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
320D																	
E46 SALOON	4/1998-2005	F	**979**	●	●	○	●	●	○		V	286	51.6	22	**20.4**	79	5
		R	**980**	●	●	○					V	276	60	19	**17.4**	75	5
E90	2006-2012	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
		F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
With Option Code S102A		F	**2860E**	●	●						V	330	73.2	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
160mm Handbrake		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
INCREASED PAYLOADS		R	**2859E**	●	●	○	●	●	○		V	336	67.2	22	**20.4**	75	5
E91 2.0L TD x 130kW	2008-2012	F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
INCREASED PAYLOADS		F	**2860E**	●	●						V	330	73.2	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
160mm Handbrake		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
185mm Handbrake		R	**2861**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE		R	**2675E**	●	○		●	○			V	324	67	22	**20.4**	75	5
INCREASED PAYLOADS		R	**2859E**	●	●	○	●	●	○		V	336	67.2	22	**20.4**	75	5
E92	2007-2014	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
E93	2004-on	F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
E93	2007-2013	F	**2886**	●	●						V	312	73.2	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
190mm Handbrake		R	**2861**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE		R	**2675E**	●	○		●	○			V	324	67	22	**20.4**	75	5
F30 / F35 / F80 2.0L DIESEL & X/DRIVE SEDAN	10/2011-2015	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
		F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
F30 SPORT PACK		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
SPORT PACK		R	**2677E**	●	○		●	●			V	345	66	24	**22.4**	75	5
F31	09/2013-2016	F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
185mm Handbrake		R	**2285E**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE 185mm Handbrake		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
F31 2.0L DIESEL WAGON *Without Start / Stop*	06/2012-2016	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
F34	05/2013-2016	F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
185mm Handbrake		R	**2285E**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE 185mm Handbrake		R	**42287**				●	●			V	345	66	24	**22.4**	75	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 48 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

BMW

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
320i 320iS																	
E30	1982-1991	F	**679**	●	●	○	●	●	○		V	260	35.1	22	**20.4**	66	4
Inc TOURING / CABRIOLET		R	**671**	●	●						S	258	60.1	10	**8.4**	62	4
E36	12/1990-1998	F	**979**	●	●	○	●	●	○		V	286	51.6	22	**20.4**	79	5
		R	**983**	●	●	○	○	○	○		S	280	60.1	10	**8.4**	75	5
E46 SALOON	4/1998-2005	F	**979**	●	●	○	●	●	○		V	286	51.6	22	**20.4**	79	5
INCREASED PAYLOADS		F	**966E**	●	●	○	●	●			V	300	52	22	**20**	79	5
		R	**980**	●	●	○					V	278	60	19	**17.4**	75	5
INCREASED PAYLOADS		R	**967**	●	●		●	○	○		V	294	59.5	19	**17.4**	75	5
E90	2005-2012	F	**2866**	●	●						V	292	73	22	**20.4**	79	5
INCREASED PAYLOADS		F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2879**	●	○						S	296	65	10.5	**8.9**	75	5
PERFORMANCE UPGRADE		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
E91	2007-2012	F	**2886**	●	●						V	312	73.2	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2861**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE		R	**2675E**	●	○		●	○			V	324	67	22	**20.4**	75	5
E92	2006-2008	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
PERFORMANCE UPGRADE	11/2006-2008	F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
E93 2.0L CONVERTIBLE	2008-2010	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
	03/2007-2008	F	**2886**	●	●						V	312	73.2	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
185mm Handbrake	03/2007-2008	R	**2861**	●	●						V	300	66	20	**18.4**	75	5
160mm Handbrake	2008-2010	R	**2857**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE		R	**2675E**	●	○		●	○			V	324	67	22	**20.4**	75	5
F30 2.0L TURBO	04/2012-2017	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
Start / Stop Function Some Models		F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
160mm Handbrake		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
185mm Handbrake		R	**2285E**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE 160mm Handbrake		R	**2677E**	●	○		●	●			V	345	66	24	**22.4**	75	5
PERFORMANCE UPGRADE 185mm Handbrake		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
F31 320I	09/2013-2015	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
		F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
SPORT PACK		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
160mm Handbrake – *Check*		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
185mm Handbrake		R	**2285E**	●	●						V	300	66	20	**18.4**	75	5
SPORT PACK 160mm Handbrake		R	**2677E**	●	○		●	●			V	345	66	24	**22.4**	75	5
SPORT PACK 185mm Handbrake		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
F34 320i	05/2013-on	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
PERFORMANCE UPGRADE		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
185mm Handbrake		R	**2285E**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE 185mm Handbrake		R	**42287**				●	●			V	345	66	24	**22.4**	75	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

BMW

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
321i																	
F30 /F35 / F80 1.6L SEDAN	02/2012-on	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
F30 / F35 / F80 2.0L TURBO & X/DRIVE SEDAN	11/2011-on	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
F34 2.0L TURBO & X/DRIVE HATCHBACK	03/2013-on	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
323i																	
E90 E92	2005-2012	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
		F	**2886**	●	●						V	312	73.2	24	**22.4**	79	5
160mm Handbrake		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
185mm Handbrake		R	**2861**	●	●						V	300	66	20	**18.4**	75	5
E91	2006-2012	F	**2886**	●	●						V	312	73.2	24	**22.4**	79	5
PERFORMANCE UPGRADE	04/2006-06/2007	F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2861**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE		R	**2675E**	●	○		●	○			V	324	67	22	**20.4**	75	5
323iD																	
E30	1981-1986	F	**679**	●	●	○	●	●	○		V	260	35.1	22	**20.4**	66	4
		R	**671**	●	●						S	258	60.1	10	**8.4**	62	4
E36	1995-1999	F	**979**	●	●	○	●	●	○		V	286	51.6	22	**20.4**	79	5
		R	**980**	●	●	○					V	276	60.1	19	**17.4**	75	5
E46 SALOON	4/1998-2005	F	**979**	●	●	○	●	●	○		V	286	51.6	22	**20.4**	79	5
		R	**980**	●	●	○					V	276	60	19	**17.4**	75	5
E46 COUPE	1999-2005	F	**979**	●	●	○	●	●	○		V	286	51.6	22	**20.4**	79	5
		R	**980**	●	●	○					V	276	60	19	**17.4**	75	5
324D 324TD																	
E30	1987-1991	F	**679**	●	●	○	●	●	○		V	260	35.1	22	**20.4**	66	4
		R	**671**	●	●						S	258	60.1	10	**8.4**	62	4
E36 TOURING	1988-1993	F	**679**	●	●	○	●	●	○		V	260	35.1	22	**20.4**	66	4
		R	**671**	●	●						S	258	60.1	10	**8.4**	62	4
325i																	
E90	2005-2012	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
		F	**2886**	●	●						V	312	73.2	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
		R	**2859E**	●	●	○	●	●	○		V	336	67.2	22	**20.4**	75	5
E92	09/2007-01/2014	F	**2886**	●	●						V	312	73.2	24	**22.4**	79	5
	10/2006-09/2007	F	**2860E**	●	●						V	330	73.2	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
E93 2.5L & 3.0L PERFORMANCE UPGRADE	03/2007-on	F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
325i 325iX 325Ci																	
E30	1989-1991	F	**679**	●	●	○	●	●	○		V	260	35.1	22	**20.4**	66	4
		R	**671**	●	●						S	258	60.1	10	**8.4**	62	4
E36	12/1990-1999	F	**979**	●	●	○	●	●	○		V	286	51.6	22	**20.4**	79	5
		R	**983**	●	●	○	○	○	○		S	280	60.1	10	**8.4**	75	5
E46 SALOON / TOURING	2000-2006	F	**966E**	●	●	○	●	●			V	300	52	22	**20**	79	5
		R	**967**	●	●		●	○	○		V	294	59.5	19	**17.4**	75	5
E90	2005-2012	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
		F	**2886**	●	●						V	312	73.2	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2857**	●	●						V	300	66	20	**18.4**	75	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 50 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

BMW

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
325i 325iX 325Ci – Continued																	
E91	2005-2007	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
INCREASED PAYLOADS		F	**2860E**	●	●						V	330	73.2	24	**22.4**	79	5
PERFORMANCE UPGRADE	2005-06/2012	F	**2886**	●	●						V	312	73.2	24	**22.4**	79	5
		R	**2861**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE		R	**2675E**	●	○		●	○			V	324	67	22	**20.4**	75	5
INCREASED PAYLOAD		R	**2859E**	●	●	○	●	●	○		V	336	67.2	22	**20.4**	75	5
E92	09/2007-2014	F	**2886**	●	●						V	312	73.2	24	**22.4**	79	5
	2006-09/2007	F	**2860E**	●	●						V	330	73.2	24	**22.4**	79	5
	2006-2014	F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
With Option Code S100A		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
E93		F	**2886**	●	●						V	312	73.2	24	**22.4**	79	5
PERFORMANCE UPGRADE	03/2007-on	F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2861**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE		R	**2675E**	●	○		●	○			V	324	67	22	**20.4**	75	5
325D																	
E90 E91	2009-2012	F	**2860E**	●	●						V	330	73.2	24	**22.4**	79	5
PERFORMANCE UPGRADE	09/2006-06/2012	F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
INCREASED PAYLOAD		F	**2858**	●	●	○	●	●	○	●	V	348	73.2	30	**28.4**	79	5
PERFORMANCE UPGRADE		R	**2675E**	●	○		●	○			V	324	67	22	**20.4**	75	5
INCREASED PAYLOAD		R	**2859E**	●	●	○	●	●	○		V	336	67.2	22	**20.4**	75	5
E92 3.0L COUPE PERFORMANCE UPGRADE	03/2007-on	F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2859E**	●	●	○	●	●	○		V	336	67.2	22	**20.4**	75	5
E93 3.0L CONVERTIBLE PERFORMANCE UPGRADE	03/2007-on	F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
		R	**2859E**	●	●	○	●	●	○		V	336	67.2	22	**20.4**	75	5
F30 / F35 / F80 2.0L DIESEL & X/DRIVE	10/2011-on	F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
F31 2.0L DIESEL ESTATE	03/2013-on	F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
F34 2.0L DIESEL GRAN TURISMO HATCHBACK		F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
325Xi																	
E90	2005-2012	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
		R	**2861**	●	●						V	300	66	20	**18.4**	75	5
E90 With Option Code S100A	2005-2012	F	**2860E**	●	●						V	330	73.2	24	**22.4**	79	5
		R	**2859E**	●	●	○	●	●	○		V	336	67.2	22	**20.4**	75	5
E91 US MODEL	2006-on	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
		R	**2861**	●	●						V	300	66	20	**18.4**	75	5
E91 EURO MODEL	2005-on	F	**2860E**	●	●						V	330	73.2	24	**22.4**	79	5
		R	**2859E**	●	●	○	●	●	○		V	336	67.2	22	**20.4**	75	5
E92 EURO MODEL	2005-on	F	**2860E**	●	●						V	330	73.2	24	**22.4**	79	5
		R	**2861**	●	●						V	300	66	20	**18.4**	75	5
325TD TDS																	
E36 E36 TOURING	9/1991-1999	F	**979**	●	●	○	●	●	○		V	286	51.6	22	**20.4**	79	5
		R	**983**	●	●	○	○	○	○		S	280	60.1	10	**8.4**	75	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

BMW

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
328i																	
E90	2006-on	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2883E**	●	●	○	●	●			V	338	73	26	**24.4**	79	5
E92	2004-2007	R	**2857**	●	●						V	300	66	20	**18.4**	75	5
F30 / F31 / F35 / F80 2.0L & X/DRIVE SALOON	10/2011-on	F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
PERFORMANCE UPGRADE	10/2011-on	F	**2286E**	●	○		●	●		●	V	370	73	30	**28.4**	79	5
F30, F31, 2.0L ESTATE & X/DRIVE	06/2012-on	F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
F30, 31 & 34 2.0L PERFORMANCE PACK	2012-on	F	**2286E**	●	○		●	●		●	V	370	73.1	30	**28.4**	79	5
185mm Handbrake		R	**2285E**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE PACK		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
F34 2.0L & X/DRIVE HATCHBACK	03/2013-on	F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
185mm Handbrake		R	**2285E**	●	●						V	300	66	20	**18.4**	75	5
328i 328Ci																	
E36 COUPE	11/1994-1999	F	**979**	●	●	○	●	●	○		V	286	51.6	22	**20.4**	79	5
		R	**980**	●	●	○					V	276	60.1	19	**17.4**	75	5
E36 SALOON / CABRIOLET	11/1994-1999	F	**979**	●	●	○	●	●	○		V	286	51.6	22	**20.4**	79	5
		R	**983**	●	●	○	○	○	○		S	280	60.1	10	**8.4**	75	5
E36 SALOON / CABRIOLET GERMAN APPLICATION	11/1994-1999	R	**980**	●	●	○					V	276	60.1	19	**17.4**	75	5
E36 TOURING	11/1994-1999	F	**979**	●	●	○	●	●	○		V	286	51.6	22	**20.4**	79	5
		R	**980**	●	●	○					V	276	60.1	19	**17.4**	75	5
E46	4/1998-2000	F	**966E**	●	●	○	●	●			V	300	52	22	**20**	79	5
		R	**967**	●	●		●	○	○		V	294	59.5	19	**17.4**	75	5
E90	2006-on	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
E92	2005-on																
E91 US MODEL	2004-on	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
		R	**2861**	●	●						V	300	66	20	**18.4**	75	5
F30 / F31 / F34	02/2012-on	F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
PERFORMANCE PACK		F	**2286E**	●	○		●	●		●	V	370	73	30	**28.4**	79	5
		R	**2285E**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE PACK		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
E90 E91 E92 ALL *US* MODELS	2005-on	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
		R	**2861**	●	●						V	300	66	20	**18.4**	75	5
330																	
E46	7/2000-2005	F	**2855**	●	●	○					V	324	52	25	**23.4**	79	5
		R	**2856**	●	●	○					V	320	60.8	22	**20.4**	75	5
330D 330i 330XD 330Xi																	
With Option Code: S100A / S102A	12/2006-2010	F	**2858**	●	●	○	●	●	○	●	V	348	73.2	30	**28.4**	79	5
		R	**2859E**	●	●	○	●	●	○		V	336	67.2	22	**20.4**	75	5
E90 SALOON																	
E91 TOURING																	
E92 COUPE																	

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 52 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

BMW

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
330CD 330Ci 330i 330D 330XD 330Xi																	
E46	7/2000-2005	F	**2855**	●	●	○					V	324	52	25	**23.4**	79	5
		R	**2856**	●	●	○					V	320	60.8	22	**20.4**	75	5
F30 / F31 / F35 / F80 PERFORMANCE UPGRADE	2015-on	F	**2286E**	●	○		●	●		●	V	370	73	30	**28.4**	79	5
F30 / F35 / F80 3.0L DIESEL & X/DRIVE SALOON	01/2012-on	F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
F30 / F31 / F35 / F80 PERFORMANCE UPGRADE		F	**2286E**	●	○		●	●		●	V	370	73	30	**28.4**	79	5
F31 3.0L DIESEL & X/DRIVE ESTATE	6/2012-on	F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
PERFORMANCE PACK		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
F34 3.0L GRAN TURISMO DIESEL & X/DRIVE HATCHBACK	01/2014-on	F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
330E																	
F30 2.0L TURBO	03/2016-on	F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
PERFORMANCE PACK		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
		R	**2285E**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE PACK		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
330i																	
F30 / F31 2.0L TURBO	10/2015-on	F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
PERFORMANCE PACK		F	**2286E**	●	○		●	●		●	V	370	73	30	**28.4**	79	5
		R	**2285E**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE PACK		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
330i																	
F34 GRAN TURISMO	11/2016-on	F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
PERFORMANCE PACK		F	**2286E**	●	○		●	●		●	V	370	73	30	**28.4**	79	5
PERFORMANCE PACK		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
335D 335i																	
E90 SALOON	2006-2014	F	**2858**	●	●	○	●	●	○	●	V	348	73.2	30	**28.4**	79	5
E91 TOURING		R	**2859E**	●	●	○	●	●	○		V	336	67.2	22	**20.4**	75	5
E92 COUPE																	
F30 335I	02/2012-on	F	**2868**	●	○						V	324	77.5	30	**28.4**	79	5
		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
PERFORMANCE PACK		F	**2286E**	●	○		●	●		●	V	370	73	30	**28.4**	79	5
PERFORMANCE PACK		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
335D																	
F30 xDRIVE 3.0L TD SEDAN	2015-on	F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
M SPORT		F	**2286E**	●	○		●	●		●	V	370	73	30	**28.4**	79	5
		R	**TBA**								V	330		20			
M SPORT		R	**42287**				●	●			V	345	66	24	**22.4**	75	
5F34 3.0L GRAN TURISMO & X/DRIVE HATCHBACK	01/2014-on	F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

BMW

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
335i																	
F34 3.0L GRAN TURISMO & X/DRIVE HATCHBACK	03/2013-on	F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
F30	2011-on	F	**2868**	●	○						V	324	77.5	30	**28.4**	79	5
		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
F30, F34, F35 & F80 PERFORMANCE UPGRADE		F	**2286E**	●	○		●	●		●	V	370	73	30	**28.4**	79	5
PERFORMANCE PACK		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
340i																	
F30	2015-on	F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
F30, F35 & F80 PERFORMANCE UPGRADE		F	**2286E**	●	○		●	●		●	V	370	73	30	**28.4**	79	5
PERFORMANCE PACK		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
418D																	
F32 / F82 2.0L DIESEL COUPE	03/2015	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
F36 2.0L DIESEL GRAN COUP	03/2014-on	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
F36 2.0L TD GRAN COUP	04/2017-on	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
M SPORT		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
		R	**2285E**	●	●						V	300	66	20	**18.4**	75	5
M SPORT		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
418i																	
F36 1.5L GRAN COUPE	07/2015-on	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
420D																	
F32, F33	10/2013-on	F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
160mm Handbrake		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
185mm Handbrake		R	**2285E**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE 160mm Handbrake		R	**2677E**	●	○		●	●			V	345	66.2	24	**22.4**	75	5
PERFORMANCE UPGRADE 185mm Handbrake		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
F33	01/2014-0N	F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
F36 2.0L TD GRAN COUPE	03/2014-on	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
PERFORMANCE UPGRADE		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
PERFORMANCE UPGRADE 160mm Handbrake		R	**2677E**	●	○		●	●			V	345	66.2	24	**22.4**	75	5
PERFORMANCE UPGRADE 185mm Handbrake		R	**42287**				●	●			V	345	66	24	**22.4**	75	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 54 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

BMW

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
420i																	
F32 / F33 / F82 2.0L TURBO & X/DRIVE COUPE	11/2013	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
F32, F33 PERFORMANCE UPGRADE		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
160mm Handbrake		R	**2857**	●	●						V	300	66	20	**18.4**	75	5
185mm Handbrake		R	**2285E**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE		R	**2677E**	●	○		●	●			V	345	66.2	24	**22.4**	75	5
F33 / F83 2.0L CONVERTIBLE	07/2014-on	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
PERFORMANCE UPGRADE		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
185mm Handbrake		R	**2285E**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE 185mm Handbrake		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
F36 GRAN COUP 2.0L TURBO & X/DRIVE	05/2014-on	F	**42282E**				●	○			V	300	73	22	**20.4**	79	5
		F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
185mm Handbrake		R	**2285E**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE 185mm Handbrake		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
425D																	
F32 / F82 2.0L COUPE	1/2014-on	F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
F33 / F83 2.0L CONVERTIBLE	01/2014-on	F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
F33 / F36 / F83 PERFORMANCE UPGRADE	07/2014-on	F	**2286E**	●	○		●	●		●	V	370	73	30	**28.4**	79	5
428i																	
F32 2.0L	07/2013-on	F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
F32 / F82 2.0L & X/DRIVE COUPE		F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
F32 / F33 / F36 / F82 / F83 PERFORMANCE UPGRADE		F	**2286E**	●	○		●	●		●	V	370	73	30	**28.4**	79	5
185mm Handbrake		R	**2285E**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE 185mm Handbrake		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
F33 / F83 2.0L & X/DRIVE CONVERTABLE	10/2013-on	F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
		F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2286E**	●	○		●	●		●	V	370	73	30	**28.4**	79	5
		R	**2285E**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
F36 2.0L GRAN COUPE & X/DRIVE	03/2014-on	F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
PERFORMANCE UPGRADE		F	**2286E**	●	○		●	●		●	V	370	73	30	**28.4**	79	5
		R	**2285E**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE		R	**42287**				●	●			V	345	66	24	**22.4**	75	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

BMW

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
430D																	
F32 / F82 3.0L DIESEL & X/DRIVE COUPE	11/2013-on	F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
F33 / F83 3.0L CONVERTIBLE	10/2013-on	F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
F36 3.0L DIESEL & X/DRIVE GRAN COUPE	07/2014-on	F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
F33 / F36 / F83 PERFORMANCE UPGRADE		F	**2286E**	●	○		●	●		●	V	370	73	30	**28.4**	79	5
430i																	
F32 2.0L COUPE	2016-on	F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
		F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
185mm Handbrake		R	**2285E**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
F33 2.0L CONVERTIBLE	05/2016-on	F	**2286E**	●	○		●	●		●	V	370	73	30	**28.4**	79	5
185mm Handbrake		R	**2285E**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
F36 2.0L GRAND COUPE	2016-on	F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
		F	**2284E**	●	●		●	●	●		V	330	73	24	**22.4**	79	5
		F	**2286E**	●	○		●	●		●	V	370	73	30	**28.4**	79	5
185mm Handbrake		R	**2285E**	●	●						V	300	66	20	**18.4**	75	5
PERFORMANCE UPGRADE		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
435i																	
F32, F33, F36	07/2013-on	F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
F32 / F33 / F36 / F82 / F83 PERFORMANCE UPGRADE		F	**2286E**	●	○		●	●		●	V	370	73	30	**28.4**	79	5
PERFORMANCE UPGRADE		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
440i																	
F32 / F33 / F36	05/2016-on	F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
M PERFORMANCE		F	**2286E**	●	○		●	●		●	V	370	73	30	**28.4**	79	5
		R	**42287**				●	●			V	345	66	24	**22.4**	75	5
518i																	
E34 ALL MODELS – REAR		R	**976**	●	○						S	300	61.1	10	**8.4**	75	5
520D																	
E60 2.0 4 DOOR SEDAN	12/2007-06/2010	F	**2373E**	●	○						V	310	77.1	24	**22.4**	79	5
		F	**2868**	●	○						V	324	77.5	30	**28.4**	79	5
		R	**2869**	●	●						V	320	63	20	**18.4**	75	5
F10, F11 & F18 520D X 135kW & 140kW	03/2010-on	F	**2672E**	●	●		○				V	330	66	24	**22.4**	75	5
With Reinforced Brakes		F	**2674E**	●	○						V	348	66	30	**28.4**	75	5
		R	**2673E**	●	●						V	330	68.8	20	**18.4**	75	5
F07 COUPE	08/2012-03/2017	F	**3290EL/R**								V	348	66	36	**34.4**	75	5
		R	**3291E**								V	345	69	24	**22.4**	75	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 56 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

BMW

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
520i																	
E34 WAGONS & TOURING 24V	1989-1995	F	**974**	●	●						V	302	76.1	22	**20.4**	79	5
E34 ALL MODELS – REAR		R	**976**	●	○						S	300	61.1	10	**8.4**	75	5
E39	1996-2003	F	**986**	●	○						V	296	76	22	**20.4**	79	5
		R	**987**	●	○						S	298	61	10	**8.4**	75	5
E60 2.2L	2003-2005	F	**2373E**	●	○						V	310	77.1	24	**22.4**	79	5
		F	**2854**	●	○						V	324	73.5	30	**28.4**	79	5
		R	**2869**	●	●						V	320	63	20	**18.4**	75	5
F10 & F18 520i x 135kW	09/2011-on	F	**2672E**	●	●		○				V	330	66	24	**22.4**	75	5
		R	**2673E**	●	●						V	330	68.8	20	**18.4**	75	5
523i																	
E39	1995-2000	F	**986**	●	○						V	296	76	22	**20.4**	79	5
E60 2.5L – MANUAL	2005-2010	F	**2373E**	●	○						V	310	77.1	24	**22.4**	79	5
AUTO		F	**2868**	●	○						V	324	77.5	30	**28.4**	79	5
		R	**2869**	●	●						V	320	63	20	**18.4**	75	5
SALOON S – REAR DISC		R	**987**	●	○						S	298	61	10	**8.4**	75	5
525i																	
E34	1987-1990	F	**974**	●	●						V	302	76.1	22	**20.4**	79	5
		R	**976**	●	○						S	300	61.1	10	**8.4**	75	5
E60 & E61 2.5L 4 DOOR SEDAN	2003-2010	F	**2373E**	●	○						V	310	77.1	24	**22.4**	79	5
		F	**2868**	●	○						V	324	77.5	30	**28.4**	79	5
		R	**2869**	●	●						V	320	63	20	**18.4**	75	5
525i 24V																	
E34 Inc TOURING	8/1990-1996	F	**974**	●	●						V	302	76.4	22	**20.4**	79	5
		R	**976**	●	○						S	300	61.1	10	**8.4**	75	5
525TD TDS																	
E34 TOURING	7/1991-1996	F	**974**	●	●						V	302	76.1	22	**20.4**	79	5
		R	**976**	●	○						S	300	61.1	10	**8.4**	75	5
E39	1996-2000	F	**986**	●	○						V	296	76	22	**20.4**	79	5
		R	**987**	●	○						S	298	61	10	**8.4**	75	5
E60 2.5L TD	10/2003-02/2007	F	**2373E**	●	○						V	310	77.1	24	**22.4**	79	5
		F	**2868**	●	○						V	324	77.5	30	**28.4**	79	5
		R	**2869**	●	●						V	320	63	20	**18.4**	75	5
E60 3.0L	2007-2010	F	**2868**	●	○						V	324	77.5	30	**28.4**	79	5
		R	**2869**	●	●						V	320	63	20	**18.4**	75	5
525TD																	
F10 & F18 *Not for Reinforced Brakes*	02/2010-on	F	**2674E**	●	○						V	348	66	30	**28.4**	75	5
		F	**3290EL/R**								V	348	66	36	**34.4**	75	5
Not for Reinforced Brakes		R	**2673E**	●	●						V	330	68.8	20	**18.4**	75	5
		R	**TBA**								V	348	66	36	**34.4**	75	5
528i 24V																	
E39 2.8L	1996-2000	F	**986**	●	○						V	296	76	22	**20.4**	79	5
F10 & F18	09/2011-on	F	**2672E**	●	●		○				V	330	66	24	**22.4**	75	5
Not for Reinforced Brakes		F	**2674E**	●	○						V	348	66	30	**28.4**	75	5
		R	**2673E**	●	●						V	330	68.8	20	**18.4**	75	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

BMW

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
528i																	
F11 3.0L TOURING	06/2010-10/2011	F	**2674E**	●	○						V	348	66	30	**28.4**	75	5
		R	**2673E**	●	●						V	330	68.8	20	**18.4**	75	5
530D																	
E60 & E61 3.0L	2003-2010	F	**2868**	●	○						V	324	77.5	30	**28.4**	79	5
S102A Chassis		F	**3292E**								V	348	77.1	30	**28.4**	79	5
		R	**2869**	●	●						V	320	63	20	**18.4**	75	5
		R	**TBA**								V	345	63.2	24	**22.4**	75	5
F10, F11 & F18	2009-on	F	**2674E**	●	○						V	348	66	30	**28.4**	75	5
For Reinforced Brakes		F	**3290EL/R**								V	348	66	36	**34.4**	75	5
		R	**2673E**	●	●						V	330	68.8	20	**18.4**	75	5
For Reinforced Brakes		R	**3291E**								V	345	69	24	**22.4**	75	5
F07 GT 3.0L TD	02/2010-on	F	**3290EL/R**								V	348	66	36	**34.4**	75	5
		R	**3291E**								V	345	69	24	**22.4**	75	5
530i																	
E34	1988-1996	F	**974**	●	●						V	302	76.1	22	**20.4**	79	5
		R	**976**	●	○						S	300	61.1	10	**8.4**	75	5
E39	1999-2003	F	**2854**	●	○						V	324	73.5	30	**28.4**	79	5
		R	**TBA**								V	298	61	20	**18.4**	75	5
E60 3.0L 4 DOOR SEDAN RWD	2003-2005	F	**2868**	●	○						V	324	77.5	30	**28.4**	79	5
S102A Chassis		F	**3292E**								V	348	77.1	30	**28.4**	79	5
		R	**2869**	●	●						V	320	63	20	**18.4**	75	5
	2005-2010	F	**2868**	●	○						V	324	77.5	30	**28.4**	79	5
		F	**TBA**								V	348	77.1	30	**28.4**	79	5
		R	**2869**	●	●						V	320	63	20	**18.4**	75	5
		R	**TBA**								V	345	63.2	24	**22.4**	75	5
E61 3.0L TOURING	2005-2010	F	**2868**	●	○						V	324	77.5	30	**28.4**	79	5
S102A Chassis		F	**3292E**								V	348	77.1	30	**28.4**	79	5
		R	**2869**	●	●						V	320	63	20	**18.4**	75	5
535D																	
E60 & E61 3.0L	2005-2010	F	**TBA**								V	348	77	36	**34.4**	79	5
		R	**TBA**								V	345	63	24	**22.4**	75	5
F10 3.0L TD	10/2010-2016	F	**3290EL/R**								V	348	66	36	**34.4**	75	5
		R	**3291E**								V	345	69	24	**22.4**	75	5
535i																	
E34	1988-1995	F	**974**	●	●						V	302	76.1	22	**20.4**	79	5
		R	**976**	●	○						S	300	61.1	10	**8.4**	75	5
E39	1995-9/1997	F	**986**	●	○						V	296	76	22	**20.4**	79	5
E39	1997-3/2000	F	**988**	●	○						V	324	77.1	30	**28.4**	79	5
E39 V8	3/2000-on	F	**2854**	●	○						V	324	73.5	30	**28.4**	79	5
F07 3.0L	02/2010-03/2017	F	**3290EL/R**								V	348	66	36	**34.4**	75	5
		R	**3291E**								V	345	69	24	**22.4**	75	5
F10 & F18	12/2009-on	F	**2674E**	●	○						V	348	66	30	**28.4**	75	5
Not For Reinforced Brakes		F	**3290EL/R**								V	348	66	36	**34.4**	75	5
		R	**2673E**	●	●						V	330	68.8	20	**18.4**	75	5
		R	**3291E**								V	345	69	24	**22.4**	75	5
F11 3.0L TURBO	2010-on	F	**3290EL/R**								V	348	66	36	**34.4**	75	5
		R	**3291E**								V	345	69	24	**22.4**	75	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 58 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

BMW

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
540 / 540i																	
E34 SALOON / TOURING	1992-1995	F	**971**	●							V	302	76.1	28	**26.4**	79	5
E39 4.4 V8	1995-3/2000	F	**988**	●	○						V	324	77.1	30	**28.4**	79	5
		R	**TBA**								V	298	61	20	**18.4**	75	5
E39 V8	3/2000-2003	F	**2854**	●	○						V	324	73.5	30	**28.4**	79	5
E60 4.0L V8	2006-2008	F	**3292E**								V	348	77.1	30	**28.4**	79	5
		R	**TBA**								V	345	63	24	**22.4**	75	5
545i																	
E60 4.4L V8	2002-2006	F	**3292E**								V	348	77.1	30	**28.4**	79	5
		R	**TBA**								V	345	63	24	**22.4**	75	5
550i																	
E60 & E61 4.8L V8	2005-2010	F	**TBA**								V	348	77	36	**34.4**	79	5
		R	**TBA**								V	345	63	24	**22.4**	75	5
F07 4.4L TWIN TURBO	02/2010-on	F	**TBA**								V	374	66	36	**34.4**	75	5
		R	**TBA**								V	370	69.1	24	**22.4**	75	5
F10 4.4L V8	06/2010-on	F	**TBA**								V	374	66	36	**34.4**	75	5
		R	**3291E**								V	345	69	24	**22.4**	75	5
630i																	
E63 3.0L	2004-2010	F	**2868**	●	○						V	324	77.5	30	**28.4**	79	5
		R	**2869**	●	●						V	320	63	20	**18.4**	75	5
640D																	
F06 3.0L	2011-on	F	**3290EL/R**								V	348	66	36	**34.4**	75	5
		R	**3291E**								V	345	69	24	**22.4**	75	5
640i																	
F06, F12 & F13 3.0L TURBO	03/2011-on	F	**2674E**	●	○						V	348	66	30	**28.4**	75	5
		F	**3290EL/R**								V	348	66	36	**34.4**	75	5
		R	**3291E**								V	345	69	24	**22.4**	75	5
645Ci																	
E63 & E64 4.4L V8	2004-2005	F	**3292E**								V	348	77.1	30	**28.4**	79	5
		R	**TBA**								V	345	63	24	**22.4**	75	5
650i																	
E63 & E64 4.8L V8	2005-2012	F	**3292E**								V	348	77.1	30	**28.4**	79	5
		F	**TBA**								V	348	77	36	**34.4**	79	5
		R	**TBA**								V	345	63	24	**22.4**	75	5
F12 & F13 4.4L V8	2011-on	F	**3290EL/R**								V	348	66	36	**34.4**	75	5
		F	**TBA**								V	374	66	36	**34.4**	75	5
		R	**3291E**								V	345	69	24	**22.4**	75	5
F06 & F13 4.4L V8	04/2012-on	F	**3290EL/R**								V	348	66	36	**34.4**	75	5
		F	**TBA**								V	374	66	36	**34.4**	75	5
		R	**3291E**								V	345	69	24	**22.4**	75	5
728i 728iA																	
E23	9/1982-1986	F	**677**	●	○						V	280	78.1	25	**23.4**	74	5
		R	**991**	●	○						S	324	61	12	**10**	75	5
E38 2.8L	07/1995-08/1998	F	**TBA**								V	316	77	28	**26.4**	79	5
		R	**991**	●	○						S	324	61	12	**10**	75	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

BMW

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
730D																	
F01 3.0L	2008-2016	F	3290EL/R								V	348	66	36	**34.4**	75	5
		R	**3291E**								V	345	69	24	**22.4**	75	5
G11 3.0L TD	2016-on	F	**TBA**														
		R	**TBA**														
730 730i 730iL																	
E32 6 Cyl & V8	1986-1987	F	**971**	●							V	302	76.1	28	**26.4**	79	5
	1987-1994	F	**974**	●	●						V	302	76.1	22	**20.4**	79	5
	1986-10/1987	R	**TBA**								S	300	68.5	12	**10.4**	75	5
	11/1987-1994	R	**TBA**								S	300	68.1	10	**8.4**	75	5
E38 3.0L	1994-2000	F	**TBA**								V	316	77	28	**26.4**	79	5
		R	**991**	●	○						S	324	61	12	**10**	75	5
730LD																	
F02 3.0L TD	2009-2015	F	3290EL/R								V	348	66	36	**34.4**	75	5
		R	**3291E**								V	345	69	24	**22.4**	75	5
G11 3.0L TD	11/2015-06/2016	F	**TBA**								V	348		30			5
	07/2016-on	F	**TBA**								V	374		36			5
	11/2015-06/2016	R	**TBA**								V	345		24			5
	07/2016-on	R	**TBA**								V	370		24			5
735i iL																	
E23	9/1981-1986	F	**677**	●	○						V	280	78.1	25	**23.4**	74	5
E32	1986-1992	F	**971**	●							V	302	76.1	28	**26.4**	79	5
E38	1994-2000	F	**TBA**								V	316	77	28	**26.4**	79	5
		R	**991**	●	○						S	324	61	12	**10**	75	5
E65 & E66 3.6L	2002-05/2005	F	**TBA**								V	324	81	30	**28.4**	79	5
		R	**TBA**								V	324	67	20	**18.4**	79	5
740i																	
E65 4.0L	2005-2009	F	**TBA**								V	348		30			5
		R	**TBA**								V	345		24			5
F01 3.0L TWIN TURBO	2009-2015	F	3290EL/R								V	348	66	36	**34.4**	75	5
		F	**TBA**								V	374	66	36	**34.4**	75	5
		R	**3291E**								V	345	69	24	**22.4**	75	5
G11 3.0L TURBO	11/2015-06/2016	F	**TBA**								V	348		36			5
	07/2016-on	F	**TBA**								V	374		36			5
	11/2015-06/2016	R	**TBA**								V	345		24			5
	07/2016-on	R	**TBA**								V	370		24			5
740i iL																	
E32	1992-6/1994	F	**971**	●							V	302	76.1	28	**26.4**	79	5
		R															
E38	1995-2001	F	**988**	●	○						V	324	77.1	30	**28.4**	79	5
		R	**991**	●	○						S	324	61	12	**10**	75	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 60 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

BMW

Model	Years	F/R	DBA No.	STREET OEM	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
740Li																	
E66 4.0L V8	2005-2009	F	**TBA**								V	348	81	30	**28.4**	79	5
		R	**TBA**								V	345	74	24	**22.4**	79	5
F02 3.0L TURBO	03/2009-09/2012	F	**3290EL/R**								V	348	66	36	**34.4**	75	5
		F	**TBA**								V	374	66	36	**34.4**	75	5
		R	**3291E**								V	345	69	24	**22.4**	75	5
G12 3.0L TURBO	11/2015-06/2016	F	**TBA**								V	348		36			5
	07/2016-on	F	**TBA**								V	374		36			5
	11/2015-06/2016	R	**TBA**								V	345		24			5
		R	**TBA**								V	370		24			5
745i																	
E23	1980-1986	F	**677**	●	○						V	280	78.1	25	**23.4**	74	5
E65 & E66 4.4L V8	2002-2005	F	**TBA**								V	348	81	30	**28.4**	79	5
		R	**TBA**								V	345	65	24	**22.4**	79	5
750i iL																	
E32	1987-1989	F	**971**	●							V	302	76.1	28	**26.4**	79	5
E32 Plus FLOATING CALIPER	1990-6/1994																
E32	1987-6/1994	R	**2852**								V	300	68.5	20	**18.4**	75	5
E38 750I V12 5.4L 240kW	6/1994-10/2001	F	**2670**	●	○	○					V	334	77	32	**30**	79	5
		R	**2671**	●		○					V	328	61	20	**18.4**	75	5
E65 & E66 4.8 V8	2005-2009	F	**TBA**								V	348	81	36	**34.4**	79	5
		R	**TBA**								V	345	74	24	**22.4**	79	5
F01 & F02 4.4L V8	2009-2015	F	**TBA**								V	374	66	36	**34.4**	75	5
		R	**TBA**								V	370	69	23.9	**22.4**	75	5
G11 4.4 V8 TWIN TURBO	11/2015-on	F	**TBA**								V	374		36			5
	11/2015-06/2016	R	**TBA**								V	345		24			5
	07/2016-on	R	**TBA**								V	370		24			5
G12 4.4 V8 TWIN TURBO	11/2015-on	F	**TBA**								V	374		36			5
		R	**TBA**								V	370		24			5
760Li																	
E66 6.0L V8	2003-2009	F	**TBA**								V	374	81	36	**34.3**	79	5
		R	**TBA**								V	370	67	24	**22.4**	79	5
F02 6.0L V8	4/2008-2015	F	**TBA**								V	374	66	36	**34.4**	75	5
		R	**TBA**								V	370	69	23.9	**22.4**	75	5
840i, 840 Ci																	
E31	12/1992-5/1999	F	**988**	●	○						V	324	77.1	30	**28.4**	79	5
		R	**991**	●	○						S	324	61	12	**10**	75	5
850 Ci																	
E31 M70	7/1989-10/1994	F	**988**	●	○						V	324	77.1	30	**28.4**	79	5
		R	**991**	●	○						S	324	61	12	**10**	75	5
M135i																	
F20 3.0L	08/2012-on	F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
		R	**2677E**	●	○		●	●			V	345	66	24	**22.4**	75	5
M140i																	
F20 3.0L	07/2016-on	F	**2676E**	●	●		●	●			V	340	73	30	**28.4**	79	5
		R	**2677E**	●	○		●	●			V	345	66	24	**22.4**	75	5
M235i																	
F22 & F23 3.0L TURBO	03/2014-on	F	**2676E**	●	●		●	●			V	340	73.2	30	**28.4**	79	5
		R	**2677E**	●	○		●	●			V	345	66	24	**22.4**	75	5

The Kangaroo Paw design is not available on all part numbers, ask your supplier for details. FOR LATEST CATALOGUE LISTINGS REFER TO WWW.DBA.COM.AU

F721 2019 Red Master v45.indd 61 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

BMW

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
M240i																	
F22 & F23 3.L	11/2016-on	F	**2676E**	●	●		●	●			V	340	73.2	30	**28.4**	79	5
		R	**2677E**	●	○		●	●			V	345	66	24	**22.4**	75	5
M2																	
F87 3.0L TURBO	02/2016-07/2019	F	**53298**								V	380		30			
		R	**43299**								V	370		24			
M3																	
E36 3.0I 24V	1992-1995	F	**984E**	●	○		●	●	○		V	315	52.5	28	**26.4**	79	5
E36 3.2I 24V	1995-2001																
E46 3.2L 24V	2001-2007	F	**42850**				●	●	○	○	V	325	52.5	28	**26.4**	79	5
		F	**52880**							○	V	325	52.5	28	**26.4**	79	5
		R	**42851**				○	●	○		V	327	61	20	**18.4**	75	5
E90 SEDAN, E92 COUPE & E93 CONVERTIBLE	10/2007-6/2015	F	**2280E**	●	○		●	●		●	V	360	62.3	30	**28.4**	79	5
		R	**2281E**	●	○		●	●	○		V	350	66.5	24	**22.4**	75	5
F80 3.0L TWIN TURBO	06/2014-on	F	**53298**								V	380		30			5
		R	**43299**								V	370		24			5
M4																	
F83 & F84 3.0L TWIN TURBO	10/2014-on	F	**53298**								V	380		30			5
		R	**43299**								V	370		24			5
M5																	
E39 5.0L V8	1999-2003	F	**TBA**								V	345	77	32	**30.4**	79	5
		R	**TBA**								V	328		20			
E60 5.0L V8	2005-10/2010	F	**TBA**								V	374	77	36	**34.4**	79	5
		R	**TBA**								V	370	61.6	24	**22.4**	75	5
F10 4.4L V8	2/2012-on	F	**TBA**								V	400	63.2	36	**34.4**	75	5
		R	**TBA**								V	396		24			
M6																	
E63 & E64 5.0L V10	2005-10/2010	F	**TBA**								V	374	77	36	**34.4**	79	5
		R	**TBA**								V	370	61.6	24	**22.4**	75	5
F06, F12 & F13 4.4L V8	2012-2017	F	**TBA**								V	400	63.2	36	**34.4**	75	5
		R	**TBA**								V	396		24			
X1																	
E84 2.0L XDRIVE 20i	12/2011-2015	F	**2886**	●	●						V	312	73.5	24	**22.4**	79	5
E84 2.0I SDRIVE 20I		F	**2860E**	●	●						V	330	73.2	24	**22.4**	79	5
E84 2.0D XDRIVE 20D																	
E84 2.0D XDRIVE 23D	04/2010-08/2012																
		R	**2861**	●	●						V	300	66	20	**18.4**	75	5
F48 sDRIVE 18D 2.0L	12/2015-2017	F	**3294E**								V	307	45.2	24	**22.4**	67	5
		R	**3281E**	●	○						S	280	50.6	10	**8**	67	5
F48 x & sDRIVE 20D, 20i & 25i 2.0L	10/2015-2017	F	**3286E**	●							V	330	45.1	24	**22.4**	67	5
		R	**3287E**	●							V	300	50.6	20	**18.4**	67	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 62 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

BMW

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	A	B	C	D	E	F
X2																	
F39 SERIES sDRIVE 18i 1.5L TURBO	03/2018-on	F	**3294E**								V	307	45.2	24	**22.4**	67	5
M SPORT		F	**3286E**								V	330	45.1	24	**22.4**	67	5
		R	**3281E**	●	○						S	280	50.6	10	**8**	67	5
M SPORT		R	**3287E**								V	300	50.6	20	**18.4**	67	5
F39 SERIES sDRIVE 20i & 20D 2.0L TURBO	11/2017-on	F	**3286E**								V	330	45.1	24	**22.4**	67	5
		R	**3287E**								V	300	50.6	20	**18.4**	67	5
X3																	
E83 2.0D 4 DOOR WAGON	2005-2007	F	**2876**	●	○						V	325	62	25	**23.4**	75	5
E83 2.0D XDRIVE	12/2007-02/2011																
E83 2.5I 4 DOOR WAGON	07/2004-11/2006																
E83 2.5SI XDRIVE	12/2006-02/2011																
E83 3.0D 4 DOOR WAGON	11/2005-11/2006																
E83 3.0I 4 DOOR WAGON	07/2004-11/2006																
E83 2.0SI, XDRIVE	12/2006-02/2011																
		R	**2875**	●	○						V	320	79.7	22	**20.4**	75	5
F25 20D, 20I, 28I, 30D	2011-2014	F	**2884**	●	○						V	328	73	28	**26.4**	75	5
		R	**2885**	●	○						V	330	71	20	**18.4**	75	5
X3 F25	03/2011-on	F	**2884**	●	○						V	328	73	28	**26**	75	5
		R	**2885**	●	○						V	330	71	20	**18**	75	5
X4																	
X4 F26	06/2014-on	F	**2884**	●	○						V	328	73	28	**26**	75	5
		R	**2885**	●	○						V	330	71	20	**18**	75	5
X5																	
E53 3.0L & 4.4L	2001-2007	F	**813**	●	●	○					V	332	62	30	**28.4**	75	5
		R	**814E**	○	○	○					S	324	80	12	**10.4**	75	5
E53 4.6IS 4 DOOR WAGON	2001-2003	F	**823**	○	○						V	356	62	36	**34.4**	75	5
4.8IS	2003-2006	R	**824**	○	○	○					V	324	80	20	**18.4**	75	5
3.0SI, XDRIVE 3.0I	03/2007-05/2010	F	**2874E**	●	●	●					V	332	62	30	**28.4**	75	5
E70 4 DOOR WAGON *Check Front OE Diameter*		F	**2864E**	●	●	○					V	348	62	30	**28.4**	75	5
Check Rear OE Diameter		R	**2865**	●	●	○					V	320	78	20	**18.4**	75	5
		R	**2867**	●	○	○					V	345	78	24	**22.4**	75	5
F15 xDRIVE 30D	11/2013-2016	F	**2874E**	●	●	●					V	332	62	30	**28.4**	75	5
		R	**2865**	●	●	○					V	320	78	20	**18.4**	75	5
F15 xDRIVE 40D	11/2013-2016	F	**2864E**	●	●	○					V	348	62	30	**28.4**	75	5
		R	**2867**	●	○	○					V	345	78	24	**22.4**	75	5
F15 xDRIVE 40E – *Electric*	2015-2017	F	**2864E**	●	●	○					V	348	62	30	**28.4**	75	5
		R	**TBA**								V	320		20			5
F15 xDRIVE 50i	10/2013-on	F	**TBA**								V	385	62	36	**34.4**	75	5
		R	**2867**	●	○	○					V	345	78	24	**22.4**	75	5
F15 M50D 3.0L	10/2013-on	F	**TBA**								V	385	62	36	**34.4**	75	5
		R	**2867**	●	○	○					V	345	78	24	**22.4**	75	5
F85 M 4.4L V8	04/2015-on	F	**TBA**								V	395		36			5
		R	**TBA**								V	385		24			5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

BMW

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
X6																	
E71 Series 3.0L COUPE	2008-2014	F	**2864E**	●	●	○					V	348	62	30	**28.4**	75	5
		R	**2865**	●	●	○					V	320	78	20	**18.4**	75	5
		R	**2867**	●	○	○					V	345	78	24	**22.4**	75	5
E71 xDRIVE 50i 4395cc x 300kW V8 PETROL	03/2009-12/2014	F	**TBA**								V	385	62	36	**34.4**	75	5
		R	**2867**	●	○	○					V	345	78	24	**22.4**	75	5
E71 M 4.4L V8 TURBO	12/2009-12/2014	F	**TBA**								V	395		36			5
		R	**TBA**								V	385		24			5
F16 xDRIVE 30D 3.0L TD	01/2015-on	F	**2874E**	●	●	●					V	332	62	30	**28.4**	75	5
		R	**2865**	●	●	○					V	320	78	20	**18.4**	75	5
F16 xDRIVE 35i 3.0L TURBO	04/2015-on	F	**2874E**	●	●	●					V	332	62	30	**28.4**	75	5
		R	**2867**	●	○	○					V	345	78	24	**22.4**	75	5
F16 xDRIVE 40D TD	04/2015-on	F	**2864E**	●	●	○					V	348	62	30	**28.4**	75	5
		R	**2867**	●	○	○					V	345	78	24	**22.4**	75	5
F16 xDRIVE 50i TWIN TURBO	01/2015-on	F	**TBA**								V	385	62	36	**34.4**	75	5
		R	**2867**	●	○	○					V	345	78	24	**22.4**	75	5
F16 M50D 3.0L TD	01/2015-on	F	**TBA**								V	385	62	36	**34.4**	75	5
		R	**2867**	●	○	○					V	345	78	24	**22.4**	75	5
F86 M 4.4L TURBO V8	04/2015-on	F	**TBA**								V	395		36			5
		R	**TBA**								V	385		24			5
Z3																	
1.8L ROADSTER	1996-2003	F	**978**	●	○	○					S	286	51.7	12	**10.4**	79	5
1.9L 16V ROADSTER	1996-1999																
2.0L 24V ROADSTER	1999-2000																
2.0L, 2.2L, 2.8L COUPE/ROADSTER	1999-2003	F	**979**	●	●	○	●	●	○		V	286	51.6	22	**20.4**	79	5
E 46 3.0L – *Except* M-Series	1999-2002	F	**966E**	●	●	○	●	●			V	300	52	22	**20**	79	5
M-Series	1997-2003	F	**984E**				●	●	○		V	315	52.5	28	**26.4**	79	5
Z4																	
E85 2.0L & 2.5I 24V	2004-2006	F	**979**	●	●	○	●	●	○		V	286	51.6	22	**20.4**	79	5
		R	**TBA**								S	280	75	10	**8.4**	75	5
E85 3.0L 24V	2003-2006	F	**966E**	●	●	○	●	●			V	300	52	22	**20**	79	5
		R	**TBA**								V	294	74.7	19	**17.4**	75	5
E85 & E86 3.0si	2006-04/2009	F	**2855**	●	○						V	324	52	25	**23.4**	79	5
		R	**TBA**								V	294	74.7	19	**17.4**	75	5
E85 2.2i	2002-2006	F	**979**	●	●	○	●	●	○		V	286	51.6	22	**20.4**	79	5
		R	**TBA**								S	280	75	10	**8.4**	75	5
E85 & E86 M 3.2L	2006-2009	F	**TBA**								V	345	52.5	28	**26.4**	79	5
		F	**TBA**								V	328	61	20	**18**	75	5
E89 sDRIVE 20i TURBO	2011-2015	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
		R	**TBA**								V	300	54.2	20	**18.4**	75	5
E89 sDRIVE 23i Non TURBO	2009-on	F	**2862**	●	●						V	300	73.7	24	**22.4**	79	5
		R	**TBA**								V	300	54.2	20	**18.4**	75	5
E89 sDRIVE 28i TURBO	10/2011-on	F	**TBA**								V	330	73.1	24	**22.4**	79	5
		R	**TBA**								V	300	54.2	20	**18.4**	75	5
E89 sDRIVE 30i Non TURBO	05/2009-on	F	**TBA**								V	330	73.1	24	**22.4**	79	5
		R	**TBA**								V	300	54.2	20	**18.4**	75	5
E89 sDRIVE 35i & iS TWIN TURBO	05/2009-on	F	**TBA**								V	348	73	30	**28.4**	79	5
		R	**TBA**								V	324	54.1	20	**18.4**	75	5
Z8																	
5.0L	2000-2003	F	**2670**	●	○	○					V	334	77	32	**30**	79	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 64 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

CADILLAC

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
CTS-V																	
Series V8 Brembo – 6 PISTON	2009-on	F	**42608**				●	●		●	V	370	49.5	34	**32**	67.5	5
		R	**2605**	●	●	○	●	●	●		V	365	47.7	28	**26**	67.4	5
DEVILLE																	
HD BRAKES RPO J55	2000-2005	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
ESCALADE																	
ESV / EXT	2002-2005	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
		R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6
ESV / EXT	2006	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
		R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6
ALL MODELS	2007-2014	F	**2010**	●	○	○	●	●	●		V	330	55.7	30	**28**	78.6	6
		R	**2011**	●	○	○	●	○	○		V	345	85.3	20	**18.5**	78.6	6

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

CHERY

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
CHERY																	
J11 T1X 2.0L	2011-on	F	**TBA**								V	300	49.1	25	**23**	62	5
		R	**2745**	●	○						S	281	55	12	**10.5**	62	5
		R	**693**	●	●						S	303	62	9	**8**	62	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 66 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

CHEVROLET

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
ASTRO VAN																	
2WD & 4WD	2003-2005	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
AVALANCHE 1500																	
Without Limited Slip Axel 18.5mm Minimum Thick Rear Disc	2002	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
With Limited Slip Axel 28.5mm Minimum Thick Rear Disc	2002-2006	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
		R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6
18.5mm Minimum Thick Rear Disc	2000-2002	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
AVALANCHE 2500																	
Except FACTORY 2 inch BODY LIFT	2002	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
Except FACTORY 2 inch BODY LIFT	2003-2006	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
AVALANCHE V8	2007-2011	F	**2010**	●	○	○	●	●	●		V	330	55.7	30	**28**	78.6	6
		R	**2011**	●	○	○	●	○	○		V	345	85.3	20	**18.5**	78.6	6
BLAZER																	
ALL	1992-1994	F	**773**								V	325	89.5	38	**30.9**	118.2	8
CAMARO																	
ALL MODELS	1998-2002	F	**2996**	●			●	○	●		V	303	52.5	32	**30.7**	71	5
		R	**2997**								V	305	62	26	**24.7**	71	5
V6 – *Same as DBA2986*	2010-2014	F	**42602**				●	●			V	321	51.3	30	**27**	67.4	5
		R	**2603**				○	○	○		V	315	48	23	**21**	67.4	5
V8		F	**2604**	●	●	●	●	●	●	●	V	355	50	32	**30**	67.4	5
		R	**2605**	●	●	○	●	●	●		V	365	47.7	28	**26**	67.4	5
ZL1 V8 Series Brembo – 6 PISTON	2012-on	F	**42608**				●	●		●	V	370	49.5	34	**32**	67.5	5
G6 Series SS 6.2L V8 ROTOR Only	2016-on	F	**52770.1 L / R**							●	V	370	34	34	**32**		
ROTOR Only		R	**52771.1**							●	V	365	26	26	**24**		
COBALT																	
SS 2.0L COUPE	2005-on	F	**42052**				●	○	●		V	296	43	26	**23**	66	5
CORVETTE																	
C4 12 inch 304.8mm	1988-1996	F	**999**	●	○		●	○	○		V	304.8	56	20.5	**19**	71	5
		R	**997**								V	304.8	50.4	20.5	**19**	71	5
C4 13 inch 330.2mm																	
		R	**997**								V	304.8	50.4	20.5	**19**	71	5
C5	1997-2003	F	**52994**							○	V	325	46	32	**30.3**	71	5
Replaces Previous Part DBA067		R	**2995**								V	305	49	26	**24**	70.5	5
C6	2005-2010	F	**52994**							○	V	325	45	32	**30**	70.5	5
		R	**2995**								V	305	49	26	**24**	70.5	5
C6 Z-51	2005-on	F	**2990**				●	○	○	●	V	340	45	32	**30**	70.5	5
PERFORMANCE PACKAGE		R	**2991**				●	○	●		V	330	49	26	**24**	70.5	5
C6 Z06		F	**42992**							●	V	355	45.5	32	**30**	70.7	5
		R	**2993**				○	○	○		V	340	49.7	26	**24**	70.7	5
C7 BASE	2012-on	F	**2760**								V	321	51	30	**28**	70.7	5
C7 Z51		F	**2762**								V	345	51	30	**28**	70.7	5
C7 BASE		R	**2761**								V	339	48	26	**24**	70.7	5
C7 Z06 OE REPLACEMENT ROTOR Only	2015-on	F	**52770.1 L / R**							●	V	370	34	34	**32**		
C7 Z06 OE REPLACEMENT ROTOR Only		R	**52771.1**							●	V	365	26	26	**24**		

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

CHEVROLET

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
EXPRESS 1500 VAN																	
1/2 TON	2003-2006	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
EXPRESS 2500 VAN																	
3/4 TON – 7300lb GVW	2003-2006	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
2 DOOR – 6 LUG	2002	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
		R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6
3/4 TON – 8500-8600lb GVW PASSENGER / PANEL, 8 LUG	2003-2006	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	
IMPALA																	
ALL MODELS	2005-2008	F	**2606**								V	303	52	30	**28**	70.7	5
		R	**2607**								S	278	51	11	**9**	70.7	5
SILVERADO 1500 1/2 TON 2WD																	
1/2 TON – EX. STD CAB & STD	1988-1991	F	**773**								V	295	63.5	32.5	**30.9**	79	6
1/2 TON	1992-1999	F	**773**								V	295	63.5	32.5	**30.9**	79	6
3/4 TON – 7200lb GVW, 6 LUG	1988-1998	F	**773**								V	295	63.5	32.5	**30.9**	79	6
With REAR DISC – *Except* HD	1999-2000	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
4 DOOR HD – With 4.63 inch Rear Disc Hub Hole	2000-2001	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
2 DOOR	2001-2002	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
2 DOOR	2002	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
4 DOOR HD – CREW CAB 8 LUG FRONT	2001	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
2 DOOR – EXTENDED CAB QUADRASTEER	2002	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
		R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6
4 DOOR HD – CREW CAB		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
2 DOOR – REG. & EXT. CAB 2 WHEEL STEER	2003	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
2 DOOR – EXTENDED CAB QUADRASTEER – With 18.5mm Minimum Thick Rear Disc		F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
2 DOOR EXTENDED CAB QUADRASTEER – With 28.5mm Minimum Thick Rear Disc		F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
2 DOOR REG. & EXT. CAB 2 WHEEL STEER	2004	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
2 DOOR – EXT. CAB, HYBRID & QUADRASTEER MODELS		F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
		R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6
2 DOOR HD – EXT. CAB – With 4.63 inch Rear Disc Hub Hole		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
2 DR HD – EXT. CAB – With 4.84 inch Rear Disc Hub Hole	2004	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
4 DOOR HD – CREW CAB With REAR DISC, 2 WHEEL STEER & QUADRASTEER	2005	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
4 DOOR HD – CREW CAB With REAR DISC & 2 WHEEL STEER, 8 LUG FRONT	2006	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 68 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

CHEVROLET

Model	Years	F/R	DBA No.	STREET OEM	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
SILVERADO 1500 1/2 TON 4WD																	
With REAR DISC	1999-2000	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	66
2 DOOR – REGULAR CAB	2001																
2 DOOR – EXTENDED CAB		F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
		R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6
4 DOOR HD		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
2 DOOR	2002	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
2 DR EXT. CAB QUADRASTEER		F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
		R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6
4 DOOR HD CREW CAB		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
2 DOOR EXTENDED CAB – SS	2003	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
		R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6
4 DOOR HD – CREW CAB		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
4 DOOR HD – CREW CAB QUADRASTEER		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
2 DOOR – REG. & EXT. CAB 2 WHEEL STEER	2004	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
2 DOOR – REG. & EXT. CAB QUADRASTEER		F	**2000**	●	○	○					V	305	58	29	**27.2**	79	66
2 DOOR EXTENDED CAB – SS		F	**2000**	●	○	○					V	305	58	29	**27.2**	79	66
		R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6
2 DOOR HD – EXT. CAB – With 4.63 inch REAR DISC HUB HOLE		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
2 DOOR HD – EXT. CAB – Wtih 4.84 inch REAR DISC HUB HOLE		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
4 DR CREW CAB STD DUTY		F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
		R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6
2 DOOR EXTENDED CAB – SS	2005	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
		R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6
4 DOOR HD – CREW CAB – With REAR DISC & 2 WHEEL STEER		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
4 DOOR HD – CREW CAB – With REAR DISC & QUADRASTEER		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
4 DOOR HD – CREW CAB With REAR DISC & 2 WHEEL STEER, 8 LUG FRONT	2006	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
SILVERADO 2500 3/4 TON 2WD																	
Except 6.0L 5 SPEED – With 4.63 inch Rear Disc Hub Hole	1999-2000	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
6.0L 5 SPEED – With 4.84 inch Rear Disc Hub Hole		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2051**								V	330	91.5	29	**27**	122	8
Except HD AUTOMATIC – With 4.63 inch Rear Disc Hub Hole	2001-2003	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
Except HD MANUAL – With 4.84 inch Rear Disc Hub Hole		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2051**								V	330	91.5	29	**27**	122	8
Except HD AUTOMATIC – With 4.63 inch Rear Disc Hub Hole	2004	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
Except HD MANUAL – With 4.84 inch Rear Disc Hub Hole		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2051**								V	330	91.5	29	**27**	122	8
HD – 2 WHEEL STEER		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
Except HD	2005	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
Except HD	2006	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8

F721 2019 Red Master v45.indd 69 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

CHEVROLET

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
SILVERADO 2500 3/4 TON 4WD																	
Except 6.0L 5 SPEED – With 4.63 inch Rear Disc Hub Hole	1999-2000	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
6.0L 5 SPEED – With 4.84 inch Rear Disc Hub Hole		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2051**								V	330	91.5	29	**27**	122	8
Except HD AUTOMATIC – With 4.63 inch Rear Disc Hub Hole	2001-2003	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
Except HD AUTOMATIC – With 4.63 inch Rear Disc Hub Hole	2004																
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
Except HD MANUAL – With 4.84 inch Rear Disc Hub Hole	2001-2003	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
Except HD MANUAL – With 4.84 inch Rear Disc Hub Hole	2004																
		R	**2051**								V	330	91.5	29	**27**	122	
HD – 2 WHEEL STEER		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
Except HD	2005																
Except HD	2006																
SUBURBAN 1500 1/2 TON 2WD																	
With 28.5mm Minimum Thick Rear Disc	2000-2002	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
ALL MODELS	2003-2005	R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6
SUBURBAN 1500 1/2 TON 4WD																	
6 LUG	1992-1999	F	**773**								V	295	63.5	32.5	**30.9**	79	6
With 28.5mm Minimum Thick Rear Disc	2000-2002	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
ALL MODELS	2003-on	R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6
With 18.5mm Minimum Thick Rear Disc	2000-2002	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
SUBURBAN 2500 3/4 TON 2WD & 4WD																	
2 WHEEL STEER 4.63 inch Rear Disc Hub Hole	2000-2005	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
2 WHEEL STEER 4.84 inch Rear Disc Hub Hole		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
QUADRASTEER	2000-2005																
ALL MODELS	2006-on																
TAHOE																	
ALL MODELS	2000-2006	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
		R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6
ALL MODELS	2008-2014	F	**2010**	●	○	○	●	●	●		V	330	55.7	30	**28**	78.6	6
		R	**2011**	●	○	○	●	○	○		V	345	85.3	20	**18.5**	78.6	6

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 70 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

CHRYSLER

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
300C & DODGE CHARGER																	
OVERSEAS MODELS V6 & V8 *Non SRT*	2005-2017	F	**2426**	●			●	●	○		V	320	54.8	28	**26.5**	72.6	5
3.5L V6 2WD & 4WD		F	**2438**	●	●	○	●	●	○		V	345	55.1	28	**26.5**	72.6	5
OVERSEAS MODELS V6 & V8 *Non SRT*		R	**2437**	●							S	320	67	10	**8.5**	72	5
3.6L & 5.7L HEMI V8 2WD & 4WD		R	**2439**	●	●	○					V	320	67.3	22	**20.5**	72.6	5
6.1L V8 SRT8 2WD & 4WD	2005-2012	F	**2444**	●	●	○	●	●	○		V	360	58.5	32	**30**	72.5	5
		R	**2445**	●	●	○	●	●	●		V	350	68.5	28	**26**	72.6	5
6.4L SRT-8 & SRT-8 CORE RWD	2015-2016	F	**2444**	●	●	○	●	●	○		V	360	58.5	32	**30**	72.5	5
		R	**2445**	●	●	○	●	●	●		V	350	68.5	28	**26**	72.6	5
CENTURA																	
KB 4 Cyl GF16	1975-1977	F	**206**								S	249	35.6	12.9	**11.5**	69	4
CROSSFIRE																	
ALL MODELS – *Except* SRT-6	2004-2006	F	**288**	●	○						V	300	47	28	**25.4**	67	5
		R	**267**								S	278	53.5	9	**7.3**	67	5
ZH Series SRT-6		F	**TBA**								V	330	46.5	32	**30**	67	5
		R	**2697**	●	○	○	●	○	○		V	300	55.3	22	**19.4**	67	5
DURANGO																	
2WD & 4WD	1998-2002	F	**2440**	●	○	○	●	○	○		V	287	64	24	**22.6**	73.5	6
ALL MODELS	2005-on	F	**2442**								V	336	67.6	28	**26.4**	78.6	5
		R	**2443**								V	354	72.1	22	**20.4**	78.6	5
NEON																	
NEON ALL MODELS	1996-1999	F	**175**	●	○						V	257	38	20	**18.4**	61	5
SE, LX SEDAN		R	**166**	●							S	270	53	9	**7.25**	58	5
NEON ALL MODELS	2000-2002	F	**165**	●							V	257	38	22	**20.4**	61	5
		R	**166**	●							S	270	53	9	**7.25**	57	5
PT CRUISER																	
2.4L DOHC	2000-2009	F	**167**	●	○	○	○		○		V	280	39.5	23	**21.4**	61	5
		R	**166**	●							S	270	53	9	**7.25**	61	5
2.4L DOHC TURBO	2003	F	**2446**	●	○		●	○	○		V	280	39.9	28	**26.4**	61	5
GT 2.4L DOHC TURBO	2004-2009																
		R	**2447**				●	○	○		S	270	53.2	11.9	**10**	57.5	5
LIMITED		F	**2446**	●	○		●	○	○		V	280	39.9	28	**26.4**	61	5
2.4L DOHC TURBO		R	**166**	●							S	270	53	9	**7.25**	61	5
SEBRING																	
2.0L, 2.0TD, 2.4L & 2.7L	2007-2014	F	**2422**	●	●	○					V	294	45.5	26	**24.4**	69	5
Check Rear Disc Diameter		R	**2209**	●	●	●					S	262	60.3	10	**8.4**	80	5
		R	**2425**	●	●	○					S	302	60.3	10	**8.4**	80	5
VALIANT																	
VG, VH, CH, VJ, VK, CJ, CK, CL GIRLOCK CALIPERS PCD 114mm	1970-1973	F	**202**	●	●	○					V	283	63	24	**22.3**	78	5

*IMPORTANT INFORMATION. The wheel stud PCD of ALL the above Chrysler 300C + Dodge Charger discs are definitely 115 mm. Correct PCD wheels must be fitted. DO NOT install any replacement wheels which have a wheel stud PCD of 114.3 mm = 4.5 inch, because this will cause distortion of the BEARING HUB mounting face when the wheel nuts are tightened.
A new HUB will need to be installed to rectify the problem, if a wrong wheel is fitted.
Please advise your customers, failure to follow the above information will void any warranty.

F721 2019 Red Master v45.indd 71 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

CHRYSLER

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
VIPER																	
ALL MODELS FRONT DISC IN 5000 Series Only	1992-2002	F	**52430**							○	V	330	62.7	32	**30.1**	73.5	6
		R	**2431**	●			○	○	○		V	330	43.7	22.6	**20.4**	73.5	6
VIPER SRT10	2003-2005	F	**42448**				○	○	●	○	V	355	59.6	32	**30**	73.5	6
		R	**42449**								V	355	52.2	32	**30**	73.5	6
VOYAGER																	
Series GS – SE, LE & LTD	1997-2000	F	**177**	●							V	282	38	24	**22.4**	73.4	5
Series RG – SE, LX & LTD FRONT & ALL WHEEL DRIVE	2001-9/2007	F	**776**	●							V	302	39	28	**26.5**	73.4	5
		R	**777**	●							S	290	56	12.5	**11.25**	72	5
VOYAGER III Series 2.4L, 3.3L, 3.3L AWD, 3.8L	02/2000-2008	F	**776**	●							V	302	39	28	**26.5**	73.4	5
2.5L CRD	08/2005-on																
2.8L CRD	06/2004-on																
GRAND VOYAGER																	
Series RT	2008-2014	F	**2420**	●	●						V	302	38.2	28	**26.4**	72.4	5
		R	**2421E**	●	○						S	305	33	12	**10.4**	72.4	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 72 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

CITROEN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
AX																	
GTI	1991-1996	F	**273**	●	○						V	247	35	20.5	**18.6**	66	4
BERLINGO																	
1.4L	10/2002-2008	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
If Discs Fitted		R	**2273**	●	○						S	247	35	9	**8**	71	4
1.4L V DISC	1996-9/2002	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
1.6L 16V	10/2002-2008	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
1.6L 16V	2001-9/2002	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
1.8L	1997-2001	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
1.9L DIESEL	10/2002-2008	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
1.9L DIESEL	1996-9/2002	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
2.0L HDI TURBO DIESEL	10/2002-2008	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
2.0L HDI TURBO DIESEL	2000-9/2002	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
1.6L, 1.6D & 1.6TD	2008-on	F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
		R	**3273E**	●							S	268	73.2	12	**10**	HUB	4
BERLINGO ENTERPRISE																	
1.4L	10/2002-2008	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
1.4L V DISC	1996-9/2002	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
1.9L DIESEL	10/2002-2008	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
1.9L DIESEL	1996-9/2002	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
2.0L HDI TURBO DIESEL	10/2002-2008	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
2.0L HDI TURBO DIESEL	2000-9/2002	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
BX																	
19 16V	1987-1994	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
C2																	
1.6L 16V	2003-2007	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
1.6L 16V VTS 90kW	2006-2007	F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
		R	**2273**	●	○						S	247	35	9	**8**	71	4
C3																	
1.4L PETROL	2002-2009	F	**TBA**								S	266	27.2	13	**11**	66	4
1.4L 16V HDI TURBO DIESEL		F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
1.6L 16V MANUAL	2002-on	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
1.6L AUTOMATIC		F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
HAT TYPE	2002-8/2009	R	**2273**	●	○						S	247	35	9	**8**	71	4
Series 7S HATCHBACK	2010-on	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
		F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
HAT TYPE		R	**2273**	●	○						S	247	35	9	**8**	71	4
HUB *Complete With Bearing 62mm*		R	**2181**	●	●						S	249	69.2	9	**7**	HUB	4
C4 HATCHBACK																	
Series LC HATCHBACK	2005-2011	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
		F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
		F	**2276**	●	○						V	302	34	26	**24**	66	4
HAT TYPE		R	**2273**	●	○						S	247	35	9	**8**	71	4
HUB *Inner Diameter 60mm No Bearing*		R	**2277**	●	○	○					S	249	69	9	**8**	HUB	4
HUB *Complete With Bearing 62mm*		R	**2181**	●	●						S	249	69.2	9	**7**	HUB	4
C4 COUPE																	
Series LA 1.6L	2005-2009	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
		F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
HUB *Inner Diameter 60mm No Bearing*		R	**2277**	●	○	○					S	249	69	9	**8**	HUB	4
HUB *Complete With Bearing 62mm*		R	**2181**	●	●						S	249	69.2	9	**7**	HUB	4

F721 2019 Red Master v45.indd 73 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

CITROEN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
C4 WAGON PICASSO																	
Series UA 2.0L	2007-2014	F	**2276**	●	○						V	302	34	26	**24**	66	4
		R	**3273E**	●							S	268	73.2	12	**10**	HUB	4
GRAND C4 PICASSO 2.0L TD	02/2014-on	F	**3166**								V	304	48	28	**26**	71	5
		R	**TBA**														
C4 AIRCROSS																	
2.0L AWD	07/2012-on	F	**2422**	●	●	○					V	294	45.5	26	**24.4**	69	5
		R	**2213**	●	●						S	302	58.6	10	**8.4**	80	5
C4 HATCH																	
B7 Series 1.2L & 1.6L TURBO	2011-on	F	**2275E**	●	○						V	283	34.2	26	**24**	66	
Without Electric Handbrake		R	**3271**	●	○						S	249	73.2	9	**8**	HUB	4
		R	**3273E**	●							S	268	73.2	12	**10**	HUB	4
C5																	
1.6L 16V HDI TURBO DIESEL	2001-2010	F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
1.8L 16V	2001-2008	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
2.0L HDI TURBO DIESEL 80kW	2001-4/2009	F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
2.0L HPI 16V	2001-2008	F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
2.0L 16V	2001-2008	F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
C5 BREAK																	
1.6L 16V HDI TURBO DIESEL	2001-2008	F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
1.8L 16V	2001-2008	F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
2.0L HDI TURBO DIESEL 80kW	2001-4/2009	F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
2.0L HPI 16V, 2.0I 16V	2001-2008	F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
X7 Series RD & RW	2008-on	F	**3168**								V	303.7	48.2	28	**26**	71	5
1.6L & 2.0L TD & TURBO		R	**2411**	●							S	290	35	12	**10**	71	5
C6																	
2.7L & 3.0L	2006-2010	F	**2278**	●	○						V	330	48	30	**28**	71	5
DS3																	
1.4L & 1.6L	2010-2015	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
		F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
HUB *Complete With Bearing 62mm*		R	**2181**	●	●						S	249	69.2	9	**7**	HUB	4
DS4																	
1.6L & 2.0L	04/2012-06/2015	F	**TBA**														
Without Electric Handbrake		R	**3271**	●	○						S	249	73.2	9	**8**	HUB	4
		R	**3273E**	●							S	268	73.2	12	**10**	HUB	4
SAXO																	
1.6L	1996-2004	F	**273**	●	○						V	247	35	20.5	**18.6**	66	4
1.6L 16V VTS		F	**273**	●	○						V	247	35	20.5	**18.6**	66	4
		R	**276**	●	○						S	246.5	25	8	**6**	71	4
XANTIA																	
1.6L	1993-1997	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
1.8L, 1.8L 16V	1993-2002	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
1.9L DIESEL	1993-1996	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
1.9L TURBO DIESEL – 55 / 66kW AUTOMATIC	1993-2002	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
2.0 HDI TURBO DIESEL		F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
2.0L		F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
2.0L 16V		F	**275**								V	283	27.5	22	**20**	66	4
2.0L AUTOMATIC	1998-2002	F	**275**								V	283	27.5	22	**20**	66	4

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 74 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

CITROEN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
XANTIA BREAK																	
1.8L	1995-2002	F	**275**								V	283	27.5	22	**20**	66	4
1.9L TURBO DIESEL	1993-2002	F	**275**								V	283	27.5	22	**20**	66	4
2.0L HDI TURBO DIESEL – 66kW		F	**275**								V	283	27.5	22	**20**	66	4
2.0L 16V	1995-2002	F	**275**								V	283	27.5	22	**20**	66	4
XSARA																	
1.4L HDI TURBO DIESEL	1999-8/2000	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
1.4L	9/2000-2004	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
1.4L With ABS	1997-8/2000	F	**273**	●	○						V	247	35	20.5	**18.6**	66	4
1.5L DIESEL, With ABS, 1.6L		F	**273**	●	○						V	247	35	20.5	**18.6**	66	4
1.6L 16V	9/2000-2005	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
1.8L	1997-8/2000	F	**273**	●	○						V	247	35	20.5	**18.6**	66	4
1.8L 16V		F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
1.9L DIESEL	9/2000-2005	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
1.9L DIESEL, TURBO DIESEL	1997-8/2000	F	**273**	●	○						V	247	35	20.5	**18.6**	66	4
2.0L HDI TURBO DIESEL		F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
2.0L HDI TURBO DIESEL – 66kW	9/2000-2005	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
2.0L HDI TURBO DIESEL 80kW – *Up to Chassis 09064*	2001-on	F	**275**								V	283	27.5	22	**20**	66	4
2.0L HDI TURBO DIESEL 80kW – *From Chassis 09065*	2001-2003	F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
2.0L 16V	1997-8/2000	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
2.0L 16V – *Up to Chassis 09064*	9/2000-on	F	**275**								V	283	27.5	22	**20**	66	4
2.0L 16V – *From Chassis 09065*	9/2000-2003	F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
ALL MODELS	1997-2004	R	**276**	●	○						S	246.5	25	8	**6**	71	4
XSARA BREAK																	
1.4I, 1.4 HDI TURBO DIESEL	2000-2005	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
1.4I, 1.5 DIESEL – Without ABS	1998-8/2000	F	**273**	●	○						V	247	35	20.5	**18.6**	66	4
1.4I, 1.5D – With ABS		F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
1.6I – Without ABS		F	**273**	●	○						V	247	35	20.5	**18.6**	66	4
1.6I – With ABS		F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
1.6I 16V	2000-2005	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
1.8I 8/16V	1998-8/2000	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
1.9 DIESEL	2000-2005	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
1.9 DIESEL – Without ABS	1998-8/2000	F	**273**	●	○						V	247	35	20.5	**18.6**	66	4
1.9 DIESEL – With ABS		F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
1.9 TD, 2.0 HDI TD		F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
2.0 HDI TURBO DIESEL – 66kW	2000-2005	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
2.0 HDI TURBO DIESEL – 80kW *Up to Chassis 09064*	2001-on	F	**275**								V	283	27.5	22	**20**	66	4
2.0 HDI TURBO DIESEL – 80kW *From Chassis 09065*	2001-2003	F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
2.0I 16V	1998-8/2000	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
2.0I 16V – *Up to Chassis 09064*	9/2000-on	F	**275**								V	283	27.5	22	**20**	66	4
2.0I 16V – *From Chassis 09065*	9/2000-2003	F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
ALL MODELS	1998-on	R	**276**	●	○						S	246.5	25	8	**6**	71	4

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

CITROEN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
XSARA COUPE																	
1.4I With ABS	1998-8/2000	F	**273**	●	○						V	247	35	20.5	**18.6**	66	4
1.4I	9/2000-2004	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
1.4 HDI TURBO DIESEL	2003-2004	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
1.6I	1998-8/2000	F	**273**	●	○						V	247	35	20.5	**18.6**	66	4
1.6I 16V	9/2000-2004	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
1.8I 16V VTS	1998-8/2000	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
1.9 TURBO DIESEL		F	**273**	●	○						V	247	35	20.5	**18.6**	66	4
2.0 HDI TURBO DIESEL	1999-8/2000	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
2.0 HDI TURBO DIESEL – 66kW	9/2000-2004	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
2.0 HDI TURBO DIESEL – 80kW *Up to Chassis 09064*	9/2000-on	F	**275**								V	283	27.5	22	**20**	66	4
2.0 HDI TURBO DIESEL – 80kW *From Chassis 09065*	9/2000-2003	F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
2.0I 16V VTS – 120kW *Up to Chassis 09064*	9/2000-on	F	**275**								V	283	27.5	22	**20**	66	4
2.0I 16V VTS – 120kW *From Chassis 09065*	9/2000-2003	F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
2.0I 16V VTS – 98kW	1998-8/2000	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
ALL MODELS	1998-2004	R	**276**	●	○						S	246.5	25	8	**6**	71	4
XSARA PICASSO																	
1.6I, 1.8I 16V – BOSCH SYSTEM 2.0 HDI TD – BOSCH SYSTEM	2000-2005	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
1.6I, 1.8I 16V, 2.0 HDI TD LUCAS SYSTEM	2000-on	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
ZX																	
1.6L, 1.8L, 1.9L, 2.0L	1991-1998	F	**273**	●	○						V	247	35	20.5	**18.6**	66	4
1.9L BREAK DIESEL	1994-1998	F	**273**	●	○						V	247	35	20.5	**18.6**	66	4
1.9L TURBO DIESEL	1992-1998	F	**273**	●	○						V	247	35	20.5	**18.6**	66	4
		R	**276**	●	○						S	246.5	25	8	**6**	71	4
2.0I 16V		F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 76 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

DAEWOO

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
DAEWOO																	
1.5L 3 DR & 5DR HATCHBACK 1.5L 4 DOOR SEDAN, RACER	9/1994-1997	F	**890**								S	236	41	12	**9.7**	60	4
CIELO / ESPERO / LANOS																	
CIELO	2/1995-1997	F	**890**								S	236	41	12	**9.7**	60	4
CIELO – ALL 13 inch Wheels ESPERO CD 4 DOOR SEDAN	2/1995-1997	F	**896**	●	○						V	236	41	20	**17**	60	4
LANOS SOHC SE 1.4L, 1.5L	6/1997-on																
CIELO – ALL – 14 inch Wheels ESPERO CD 4 DOOR SEDAN	2/1995-1997	F	**891**	●							V	256	41	24	**22**	60	4
LANOS DOHC SX 1.5L, 1.6L	6/1997-on																
DRUM, CIELO, ESPERO & LANOS	1995-2003	R	**1680**	●							Dr	200	67		**201**	57	4
KALOS																	
TK SEDAN & HATCH	2003-2005	F	**2032E**	●	●	●					V	236	41	20	**18**	59	4
T200 1.5L																	
1.6L DOHC																	
LACETTI																	
J200 Series 1.8L 4 DOOR SEDAN	2003-2004	F	**2042**	●	○						V	256	47.5	24	**22**	60	4
		R	**2043**	●	○						S	258	57	10	**8**	60	4
LEGANZA																	
LEGANZA SX – 15 inch Wheels	8/1997-on	F	**892**	●							V	256	47	24	**22**	60	5
		R	**893**	●							S	258	64.5	10	**8**	57	5
NUBIRA																	
NUBIRA	6/1997-2003	F	**894**	●							V	256	47	24	**22**	60	4
SX, SE, CDX		R	**895**								S	258	64.5	10	**8**	57	4
DRUM		R	**1680**	●							Dr	200	67		**201**	57	4
TACUMA																	
TACUMA U100 2.2L T/CAM	8/2000-2004	F	**2042E**	●	○						V	256	47	24	**22**	60	4
MUSSO 4X4 – *Also Listed Under SSANYONG*																	
2.9L & 3.2L	1996-2007	F	**554**	●	○						V	278	40	24	**22**	88	6
		R	**555**	●	○						S	300	67	10.5	**8.5**	105	6

The Kangaroo Paw design is not available on all part numbers, ask your supplier for details. FOR LATEST CATALOGUE LISTINGS REFER TO WWW.DBA.COM.AU

F721 2019 Red Master v45.indd 77 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

DAIHATSU

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
APPLAUSE																	
A101	6/1989-1998	F	**295**	●	○						V	234	47	18	**17**	56	4
A101	6/1989-1994	R	**494**								S	236	40	10	**9**	56	4
5 DOOR 1.6L	6/1989-1998	F	**295**	●	○						V	234	47	18	**17**	56	4
ALTIS																	
SXV20	7/1997-2002	F	**733**	●	○						V	255	49	28	**26**	62	5
MCV20		F	**735**	●	●	○					V	276	49.5	28	**26**	62	5
REAR DISC FITS ALL SEDANS & WAGONS		R	**736**	●	○	○					S	269	65	10	**9**	62	5
CHARADE																	
G11	1983-12/1986	F	**294**								S	208	29	11	**10**	47	4
G100, G102	1987-1/1989	F	**295**	●	○						V	234	47	18	**17**	56	4
G100, G102 – 6mm FLANGE		F	**291**	●							S	234	47	11	**10**	56	4
G100, G102 CX	1989-1/1993	F	**296**	●	○						S	234	47	11	**10**	56	4
TS VAN																	
G202 – 7mm FLANGE	1994-1998																
G100, G200, G203 SG	1989-1994	F	**295**	●	○						V	234	47	18	**17**	56	4
COPEN																	
4 Cyl TURBO	5/2002-2005	F	**498**	●	○						V	246	42	17	**16**	55	4
SIRION																	
1.3L & 1.5L	6/1998-2012	F	**495**	●	○						V	234	41	16	**15**	55	4
FEROZA																	
4WD F300, F310	10/1988-1997	F	**491**	●	○	○					V	277	33	18	**17**	96	5
HANDYVAN																	
L55, L60 With BOOSTER	6/1983-1985	F	**493**								S	179	33	10	**9**	70	4
MOVE																	
L601	5/1997-2000	F	**495**	●	○						V	234	41	16	**15**	55	4
ROCKY 4WD																	
F7#, F8# TURBO	4/1984-4/1993	F	**491**	●	○	○					V	277	33	18	**17**	96	5
F73, F78	5/1993-1999																
TERIOS																	
J100, J102 – DX, SX, AERO	3/1997-2005	F	**496**	●	○						S	273	37.5	16	**15**	66.5	5
YRV																	
YRV, M200 – 4 DOOR WAGON	2000-2005	F	**495**	●	○						V	234	41	16	**15**	55	4

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 78 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

DAIMLER

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
DAIMLER																	
2.5 LITRE SALOON V8	1959-1967	F	**072**								S	280	51.5	9.75	**8.5**	82.5	5
LIMOUSINE	1969-1979	R	**075**	●	○						S	262	25.5	12.5	**11.4**	70	4
SOVEREIGN Series 2, 3	1974-1982	F	**076**	●	●	○					V	285	60.5	24	**22.9**	82	5
SOVEREIGN Series 1, 2, 3	1968-1982	R	**075**	●	○						S	262	22.5	12.5	**11.4**	70	4
DOUBLE SIX Series 2, 3	1973-1982	F	**076**	●	●	○					V	285	60.5	24	**22.9**	82	5
DOUBLE SIX Series 1, 2, 3	1972-1982	R	**075**	●	○						S	262	25.5	12.5	**11.4**	70	4
DOUBLE SIX	1982-1986	F	**076**	●	●	○					V	285	60.5	24	**22.9**	82	5
		R	**075**	●	○						S	262	25.5	12.5	**11.4**	70	4

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

DODGE

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
AVENGER																	
AWD & FWD	2007-2010	F	**2422**	●	●	○					V	294	45.5	26	**24.4**	69	5
Check Rear Disc Diameter		R	**2209**	●	●	●					S	262	60.3	10	**8.4**	80	5
		R	**2425**	●	●	○					S	302	60.3	10	**8.4**	80	5
CALIBER																	
1.8L, 2.0L & 2.0TD With REAR DISC	10/2006-2014	F	**2422**	●	●	○					V	294	45.5	26	**24.4**	69	5
Check Rear Disc Diameter		R	**2209**	●	●	●					S	262	60.3	10	**8.4**	80	5
		R	**2425**	●	●	○					S	302	60.3	10	**8.4**	80	5
1.8L, 2.0TD – With REAR DRUM		F	**2201E**	●	●						V	276	45.5	26	**24.4**	69	5
CHARGER																	
Brembo PACKAGE – Inc SRT8	2006-2009	F	**2444**	●	●	○	●	●	○		V	360	58.5	32	**30**	72.5	5
		R	**2445**	●	●	○	●	●	●		V	350	68.5	28	**26**	72.6	5
DAYTONA R/T		F	**2438**	●	●	○	●	●	○		V	345	55.1	28	**26.5**	72.6	5
REAR VENTED ROTOR		R	**2439**	●	●	○					V	320	67.3	22	**20.5**	72.6	5
R/T-5.7L V8	2006-2011	F	**2438**	●	●	○	●	●	○		V	345	55.1	28	**26.5**	72.6	5
REAR VENTED ROTOR		R	**2439**	●	●	○					V	320	67.3	22	**20.5**	72.6	5
SXT AWD 3.5 V6	2006-2009	F	**2438**	●	●	○	●	●	○		V	345	55.1	28	**26.5**	72.6	5
REAR VENTED ROTOR		R	**2439**	●	●	○					V	320	67.3	22	**20.5**	72.6	5
V6	2006-on	R	**2437**	●							S	320	67	10	**8.5**	72	5
Brembo REPLACEMENT	2015-on	F	**52910**							●	V	390	34	34	**34**		
CHALLENGER																	
SE-G & R/T PACKAGE	2008-2011	F	**2438**	●	●	○	●	●	○		V	345	55.1	28	**26.5**	72.6	5
		R	**2439**	●	●	○					V	320	67.3	22	**20.5**	72.6	5
SE & R/T PACKAGE – *Check Specs*	2008-on	F	**2426**	●			●	●	○		V	320	54.8	28	**26.5**	72.6	5
Check All Specs		F	**2438**	●	●	○	●	●	○		V	345	55.1	28	**26.5**	72.6	5
		R	**2439**	●	●	○					V	320	67.3	22	**20.5**	72.6	5
		R	**2437**	●							S	320	67	10	**8.5**	72	5
Brembo PACKAGE – SRT-8	2008-2009	F	**2444**	●	●	○	●	●	○		V	360	58.5	32	**30**	72.5	5
		R	**2445**	●	●	○	●	●	●		V	350	68.5	28	**26**	72.6	5
	2010-2015	F	**2426**	●			●	●	○		V	320	54.8	28	**26.5**	72.6	5
		R	**2439**	●	●	○					V	320	67.3	22	**20.5**	72.6	5
R/T Plus 5.7L V8 – BR5 & BR6	2015-on	F	**2438**	●	●	○	●	●	○		V	345	55.1	28	**26.5**	72.6	5
BR5, BR6 & X85		R	**2439**	●	●	○					V	320	67.3	22	**20.5**	72.6	5
R/T SCAT PACK 6.4L V8 – BR4 & XS9	2015-2017	F	**2444**	●	●	○	●	●	○		V	360	58.5	32	**30**	72.5	5
BR4, BR7 & X85		R	**2445**	●	●	○	●	●	●		V	350	68.5	28	**26**	72.6	5
COLT – *Except* VISTA & WAGON																	
ALL – *Except* SOLID FRONT DISC	1993-1994	F	**413**	●	●	○					V	235	45	18	**16.4**	64	4
ALL – With REAR DISC		F	**413**	●	●	○					V	235	45	18	**16.4**	64	4
DURANGO																	
ALL	2005-2010	F	**2442**								V	336	68	28	**26.4**	78.6	5
		R	**2443**								V	352	72	22	**20.4**	78.6	5
JOURNEY																	
2.0TD, 2.4L, 2.7L	2008-2012	F	**2420**	●	●						V	302	38.2	28	**26.4**	72.5	5
		R	**2421E**	●	○						S	305	33	12	**10.4**	72.5	5
JC Series HEAVY DUTY – *Check*	2012-on	F	**2433E**	●	○						V	330	38	28	**26.4**	72.5	5
		R	**2434E**	●	○	○					S	328	33	12	**10.4**	72.5	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 80 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

DODGE

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
MAGNUM																	
R/T 5.7L V8 REAR VENTED ROTOR	2005	F	**2438**	●	●	○	●	●	○		V	345	55.1	28	**26.5**	72.6	5
		R	**2439**	●	●	○					V	320	67.3	22	**20.5**	72.6	5
SE 2.7L & 3.6L V6 REAR VENTED ROTOR		F	**2438**	●	●	○	●	●	○		V	345	55.1	28	**26.5**	72.6	5
		R	**2439**	●	●	○					V	320	67.3	22	**20.5**	72.6	5
SXT AWD 3.5L V6 REAR VENTED ROTOR	2006-2008	F	**2438**	●	●	○	●	●	○		V	345	55.1	28	**26.5**	72.6	5
		R	**2439**	●	●	○					V	320	67.3	22	**20.5**	72.6	5
R/T 5.7L V8 REAR VENTED ROTOR		F	**2438**	●	●	○	●	●	○		V	345	55.1	28	**26.5**	72.6	5
		R	**2439**	●	●	○					V	320	67.3	22	**20.5**	72.6	5
AWD & 2WD REAR VENTED ROTOR		F	**2438**	●	●	○	●	●	○		V	345	55.1	28	**26.5**	72.6	5
		R	**2439**	●	●	○					V	320	67.3	22	**20.5**	72.6	5
Brembo PACKAGE – SRT-8	2008-2009	F	**2444**	●	●	○	●	●	○		V	360	58.5	32	**30**	72.5	5
		R	**2445**	●	●	○	●	●	●		V	350	68.5	28	**26**	72.6	5
NEON																	
SRT-4	2003-2005	F	**2446**	●	○		●	○	○		V	280	39.9	28	**26.4**	61	5
NITRO																	
2.8L TD & 3.7L V6 PETROL	2006-2012	F	**2424**	●	○	○					V	302	64	28	**26.4**	72	5
HEAVY DUTY		F	**2534**				●	○			V	332	64	28	**26**	72	5
		R	**2427**	●	●	○					S	316	76.5	12	**10.4**	72	5
RAM																	
1500 PICK UP 2WD & 4WD REGULAR & QUAD CAB	2002-2010	F	**2442**								V	336	68	28	**26.4**	78.6	5
1500 PICK UP 2WD & 4WD	2006-2010	F	**2442**								V	336	68	28	**26.4**	78.6	5
		R	**2443**								V	352	72	22	**20.4**	78.6	5
STEALTH																	
2WD	1991-1994	F	**425**	●	●	●	●	●	○		V	276	45	24	**22.4**	69	5
2WD	1995-1996	F	**425**	●	●	●	●	●	○		V	276	45	24	**22.4**	69	5
COUPE – 4 Cyl	2001-2004	F	**421**	●	○	○					V	256	45.2	24	**22.4**	69	5
VIPER																	
V10 8.0L PETROL *Non SRT*	1992-2002	F	**52430**							○	V	330	62.7	32	**30.1**	73.5	6
		R	**2431**	●			○	○	○		V	330	43.7	22.6	**20.4**	73.5	6
V10 8.3L SRT10	2003-2006	F	**2448**								V	355	59.6	32	**30**	73.5	6
		R	**2449**								V	355	52.2	32	**30**	73.5	6

F721 2019 Red Master v45.indd 81 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

DS

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
DS																	
DS3 DSPORTS 1.6L X 121kW	04/2015-on	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
		F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
		R	**2181**	●	●						S	249	69.2	9	**7**	HUB	4
DS5 DSPORTS 2.0L TD		F	**2276**	●	○						V	302	34	26	**24**	66	4
		R	**3273E**	●							S	268	73.2	12	**10**	HUB	4

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 82 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

EUNOS

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
EUNOS																	
30X	1992-01/1998	F	**533**	●	●	○					V	257	45.5	22	**20**	55	4
		R	**534**	●	●	○					S	250.5	34.5	9	**8**	55	4
500	1992-1996	F	**950**	●	●	○					V	258	49	24	**22**	72	5
		R	**951**	●	○	○					S	261	40	9.5	**8**	72	5
800 2.5L – *Use DBA962*	Up to 5/1996	F	**868**								V	274	50.8	28	**26**	72	5
	6/1996-on	F	**868**								V	274	50.8	28	**26**	72	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

FIAT

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
500																	
875cc	2012-2017	F	**2407E**								S	257	40	12	**10.2**	59	4
1.3L DRUM 875cc & 1.3L	2008-on	F	**2405**	●	○						S	240	40	11	**9.2**	59	4
		R	**1917**								Dr	180	54		**181.4**	59	4
1.4L	2008-2012	F	**2404**	●							V	257	40.5	22	**20.2**	59	4
		R	**2405**	●	○						S	240	40	11	**9.2**	59	4
1.4L TURBO	11/2015-on	F	**2294E**	●	○						V	281	39.5	26	**24.2**	70	5
		R	**2297**	●	○	○					S	278	43	12	**10**	70	5
BRAVO																	
2.0L 20V HGT	1995-2001	F	**665**	●	○						V	284	44	22	**20.2**	59	4
COUPE																	
2.0L 16V TURBO	1994-on	F	**665**	●	○						V	284	44	22	**20.2**	59	4
CROMA																	
2.0L TURBO, 2.5L V6	1993-1996	F	**665**	●	○						V	284	44	22	**20.2**	59	4
DOBLO																	
263 VAN SWB & LWB	2014-on	F	**356**	●	○	○					V	284	44	22	**20.2**	59	5
DUCATO																	
VAN – *Check Diameter*	2002-2006	F	**2400E**	●							V	300	65	24	**21.9**	80	5
VAN – *Check Dia.* 15 inch Wheels		R	**2401**	●							S	280	82	16	**14.2**	72	5
VAN – *Check Diameter*	2006-on	F	**2406E**	●							V	280	71	28	**25.9**	73	5
VAN – *Check Diameter*		F	**2402**	●							V	300	73.6	32	**30**	80	5
VAN – *Check Diameter*		R	**2403**	●	○	○					S	300	80	16	**14**	79	5
VAN – *Check Dia.* 15 inch Wheels	2006-2012	R	**2401**	●							S	280	82	16	**14.2**	72	5
FREEMONT																	
JF Series – Check	2013-on	F	**2433E**	●	○							330	38	28	**26.4**	72.5	5
		R	**2434E**	●	○	○					S	328	33	12	**10.4**	72.5	5
MAREA																	
2.0L 20V –155/150	1996-2003	F	**665**	●	○						V	284	44	22	**20.2**	59	4
2.4L TURBO DIESEL – 125	1996-1999	F	**665**	●	○						V	284	44	22	**20.2**	59	4
2.4L JTD TURBO DIESEL – 130	1999-2000	F	**665**	●	○						V	284	44	22	**20.2**	59	4
MAREA WEEKEND																	
2.0L 20V – 155/150	1996-2003	F	**665**	●	○						V	284	44	22	**20.2**	59	4
2.4L TURBO DIESEL – 125	1996-1999	F	**665**	●	○						V	284	44	22	**20.2**	59	4
2.4L JTD TURBO DIESEL – 130	1999-2000	F	**665**	●	○						V	284	44	22	**20.2**	59	4
PANDA																	
EASY LOUNGE 875cc x 63kW TREKKING 312 1248cc x 55kW HATCHBACK	2013-on	F	**2404**	●							V	257	40.5	22	**20.2**	59	4
SCUDO																	
FA Series 2.0L TD	04/2008-03/2016	F	**3168**								V	303.7	48.2	28	**26**	71	5
		R	**TBA**														

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 84 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

FORD

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
CAPRI																	
SA, SC, SE CONVERTIBLE Non TURBO	1989-1994	F	**930**	●	○						V	238	31	18	**16**	75	4
SA, SC, SE CONVERTIBLE TURBO		F	**101**	●	○						V	260	32	18	**16**	75	4
SA, SC, SE CONVERTIBLE *Hub Seal Diameter 54mm*		R	**931**								S	222	35	10	**8**	HUB	4
CORTINA																	
TE, TF – *DB1024 Pads*	6/1977-8/1982	F	**116**								V	237	63.5	22.4	**20**	78	4
CORSAIR																	
UA	1989-1992	F	**617**	●	○	○					V	257	49	22	**20**	68	4
		R	**614**	●	○	○	●	○			S	257	45	10	**8**	68	4
COUGAR																	
COUGAR 3 DOOR HATCH 2.5L V6	1999-2002	F	**508**	●	○						V	278	47.5	24	**22.2**	64	4
		R	**509**								V	253	43.5	20	**18**	64	4
TE	2012-on	F	**2380E**	●	●						V	300	48.5	25	**23**	64	5
		R	**2129E**	●	●						S	302	51	11	**9**	62.5	5
COURIER / RAIDER																	
1.8L, 2.0L, 2.2L, 2.6L 2WD	1985-1995	F	**631**	●	○						V	256	20	20	**18**	86	6
PD 2.6L 2WD	4/1996-1999	F	**958**	●	●						V	255.5	24	24	**22**	86	6
2.6L 4WD Inc RAIDER	5/1987-1998	F	**965**	●	○						V	272	25	22	**20**	93	6
2.6L 4WD *Inc South Africa*	11/1998-2011	F	**964**	●	○						V	275	24	24	**22**	93	6
COURIER 4WD	1996-1998	F	**959**	●	○						V	274	28	28	**26**	93	6
Series PE, PG & PH	1999-2006	F	**2952E**	●	●	○	●	●	○		V	288.5	70.5	28	**26**	98	6
Check Diameter		F	**958**	●	●						V	255.5	24	24	**22**	86	6
DRUM PE, PG & PH Series		R	**1642**	●							Dr	295	80.8		**296.5**	93	6
CROWN VICTORIA																	
ALL MODELS Inc POLICE	1998-2001	F	**2148**								V	316	66	28	**27.75**	71.7	5
ALL MODELS Inc POLICE	2003-2009	F	**2146**								V	305.5	45	28	**26.35**	71.8	5
		R	**2149**								V	295	58.5	19	**18**	70.7	5
ECONOVAN / SPECTRON																	
1800/2000/2200 SPECTRON 2000 STD & LWB	3/1984-1992	F	**631**	●	○						V	256	20	20	**18**	86	6
2000 PICKUP, CREW CAB UTE	4/1984-1988	F	**934**								V	268	20	20	**18**	86	6
2000 PICKUP, CREW CAB UTE	7/1987-7/1988	F	**631**	●	○						V	256	21	20	**18**	86	6
MAXI 4.4M VAN – *Use DBA958* 2.0L, 2.2L	12/1994-1/1997	F	**857**								V	256	25	24	**22**	86	6
MAXI 4.7M VAN 2.0L, 2.2L CAB CHASSIS GLASS VAN 1.8L		F	**934**								V	268	20	20	**18**	86	6
JG 4.0M VAN SW.B	2/1997-on	F	**859A**								V	256	72	18	**16**	HUB	4
		F	**859B**								V	256	72	18	**16**	HUB	4
JG 4.4M VAN 2.0L	6/1997-on	F	**958**	●	●						V	256	24	24	**22**	86	6
ECOSPORT																	
BK & BL Series 1.0L TURBO & 1.5L PETROL	12/2013-on	F	**2627E**	●	○						V	278	40	25	**23**	63.5	4
DRUM		R	**1906**								Dr						

F721 2019 Red Master v45.indd 85 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

FORD

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
ESCAPE																	
XLS 2.0L, XLS, XLT 3.0L	2000-2005	F	**957**	●	○	○					V	278	47	24	**22**	72	5
DRUM 3.0L V6		R	**1911**								Dr	228.7	66		**72**	230.1	5
2.3L 4 Cyl, 3.0L V6	2006-2008	F	**2560**	●	●	○	●	●	●		V	302.7	47.2	26	**24**	72	5
		R	**2561**	●	○	○					S	302	56.1	12	**11**	72	5
ZG Series 1.5L x 110kW TURBO	12/2016-on	F	**2380E**	●	●						V	300	48.5	25	**23**	64	5
1.5L x 134kW & 2.0L TURBO		F	**2120**	●	●	○	●	●	○		V	320	48.6	25	**23**	64	5
ALL – Mechanical Handbrake		R	**2169E**	●	○						S	280	51	11	**9**	63.5	5
ESCORT																	
DOHC – 1.8L With Front Caliper Casting #22-14	1991-1996	F	**533**	●	●	○				○	V	257	45.5	22	**20**	55	4
		R	**534**	●	●	○					S	250.5	34.5	9	**8**	55	4
SOHC – 1.9L With Front Caliper Casting #22-13		F	**532**	●	○	○					V	235	45.5	22	**20**	55	4
ALL MODELS – FRONT	1997-2003	F	**533**	●	●	○					V	257	45.5	22	**20**	55	4
With REAR DISC BRAKES		R	**534**	●	●	○					S	250	34.5	9	**8**	55	4
EVEREST																	
UA Series 3.0L 4WD	07/2015-on	F	**2137E**	●	○		●	●	○		V	332	59	32	**30**	98	6
		R	**2147E**	●	○	○	●	●	○		S	332	72.1	15.6	**13.5**	93	6
EXPLORER / EXPEDITION																	
UN, UP, US, XLT 4.0L	11/1996-4/2001	F	**860**	●	○						V	286	66	26	**24.5**	72	5
		R	**861**	●	○						S	285	58.5	12	**11**	71	5
E150																	
8 WHEEL STUD	2011-2014	F	**2794**								V	345	144	40	**38.4**	HUB	8
		R	**2795**				●	●			V	344.5	90.5	36	**34.4**	127	8
E250																	
8 WHEEL STUD	2011-2014	F	**2794**								V	345	144	40	**38.4**	HUB	8
		R	**2795**				●	●			V	344.5	90.5	36	**34.4**	127	8
E350																	
8 WHEEL STUD	2011-2014	F	**2794**								V	345	144	40	**38.4**	HUB	8
		R	**2795**				●	●			V	344.5	90.5	36	**34.4**	127	8
F100 / BRONCO																	
F100 2WD *Complete With Studs & Cups*	1973-5/1987	F	**120**	●	●						V	297	82	30	**28.5**	HUB	5
F100 4WD	1979-5/1987	F	**121**								V	298	69	30	**28.5**	98.5	5
BRONCO	1981-1987																
F150																	
F150	5/1987-1990	F	**120**	●	●						V	297	82	30	**28.5**	HUB	5
F150 4WD 5.0L EFI V8		F	**121**								V	297	70	30	**28.5**	98.5	5
F150 4WD 5.0L V8 Inc EFI	5/1987-1992	F	**937**	○							V	298	75.5	30	**28.5**	HUB	5
F150 5.4L 5 LUG *Except* LIGHTNING	1999-2005	F	**2150**								V	308	104	26	**24.5**	HUB	5
F150 SVT 5.4L 5 LUG LIGHTNING & NASCAR 5.4L SUPERCHARGED V8		F	**2151**								V	308	103	30	**27.7**	HUB	5
F150 – 6 HOLES	2010-2014	F	**42790**				○	●			V	350	49	34	**32**	91.1	6
BASE PAYLOAD 6 HOLES	2005-2013	R	**42791**				○	●			V	348	87.12	20	**18.4**	90	6
F150 – 7 HOLES With HEAVY DUTY PAYLOAD	2012-2014	F	**42792**				○	●			V	350	49	34	**32**	90	7
7 HOLES With HEAVY DUTY PAYLOAD	2004-2010	R	**42793**				○	●			V	348	87.12	20	**18**	90	7

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 86 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

FORD

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
F150 – Continued																	
F150 SVT RAPTOR BASE PAYLOAD – 6 HOLES	2010-2015	F	**42790**				●	●			V	350	49	34	**32**	90	6
BASE PAYLOAD – 6 HOLES		R	**42791**				●	●			V	348	87.12	20	**18.4**	90	6
H/DUTY PAYLOAD – 7 HOLES		F	**42792**				●	●			V	350	49	34	**32**	90	7
H/DUTY PAYLOAD – 7 HOLES		R	**42793**				●	●			V	348	87.12	20	**18**	90	7
F250																	
2WD & 4WD XL, XLT 5.4L, 7.3L TURBO DIESEL	7/2001-2004	F	**795**								V	330	144	38	**36**	HUB	8
2WD & 4WD XL, XLT 4 WHEEL ABS MODELS		F	**798**	●	○	○	○	○			V	331	99.5	38	**36**	128.7	8
2WD & 4WD XL, XLT 4.2L TURBO DIESEL		F	**797**								V	330	143	38	**36**	HUB	8
ALL MODELS – REAR		R	**796**								V	326	98.5	30	**28**	126.5	8
2WD	2005-on	F	**2797**								V	347	116	38	**36.4**	HUB	8
F250 SUPER DUTY – 8 HOLES	2005-2012	F	**42798**				●	●			V	347	100	38	**36.4**	129.2	8
		F	**2178**								V	363	100	38	**36.4**	129.2	8
		R	**42799**				●	●			V	340	126	34	**32.4**	127	8
8 HOLES With DUAL REAR	2008-2012	F	**2159E**				●	●			V	347	100	38	**36.4**	129.2	8
		R	**2167**	●	○		○	○			V	340	125	34	**32.4**	128	8
10 HOLES	2005-2010	F	**2155**				●	●			V	369	99.01	39	**37.4**	129.2	10
		R	**TBA**														
F350																	
ALL MODELS With SINGLE REAR WHEEL 5.4L, 7.3L, TURBO DIESEL	7/2001-2004	F	**795**								V	330	144	38	**36**	HUB	8
ALL MODELS With SINGLE REAR WHEEL		R	**796**								V	326	98.5	30	**28**	126.5	8
SUPER CAB 4 WHEEL ABS With DUAL REAR WHEELS		F	**798**	●	○	○	○	○			V	331	99.5	38	**36**	128.7	8
		R	**799**	●			○	○	○		V	326	113	30	**28**	119.5	8
2WD	2005-on	F	**2797**								V	347	116	38	**36.4**	HUB	8
F350 SUPER DUTY – 8 HOLES	2005-2012	F	**42798**				●	●			V	347	100	38	**36.4**	129	8
		F	**2178**								V	363	100	38	**36.4**	129.2	8
		R	**2179**								V	363	126.1	38	**36.4**	128.1	8
		R	**42799**				●	●			V	340	126	34	**32.4**	127	8
8 HOLES With DUAL REAR	2008-2012	F	**2159E**				●	●			V	347	100	38	**36.4**	129.2	8
8 HOLES SUPER DUTY With DUAL REAR WHEELS	2007-2012	R	**2167**	●	○		○	○			V	340	125	34	**32.4**	128	8
F350 SUPER DUTY – 10 HOLES	2005-2010	F	**2155**				●	●			V	369	99.01	39	**37.4**	129.2	10
F450																	
F450 SUPER DUTY – 8 HOLES	2005-2012	F	**42798**				●	●			V	347	100	38	**36.4**	129	8
		R	**42799**				●	●			V	340	126	34	**32.4**	127	8
10 HOLES	2005-2010	R	**2157**								V	390	124	39	**37.4**	139.5	10
F550 SUPER DUTY																	
F550 – 8 HOLES	2005-2012	F	**42798**				●	●			V	347	100	38	**36.4**	129	8
		R	**TBA**														

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

FORD

FALCON / FALCON UTE

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
XR, XT 8 Cyl	1966-6/1969	F	**105**								S	280	50	16	**14.6**	79.5	5
XW, XY, XA, XB	7/1969-10/1975	F	**106**	●	○						V	287	58.5	24	**22.2**	83	5
XW, XY, XA, XB With STUDS	7/1969-10/1975	F	**106H**	●	●	●					V	287	115	24	**22.2**	HUB	5
Note: XB, XC – Rear 9 inch Diff	11/1973-1979	R	**103**	●	●	○					V	287	58.5	24	**22.2**	83	5
XB, XC, XD, XE, XF Inc UTE	10/1975-1988	F	**107**	●	●	●					V	287	115	24	**22.2**	HUB	5
XF UTE, XG LONGREACH	1988-1995																
Complete With Studs & Cups																	
XD – Rear Flange *Thickness 7.5mm*	1979-1981	R	**108**	●	●	○					V	287	70	24.6	**22.2**	70.5	5
XE, XF – Rear Flange *Thickness 6.5mm*	1982-1988	R	**109**	●	●	○					V	287	71	24	**22.2**	70.5	5
EA, EB, ED, Not ABS, XR6, XR8 *Supplied With Grease Cap*	1988-1994	F	**110B**	●	●	○					V	287	70	24	**22.2**	HUB	5
EA, EA Series II – REAR	1988-12/1989	R	**111A**								S	287	62	15	**14**	70.5	5
EA Series II, EB, ED XR6, XR8 – REAR	1990-1994	R	**111B**	●	●	●					S	287	61	13	**12**	70.5	5
XG LONGREACH, XH	1992-1999																
EB, ED With ABS XR6, XR8 Inc SENSOR RING	7/1991-1994	F	**130**	●	●	○					V	287	115	24	**22.2**	HUB	5
EF, EL With ABS XR6, XR8 Inc SENSOR RING	1994-08/1998	F	**132**	●	●	●					V	287	115	25	**22**	HUB	5
XH Inc PANEL VAN With ABS	11/1996-1999																
EF, EL – Not ABS	1994-08/1998	F	**131**	●	●	●					V	287	115	25	**22**	HUB	5
XH Inc PANEL VAN Without ABS	11/1996-1999																
EL – Not ABS		F	**131**	●	●	●					V	287	115	24	**22**	HUB	5
XH Inc PANEL VAN Without ABS																	
EF, EL XR6, XR8 – REAR	1994-1998	R	**133**	●	●	●					S	299	56.5	10.5	**8.5**	70.5	5
AU & UTE	1998-3/2000	F	**500**	●	●	●	○	○	○		V	287	70	24	**21**	71.8	5
		R	**501**	●	●	○					S	287	51.5	10.5	**8.5**	70.5	5
AU II, AU III & UTE Non Brembo UPGRADE	3/2000-2002	F	**502**	●	●	●	●	●	○		V	287	65	28	**25.6**	71.8	5
		R	**503**	●	●	●	○	●	○		S	287	51	16	**14.5**	70.5	5
BA Inc RTV, BF MARK I & II XR6 4.0L DOHC BA XR6T 4.0L TURBO	2002-2005	F	**504E**	●	●	●	●	●	●		V	298	65	28	**26**	71.5	5
		R	**505E**	●	●	●	●	●	●		S	303	51	16	**14.5**	70.5	5
BA XR8 5.4L V8 4V	2003-2005																
BF MARK I XR6T 4.0L TURBO XR8 5.4L V8	2005-2006	F	**2107E**	●	●	●	●	●	●		V	322	68	28	**26**	71	5
		R	**2108E**	●	●	●	●	●	●		V	328	59	26	**24**	71	5
FG Series – XT, XR6, G6, G6E	2008-11/2014	F	**504E**	●	●	●	●	●	●		V	298	65	28	**26**	70.5	5
		R	**505E**	●	●	●	●	●	●		S	303	51	16	**14.5**	70.5	5
BF MARK II, FG Series XR6 TURBO, XR8, G6E TURBO	2006-11/2014	F	**2107E**	●	●	●	●	●	●		V	322	68	28	**26**	71	5
		R	**505E**	●	●	●	●	●	●		S	303	51	16	**14.5**	70.5	5
Note: Some Police Vehicles		R	**2108E**	●	●	●	●	●	●		V	328	59	26	**24**	71	5
FG-X Series STD, XR6, G6E & ECOBOOST	12/2014-10/2016	F	**504E**	●	●	●	●	●	●		V	298	65	28	**26**	70.5	5
FG-X Series XR6 TURBO		F	**2107E**	●	●	●	●	●	●		V	322	68	28	**26**	71	5
FG-X Series XR8 SUPERCHARGED		F	**42102**				●	●	●	●	V	355	50.5	32	**30**	71.8	5
SOLID TYPE		R	**505E**	●	●	●	●	●	●		S	303	51	16	**14.5**	70.5	5
VENTED TYPE		R	**2108E**	●	●	●	●	●	●		V	328	59	26	**24**	71	5
FG-X Series SPRINT XR6 TURBO & XR8 SUPERCHARGED	02/2016-10/2016	F	**42102**				●	●	●	●	V	355	50.5	32	**30**	71.8	5
		R	**2108E**	●	●	●	●	●	●		V	328	59	26	**24**	71	5

SPECIAL NOTE: DBA 106H is a direct replacement for a DBA 106 + Hub
Please check bearings as they differ on the various models (Bearings not supplied)

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 88 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

FORD

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
FALCON UPGRADE OPTIONS																	
BA-BF PBR M Series UPGRADE – FLAT ROTOR		F	**52075.1**							●	V	355	32	32	**30**		10
BA-BF PBR M Series UPGRADE – FLAT ROTOR		R	**52909.1**							●	V	355	26	26	**24.4**		10
FORD PREMIUM UPGRADE – BA SERIES																	
BA XR6, XR6T, XR8	2002-2005	F	**42104**				●	●	●	○	V	325	45.3	32	**30**	71.5	5
BLACK FORD 2 PISTON FRONT CALIPER		R	**505E**	●	●	●	●	●	●		S	303	51	16	**14.5**	70.5	5
FPV PBR M SERIES UPGRADE																	
BA-BF – *DBA's Version*	2002-on	F	**52075.1**							●	V	355	45.5	32	**30**	71.5	10
BA-BF PBR M Series UPGRADE – FLAT ROTOR		R	**52909.1**							●	V	355	26	26	**24.4**		10
FPV – F6 UTE																	
FG – PERFORMANCE BRAKES Brembo – 4 PISTON CALIPERS	2008-2015	F	**42102**				●	●	●	●	V	355	50.5	32	**30**	71.8	5
		R	**2108E**	●	●	●	●	●	●		V	328	59	26	**24**	71	5
FG – PREMIUM BRAKES Brembo – 6 PISTON CALIPERS	2008-2015	F	**42102**				●	●	●	●	V	355	50.5	32	**30**	71.8	5
		R	**2108E**	●	●	●	●	●	●		V	328	59	26	**24**	71	5
FPV – F6X																	
FG – PREMIUM BRAKES Brembo – 6 PISTON CALIPERS	2008-2015	F	**42102**				●	●	●	●	V	355	50.5	32	**30**	71.8	5
		R	**2108E**	●	●	●	●	●	●		V	328	59	26	**24**	71	5
FPV – F6 TORNADO																	
BF – PERFORMANCE BRAKES Brembo – 4 PISTON CALIPERS	2005-2007	F	**42102**				●	●	●	●	V	355	50.5	32	**30**	71.8	5
PBR M Series UPGRADE		F	**52075**							●	V	355	45	32	**30**	71.8	5
		R	**2108E**	●	●	●	●	●	●		V	328	59	26	**24**	71	5
BF – PREMIUM BRAKES Brembo – 6 PISTON CALIPERS	2005-2007	F	**42102**				●	●	●	●	V	355	50.5	32	**30**	71.8	5
		R	**2108E**	●	●	●	●	●	●		V	328	59	26	**24**	71	5
FPV – F6 TYPHOON																	
BA – PERFORMANCE BRAKES BLUE FPV 2 PISTON CALIPERS	2003-2005	F	**42104**				●	●	●	○	V	325	45.3	32	**30**	71.5	5
		R	**505E**	●	●	●	●	●	●		V	303	51	16	**14.5**	70.5	5
BF – PERFORMANCE BRAKES Brembo – 4 PISTON CALIPERS	2005-2007	F	**42102**				●	●	●	●	V	355	50.5	32	**30**	71.8	5
		R	**2108E**	●	●	●	●	●	●		V	328	59	26	**24**	71	5
BF – PREMIUM BRAKES Brembo – 6 PISTON CALIPERS	2005-2007	F	**42102**				●	●	●	●	V	355	50.5	32	**30**	71.8	5
		R	**4507A/B**				●	●	●		V	330	51	28	**26**	70.5	5
FPV – GS SEDAN & UTE																	
FG 5.4L, 5.0L S/C 2 PISTON FRONT CALIPERS Suits Brembo 4 PISTON CALIPERS AS WELL	2008-2015	F	**2107E**	●	●	●	●	●	●		V	322	68	28	**26**	71	5
		R	**505E**	●	●	●	●	●	●		S	303	51	16	**14.5**	70.5	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

FORD

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
FPV – GT																	
BA – PERFORMANCE BRAKES BLUE FPV 2 PISTON CALIPERS	2003-2005	F	**42104**				●	●	●	○	V	325	45.3	32	**30**	71.5	5
		R	**505E**	●	●	●	●	●	●		V	303	51	16	**14.5**	70.5	5
BA-FG PREMIUM BRAKES Brembo – 4 & 6 PISTON CALIPERS		F	**42102**				●	●	●	●	V	355	50.5	32	**30**	71.8	5
		R	**4507A/B**				●	●	●		V	330	51	28	**26**	70.5	5
BF-FG – PERFORMANCE BRAKES Brembo – 4 PISTON CALIPERS	2005-2015	F	**42102**				●	●	●	●	V	355	50.5	32	**30**	71.8	5
		R	**2108E**	●	●	●	●	●	●		V	328	59	26	**24**	71	5
FPV – GT-P																	
BA-FG PREMIUM BRAKES Brembo – 4 & 6 PISTON CALIPERS	2003-2015	F	**42102**				●	●	●	●	V	355	50.5	32	**30**	71.8	5
		R	**4507A/B**				●	●	●		V	330	51	28	**26**	70.5	5
FPV – GT E																	
FG – PREMIUM BRAKES Brembo – 6 PISTON CALIPERS	2008-2015	F	**42102**				●	●	●	●	V	355	50.5	32	**30**	71.8	5
		R	**4507A/B**				●	●	●		V	330	51	28	**26**	70.5	5
FPV – PURSUIT UTE																	
AU III Series PERFORMANCE BRAKES GREY 2 PISTON FRONT CALIPERS	2000-2003	F	**4506**		○		○	●	○	○	V	329	48.3	28	**25**	71.8	5
		R	**503**	●	●	●	○	●	○		S	287	51	16	**14.5**	70.5	5
PREMIUM BRAKES 4 PISTON FRONT CALIPERS		F	**42102**				●	●	●	●	V	355	50.5	32	**30**	71.8	5
		R	**503**	●	●	●	○	●	○		S	287	51	16	**14.5**	70.5	5
BA – PERFORMANCE BRAKES BLUE FPV 2 PISTON CALIPERS	2003-2005	F	**42104**				●	●	●	○	V	325	45.3	32	**30**	71.5	5
		R	**505E**	●	●	●	●	●	●		S	303	51	16	**14.5**	70.5	5
BA-FG – PREMIUM BRAKES Brembo – 4 & 6 PISTON FRONT CALIPERS	2003-2015	F	**42102**				●	●	●	●	V	355	50.5	32	**30**	71.8	5
		R	**2108E**	●	●	●	●	●	●		V	328	59	26	**24**	71	5
BF-FG PERFORMANCE BRAKES Brembo – 4 PISTON CALIPERS	2005-2015	F	**42102**				●	●	●	●	V	355	50.5	32	**30**	71.8	5
		R	**2108E**	●	●	●	●	●	●		V	328	59	26	**24**	71	5
FPV – PURSUIT 250																	
AU III Series PERFORMANCE BRAKES GREY 2 PISTON FRONT CALIPER	2000-2003	F	**4506**		○		○	●	○	○	V	329	48.3	28	**25**	71.8	5
		R	**503**	●	●	●	○	●	○		S	287	51	16	**14.5**	70.5	5
AU III Series PREMIUM BRAKES 4 PISTON FRONT CALIPERS		F	**42102**				●	●	●	●	V	355	50.5	32	**30**	71.8	5
		R	**503**	●	●	●	○	●	○		S	287	51	16	**14.5**	70.5	5
FPV – SUPER PURSUIT UTE																	
BF-FG – PREMIUM BRAKES Brembo – 6 PISTON FRONT CALIPERS	2005-2015	F	**42102**				●	●	●	●	V	355	50.5	32	**30**	71.8	5
		R	**2108E**	●	●	●	●	●	●		V	328	59	26	**24**	71	5
TICKFORD – TE50 / TL50																	
AU III Series PERFORMANCE BRAKES GREY 2 PISTON FRONT CALIPER	2000-2003	F	**4506**		○		○	●	○	○	V	329	48.3	28	**25**	71.8	5
		R	**503**	●	●	●	○	●	○		S	287	51	16	**14.5**	70.5	5
AU III Series PREMIUM BRAKES 4 PISTON FRONT CALIPERS		F	**42102**				●	●	●	●	V	355	50.5	32	**30**	71.8	5
		R	**4507A/B**				●	●	●		V	330	51	28	**26**	70.5	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 90 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

FORD

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
TICKFORD – TS50																	
AU III Series PERFORMANCE BRAKES GREY 2 PISTON FRONT CALIPER	2000-2003	F	**4506**		○		○	●	○	○	V	329	48.3	28	**25**	71.8	5
		R	**503**	●	●	●	○	●	○		S	287	51	16	**14.5**	70.5	5
AU III Series PREMIUM BRAKES 4 PISTON FRONT CALIPERS		F	**42102**				●	●	●	●	V	355	50.5	32	**30**	71.8	5
		R	**4507A/B**				●	●	●		V	330	51	28	**26**	70.5	5
FAIRLANE / FAIRMONT																	
ZA, ZB 8 Cyl	1966-6/1969	F	**105**								S	279	50	16	**14.6**	79.5	5
ZC, ZD, ZF, ZG *Complete With Studs*	7/1969-10/1975	F	**106H**	●	●	●					V	287	75	24	**22.2**	HUB	5
ZG, ZH – REAR	11/1973-1979	R	**103**	●	●	○					V	287	58.5	24	**22.2**	83	5
ZG, ZH, ZJ, ZK, ZL *Complete With Studs & Cups*	10/1975-1988	F	**107**	●	●	●					V	287	75	24	**22.2**	HUB	5
ZJ – REAR Flange Thickness 0.350 inch	1979-1981	R	**108**	●	●	○					V	286	71.5	24	**22.2**	70.5	5
ZK, ZL – REAR Flange Thickness 0.250 inch	1981-1988	R	**109**	●	●	○					V	286	71.5	24	**22.2**	70.5	5
NA, NA Series IL, NC Not ABS – With Grease Cap	1988-6/1991	F	**110B**	●	●	○					V	287	70	24	**22.2**	HUB	5
NA, NA Series II – REAR	1988-1/1990	R	**111A**								S	287	62	15	**14**	70.5	5
NA Series II, NC – REAR	1988-1991	R	**111B**	●	●	●					S	287	61	13	**12**	70.5	5
NC – With ABS Inc SENSOR RING	7/1991-1995	F	**130**	●	●	○					V	287	115	24	**22.2**	HUB	5
NF, NL – With ABS Inc SENSOR RING Only	Until 1/11/96	F	**132**	●	●	●					V	287	115	25	**22**	HUB	5
NF, NL – REAR	2/1995-1999	R	**133**	●	●	●					S	299	56.5	10.5	**8.5**	71	5
AU	1998-2000	F	**500**	●	●	●	○	○	○		V	287	70	24	**21**	71.8	5
		R	**501**	●	●	○					S	287	51.5	10.5	**8.5**	70.5	5
AU II, AU III – ALL MODELS Non Brembo UPGRADE	2000-2002	F	**502**	●	●	●	●	●	○		V	287	65	28	**25.6**	71.8	5
		R	**503**	●	●	●	○	●	○		S	287	51	16	**14.5**	70.5	5
BA, BF 4.0L DOHC BA, BF 5.4L SOHC V8	2002-2005	F	**504E**	●	●	●	●	●	●		V	298	65	28	**26**	71.5	5
		R	**505E**	●	●	●	●	●	●		S	303	51	16	**14.5**	70.5	5
BF 5.4L SOHC V8 *Optional – Brake Upgrade*	2005-2008	F	**2107E**	●	●	●	●	●	●		V	322	68	28	**26**	71	5
		R	**2108E**	●	●	●	●	●	●		V	328	59	26	**24**	71	5
FAIRLANE LTD																	
54J – REAR	6/1973-1979	R	**103**	●	●	○					V	287	58.5	24	**22.2**	83	5
FC, FD, FE *With Studs & Cups*	1979-1988	F	**107**	●	●	●					V	287	75	24	**22.2**	HUB	5
FC – REAR Flange Thickness 0.350 inch	1979-1981	R	**108**	●	●	○					V	287	71.5	24	**22.2**	70.5	5
FD, FE – REAR Flange Thickness 0.250 inch	1982-1988	R	**109**	●	●	○					V	287	71.5	24	**22.2**	70.5	5
DA, DA Series II, DC Not ABS – *With Grease Cap*	1988-7/1991	F	**110B**	●	●	○					V	287	70	24	**22.2**	HUB	5
DA, DA Series II – REAR	1988-1/1990	R	**111A**								S	287	62	15	**14**	70.5	5
DA Series II, DC – REAR	1990-2/1995	R	**111B**	●	●	●					S	287	61	13	**12**	70.5	5
DC – With ABS Inc SENSOR RING	7/1991-2/1995	F	**130**	●	●	○					V	287	115	24	**22.2**	HUB	5
DF, DL – With ABS Inc SENSOR RING Only	Until 1/11/96	F	**132**	●	●	●					V	287	115	25	**22**	HUB	5
DF, DL – REAR	2/1995-1999	R	**133**	●	●	●					S	299	56.5	10.5	**8.5**	71	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

FORD

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
FAIRLANE LTD – Continued																	
AU	1998-3/2000	F	**500**	●	●	●	○	○	○		V	287	70	24	**21**	71.8	5
		R	**501**	●	●	○					S	287	51.5	10.5	**8.5**	70.5	5
AU II, AU III – ALL MODELS Non Brembo UPGRADE	2000-2002	F	**502**	●	●	●	●	●	○		V	287	65	28	**25.6**	71.8	5
		R	**503**	●	●	●	○	●	○		S	287	51	16	**14.5**	70.5	5
BA, BF 4.0L DOHC BA, BF 5.4L SOHC V8	2002-2005	F	**504E**	●	●	●	●	●	●		V	298	65	28	**26**	71.5	5
		R	**505E**	●	●	●	●	●	●		S	303	51	16	**14.5**	70.5	5
BF 5.4L SOHC V8 *Optional – Brake Upgrade*	2005-2007	F	**2107E**	●	●	●	●	●	●		V	322	68	28	**26**	71	5
		R	**2108E**	●	●	●	●	●	●		V	328	59	26	**24**	71	5
FESTIVA																	
WA	10/1991-1994	F	**635**	○	○						S	219	37	13	**11**	75	4
WB MANUAL	1994-1997	F	**530**	●	●	○	○	○	○		V	235	45.5	18	**16**	55	4
WF 3 & 5 DOOR	11/1997-2000																
WB AUTOMATIC	1994-1997	F	**532E**	●	○	○					V	235	45.5	22	**20**	55	4
WF 5 DOOR	11/1997-2000																
DRUM WF Series	1997-2000	R	**1900**								Dr	200	58		**201.5**	55	4
FIESTA																	
FIESTA	1996-on	F	**854**	●	●						V	239.5	43	20	**18**	63.5	4
WP & WQ 1.6L 16V LX, ZETEC, GHIA	11/2001-2009	F	**2100**	●	●		○	○			V	258	43.5	22	**20**	63.5	4
DRUM – *Check Specs* Hub Type / Height 81mm		R	**1626**	●							Dr	203	81		**204.3**	HUB	4
WS Series 1.4L & 1.6L	01/2009-09/2010	F	**2162E**	●	○						V	258	44	23	**21**	63.5	4
DRUM		R	**1907**	●							Dr	200	57.4		**201.5**	63.5	4
WQ XR4 Series	06/2007-12/2008	F	**2161E**	●	○			○			V	278	45	25	**23**	63.5	4
		R	**TBA**														
WT Series	2010-2013	F	**2162E**	●	○						V	258	44	23	**21**	63.5	4
DRUM		R	**1628**	●							Dr	200	58.2		**201.5**	55	4
WZ 1.0L TURBO & 1.5L Non TURBO	2013-on	F	**2568E**	●	●						V	258	44	23	**21**	55	4
DRUM		R	**1628**	●							Dr	200	58.2		**201.5**	55	4
WZ 1.6L ST TURBO	2014-on	F	**42163**				●	●			V	278	44	23	**21**	63.5	4
		R	**2109**	●	●		○	○			S	253	33	10	**8.9**	63.5	4
FOCUS																	
1.8L, 2.0 ALL MODELS	2002-2005	F	**2100**	●	●		○	○			V	258	43.5	22	**20**	63.5	4
		R	**2109**	●	●		○	○			S	253	33	10	**8.9**	63.5	4
2.0L 127kW ST170	2003-2006	F	**TBA**														
		R	**2103**				○	○	○		S	280	25	10	**8.9**	63.5	4
2.0L DOHC	2005-2009	F	**2118E**	●	●	○					V	278	48.5	25	**23**	64	5
		R	**2119E**	●	●	○	●	○			S	265	41	11	**9**	64	5
LW Series	2011-2012	F	**2118E**	●	●	○					V	278	48.5	25	**23**	64	5
		R	**2145E**	●	●		○				S	271	41	11	**9**	63.5	5
EXCLUDE ST – *USA Application*	2012-2015	F	**2118E**	●	●	○					V	278	48.5	25	**23**	64	5
		R	**2145E**	●	●		○				S	271	41	11	**9**	63.5	5
XR5 TURBO 2.5L 5 Cyl TURBO	04/2006-2011	F	**2120**	●	●	○	●	●	○		V	320	48.6	25	**23**	64	5
		R	**2121**	●	●	○	●	●	○		S	280	41	11	**9**	64	5
CABRIOLET – *UK Make Check All Specs*	2005-on	F	**2380E**	●	●						V	300	48.5	25	**23**	64	5
		R	**2121**	●	●	○	●	●	○		S	280	41	11	**9**	64	5
LV Series RS 2.5L TURBO	09/2010-on	F	**2134**	●	○		●	●	○	○	V	336	52.3	28	**26**	63.5	5
		R	**2129E**	●	●						S	302	51	11	**9**	62.5	5
LW Series ST 2.0L	2012-on	F	**2120**	●	●	○	●	●	○		V	320	48.6	25	**23**	64	5
		R	**2145E**	●	●		○				S	271	41	11	**9**	63.5	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 92 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

FORD

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
FOCUS – Continued																	
LZ Series 1.5L TURBO	10/2015-on	F	**2118E**	●	●	○					V	278	48.5	25	**23**	64	5
		R	**2177E**								S				**9**		
LZ Series 2.0L ST2 Turbo Petrol		F	**2120**	●	●	○	●	●	○		V	320	48.6	25	**23**	64	5
		R	**2177E**								S				**9**		
LZ Series RS 2.3L TURBO	06/2016-on	F	**2968E**	●	○		●	●		●	V	350	49	25	**23**	63.5	5
		R	**2969E**	●	○		●	●			S	302	41	11	**9**	63.5	5
FORMULA FORD – SPECIAL APPLICATION																	
FORMULA FORD DISC FLAT DESIGN	PCD=148.5	F/R	**4993**				●				S	248	7	7	**7**	126	6
FORMULA FORD DISC HAT DESIGN	PCD=95	F/R	**4994**				●				S	248	41	7	**7**	76	4
FORMULA FORD DISC FLAT – SLOTTED – AP CALIPERS	PCD=148.5	F/R	**42999**				●				S	254	9.65	9.65	**9.65**	126	6
FORMULA 3																	
FORMULA 3 DISC FLAT – SLOTTED DISC Only	PCD=176MM	F/R	**5003.1**							○	V	277.8	16.5	15.9	**15.9**	156	8

DBA 4993



DBA 4994



DBA 42999



KA																	
TB KA 1.3L HATCHBACK	1999-2003	F	**529**	○							S	240	43	12	**10**	63.5	4
KA 1.3L Series II		F	**854**	●	●						V	240	43	20	**18**	63.5	4
KUGA																	
TE Series 2.5 DURATEC	02/2012-02/2013	F	**2380E**	●	●						V	300	48.5	25	**23**	64	5
4 DOOR WAGON AWD		R	**2129E**	●	●						S	302	51	11	**9**	62.5	5
TF Series 1.6 T& 2.0L TD	2013-on	F	**2120**	●	●	○	●	●	○		V	320	48.6	25	**23**	64	5
Fitted With Mechanical Handbrake		R	**2169E**	●	○						S	280	51	11	**9**	63.5	5
TF Series 1.5L TURBO *Check All Specs*	2015-on	F	**2120**	●	●	○	●	●	○		V	320	48.6	25	**23**	64	5
Fitted With Mechanical Handbrake		R	**2169E**	●	○						S	280	51	11	**9**	63.5	5

The Kangaroo Paw design is not available on all part numbers, ask your supplier for details. FOR LATEST CATALOGUE LISTINGS REFER TO WWW.DBA.COM.AU

F721 2019 Red Master v45.indd 93 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

FORD

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
LASER / METEOR																	
KA, KB	1981-1985	F	**100**	●							S	228	31	11	**10**	75	4
GA, GB	1982-1985																
DRUM	1981-1985	R	**1611**	●							Dr	180	55		**181**	HUB	4
KC, KE – Non TURBO	1985-1990	F	**930**	●	○						V	238	31	18	**16**	75	4
GC	1985-1987																
KE – TURBO 2WD & 4WD	1987-1990	F	**101**	●	○						V	260	32	18	**16**	75	4
KC, KE *Except* 4WD 54mm Hub Seal Diameter	1985-1990	R	**931**								S	222	35	10	**8**	HUB	4
KF, KH 1600 EFI MANUAL	4/1990-1994	F	**530**	●	●	○	○	○	○		V	235	45.5	18	**16**	55	4
KF, KH 1600 AUTOMATIC		F	**532E**	●	○	○					V	235	45.5	22	**20**	55	4
KH 1800 SOHC DOHC	10/1991-1994																
KF, KH, TX3 1.8L DOHC	11/1989-1994	F	**533**	●	●	○					V	257	45.5	22	**20**	55	4
KJ, KL 1.6L, 1.8L	1994-2000																
KF, KH, 1.8L SOHC	4/1990-1994	R	**531**	●	●	○	○	○	○		S	231	35	9	**8**	55	4
KF, KH, KL TX3 2WD	10/1991-2000	R	**534**	●	●	○					S	250.5	34.5	9	**8**	55	4
KF, KH, KL TX3 4WD TURBO	4/1990-2000	F	**533**	●	●	○					V	257	45.5	22	**20**	55	4
KF, KH, KJ, KL, 1.8L DOHC		R	**534**	●	●	○					S	250.5	34.5	9	**8**	55	4
KN, KQ 1.6L – LXI	1999-2002	F	**532E**	●	○	○					V	235	45.5	22	**20**	55	4
KF, KH, KJ, KN & KQ – DRUM		R	**1900**								Dr	200	58		**201.5**	55	4
KN, KQ 1.8L		F	**537**	●	●						V	258	47	24	**22**	55	4
GLXI, SR		R	**539**	●	●						S	261	40	10	**8**	55	4
KQ 2.0L	2000-2002	F	**950**	●	●	○					V	258	48.5	24	**22**	72	5
SR2		R	**951**	●	○	○					S	261	40	9.5	**8**	72	5
MAVERICK																	
GY, KY & DA	1988-1993	F	**329**	●	●	○	●	●	○		V	294	30	20	**18**	104	6
Optional – Disc Rear End		R	**622**	●	●	●	●	●	○		V	315	80	18	**16**	111	6
DRUM		R	**1709**	●							Dr	295	85		**296.5**	111	6
MONDEO																	
HA, HC, HD & HE 2.0L D.O.H.C	7/1995-2002	F	**850**	●							V	260	47	24	**22.2**	63.5	4
		R	**851**								V	253	44	20	**18**	63.5	4
MA, MB, MC 2.0L / 2.3L 13.8mm Stud Holes	10/2007-2014	F	**2128E**	●	●	○					V	300	52	28	**26**	63.5	5
MA, MB, MC 2.0L / 2.3L 15.8mm Stud Holes		F	**2080E**	●	○	○					V	300	52	28	**26**	63.5	5
MD Series 2.0L TD & TURBO PETROL HATCH	2015-on	F	**2640**														
		R	**2641E**														
MD Series 2.0L TD WAGON & PETROL TURBO		F	**2168E**	●	○		●	●			V	316	51	28	**26.5**	63.5	5
		R	**2639**														

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 94 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

FORD

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
MUSTANG																	
ALL – *Complete With Studs*	1968-1973	F	**106H**	●	●	●					V	287	115	24	**22.2**	HUB	5
ALL – *Except* COBRA, BULLITT & MACH 1– *Without Upgraded Discs*	1994-2004	F	**855**								V	276	46.6	26	**24.8**	71	5
		R	**856**								S	267	50	14	**12.8**	71	5
COBRA, BULLITT & MACH 1 *Suits Vehicles Fitted With Upgraded Rotors*	1994-2004	F	**069**				●	●	○	○	V	330	43.5	28	**26.4**	71	5
		R	**4102**				●	○	○		V	296	51	18	**16.8**	71	5
4.0L V6	2005-2010	F	**2115**				●	○	○		V	293	49	30	**28.4**	71	5
		R	**2114**				●	●	○		V	300	35	19	**17.4**	71	5
4.6L V8 GT		F	**2113**	●	○	○				●	V	316	48.5	30	**28.4**	71	5
		R	**2114**				●	●	○		V	300	35	19	**17.4**	71	5
V8 SHELBY, SHELBY GT500, GT500KR & BULLITT – Brembo		F	**2124**	●	○	○	●	○	○	●	V	355	47	32	**30**	71	5
		R	**2114**				●	●	○		V	300	35	19	**17.4**	71	5
3.7L V6	2011-2012	F	**2113**	●	○	○				●	V	316	48.5	30	**28.4**	71	5
		R	**2114**				●	●	○		V	300	35	19	**17.4**	71	5
5.0L V8 GT, BOSS 302 & 5.8L V8 SHELBY GT500		F	**2124**	●	○	○	●	○	○	●	V	355	47	32	**30**	71	5
W/O PERFORMANCE BRAKES		F	**42126**				●	●	●		V	336.5	48	30	**28.4**	71	5
		R	**2114**				●	●	○		V	300	35	19	**17.4**	71	5
3.7L V6	2013-2014	F	**2113**	●	○	○				●	V	316	48.5	30	**28.4**	71	5
		R	**2114**				●	●	○		V	300	35	19	**17.4**	71	5
5.0L V8 BOSS & 5.4L V8 GT		F	**2124**	●	○	○	●	○	○	●	V	355	47	32	**30**	71	5
W/O PERFORMANCE BRAKES		F	**42126**				●	●	●		V	336.5	48	30	**28.4**	71	5
		R	**2114**				●	●	○		V	300	35	19	**17.4**	71	5
5.8L V8 SHELBY GT500		F	**2124**	●	○	○	●	○	○	●	V	355	47	32	**30**	71	5
		R	**TBA**														
2.3L ECOBOOST PREMIUM BRAKES	2015-05/2018	F	**TBA**								V	320	62	30	**28.5**	71	5
		R	**TBA**								S	320	41.5	11.5	**9.9**	71	5
2.3L TURBO PREMIUM HIGH Series		F	**42164**				●	●	○		V	352	64	32	**30**	71	5
		R	**42165**				●	●	●		V	330	43.7	25	**23**	71	5
2.3L ECOBOOST PERFORMANCE PACKAGE		F	**42164**				●	●	○		V	352	64	32	**30**	71	5
		R	**42165**				●	●	●		V	330	43.7	25	**23**	71	5
3.7L V6 PREMIUM BRAKES		F	**TBA**								V	320	62	30	**28.5**	71	5
		R	**TBA**								S	320	41.5	11.5	**9.9**	71	5
3.7L V6 HIGH SERIES BRAKES		F	**42164**				●	●	○		V	352	64	32	**30**	71	5
		R	**42165**				●	●	●		V	330	43.7	25	**23**	71	5
3.7L V6 PERFORMANCE PACKAGE		F	**42164**				●	●	○		V	352	64	32	**30**	71	5
		R	**42165**				●	●	●		V	330	43.7	25	**23**	71	5
5.0L V8 GT HIGH SERIES Non Brembo		F	**42164**				●	●	○		V	352	64	32	**30**	71	5
		R	**42165**				●	●	●		V	330	43.7	25	**23**	71	5
5.0L V8 GT PERFORMANCE BRAKES – Brembo		F	**42166**				●	●	●	●	V	380	64	34	**31.6**	71	5
5.0L V8 GT PERFORMANCE PACKAGE		R	**42165**				●	●	●		V	330	43.7	25	**23**	71	5
FN SERIES 5.0L V8 GT BULLITT	06/2018-on	F	**42166**				○	●	○	●	V	380	64	34	**31.6**	71	5
		R	**42165**				●	●	●		V	330	43.7	25	**23**	71	5
PROBE																	
	1993-1997	F	**950**	●	●	○					V	258	49	24	**22**	72	5
With REAR DISC		R	**951**	●	○	○					S	261	40	9.5	**8**	72	5
With REAR DRUM		F	**950**	●	●	○					V	258	49	24	**22**	72	5

SPECIAL NOTE: DBA 106H is a direct replacement for a DBA 106 + Hub
Please check bearings as they differ on the various models (Bearings not supplied)

The Kangaroo Paw design is not available on all part numbers, ask your supplier for details. FOR LATEST CATALOGUE LISTINGS REFER TO WWW.DBA.COM.AU

F721 2019 Red Master v45.indd 95 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

FORD

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
RANGER																	
PJ-PK Series – *Check Diameter*	00/2007-00/2011	F	**958**	●	●						V	255.5	24	24	**22**	86	6
2.5L, 2.6L	2003-2011	F	**2952E**	●	●	○	●	●	○		V	288.5	70.5	28	**26**	98	6
DRUM	2003-2011	R	**1642**	●							Dr	295	80.8		**296.5**	93	6
PX Series MK1 & MK2 Inc WILDTRACK 3.2L SUPERCAB XL 2 DOOR 3.2L SUPERCAB XL HIRIDER SUPERCAB XL, XLT 2.2L XL DIESEL RWD & 4WD 2.5L XL RWD 3.2L XL 4WD	09/2011-2018	F	**2132E**	●	●	●	●	●	●		V	301.5	60.7	32	**30**	98	6
DRUM PX Series 2.2L, 2.5L & 3.2L		R	**1642**	●							Dr	295	80.8		**296.5**	93	6
PX SERIES MK3 2.0L TWIN TURBO, 2.2L & 3.2L TD	09/2018-on	F	**2132E**	●	●	●	●	●	●		V	301.5	60.7	32	**30**	98	6
2.0L TWIN TURBO RAPTOR ONLY		F	**2137E**	●	○		●	●	○		V	332	59	32	**30**	98	6
DRUM ALL		R	**1642**	●							Dr	295	80.8		**296.5**	93	6
TAURUS																	
GHIA 4 DOOR SEDAN	2/1996-1999	F	**852**	○							V	276	46.5	26	**24.75**	71	5
		R	**853**								S	257	39.5	14	**12.75**	64.5	5
TELSTAR																	
AR	5/1983-9/1985	F	**119**	●							S	250	35	14	**12.5**	75	4
AS	9/1985-9/1987	F	**334**								V	250	36	20	**18.5**	75	4
AT	10/1987-1989	F	**633**	●	○	○					V	264	47	24	**22**	64	5
AX, AY	1992-1996	F	**950**	●	●	○					V	258	49	24	**22**	72	5
		R	**951**	●	○	○					S	261	40	9.5	**8**	72	5
TERRITORY																	
SX & SY Series TX, TS, GHIA AWD & RWD	6/2004-10/2016	F	**2107E**	●	●	●	●	●	●		V	322	68	28	**26**	71	5
Except PETROL TURBO FRONT DISC		R	**2108E**	●	●	●	●	●	●		V	328	59	26	**24**	71	5
SY Series F6X MODELS With Brembo	02/2008-03/2009	F	**42102**				●	●	●	●	V	355	50.5	32	**30**	71.8	5
		R	**2108E**	●	●	●	●	●	●		V	328	59	26	**24**	71	5
SY Series 4.0L PETROL TURBO	6/2004-04/2011	F	**2105E**	●	○		●	●	○		V	340	45.4	32	**30**	72	5
		R	**2108E**	●	●	●	●	●	●		V	328	59	26	**24**	71	5
SZ Series 2.7L TURBO DIESEL	05/2011-10/2016	F	**2107E**	●	●	●	●	●	●		V	322	68	28	**26**	71	5
		R	**2108E**	●	●	●	●	●	●		V	328	59	26	**24**	71	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 96 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

FORD

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
TRANSIT																	
VE HIGH ROOF 2.5L DIESEL	1991-2000	F	**827**								S	254	32	14.7	**12.9**	78	5
VE – 15 inch Wheels	1/1994-2000	F	**828**	●	○						V	270	43	24	**22.15**	78	5
VG 2.5LT – 14 inch Wheels	1/1996-2000	F	**829**	●	○						V	254	43	24	**22.15**	78	5
VH, VJ	2001-2006	F	**871**	●	○						V	294	43	24	**22.15**	82	5
VM 2.2L FWD	3/2006-2014	F	**2138**	●	○						V	280	54.4	28	**25**	93	5
		R	**2135**	●	○						S	280	68.8	16	**13**	96	5
VM Series 2.3, 2.4TD RWD 10mm STUD		F	**2142**	●	○						V	300	54.4	28	**25**	93	5
12mm STUD With DUAL REAR WHEELS		F	**3100E**	●							V	300	54.5	28	**24**	93	5
With SINGLE REAR WHEEL		R	**2133**	●	○						S	280	16.3	16	**13**	107.5	10
With DUAL REAR WHEELS		R	**2135**	●	○						S	280	68.8	16	**13**	96	5
460E – 4.6 TON		R	**3101E**	●	○						S	284	44	16	**13**	107.2	10
VN Series CUSTOM 2.0L & 2.2L TD	2014-on	F	**3104E**								V	288	55.4	33	**30**	93	5
		F	**2527E**								V	308	55.4	33	**30**	93	5
		R	**3103E**								S	288	68.9	16	**13**	96	5
VO Series 2.2L TD RWD LONG WHEEL BASE		F	**3104E**								V	288	55.4	33	**30**	93	5
		F	**2527E**								V	308	55.4	33	**30**	93	5
DUAL REAR WHEELS		F	**3102E**								V	308	61	31	**28**	93	5
		R	**3105E**								S	308	25.5	16	**13**	122.5	5
DUAL REAR WHEELS		R	**3107E**								S	308	22	18	**15**	122.5	6

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

FOTON

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
FOTON																	
TUNLAND P201 SERIES 2.8L TD	11/2012-on	F	**792**	●	●	●	●	●	●		V	319	70	22	**20**	108	6

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 98 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

GMC

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
SIERRA 1500 1/2 TON FULL SIZE PICKUP 2WD																	
With REAR DISC, *Except* HD	1999-2000	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
2 DOOR	2001-2002	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
4 DOOR HD – CREW CAB 8 LUG FRONT	2001	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
2 DOOR – EXTENDED CAB QUADRASTEER	2002	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
		R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6
4 DOOR HD – CREW CAB		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
2 DOOR – REG. & EXT. CAB 2 WHEEL STEER	2003	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
2 DOOR – EXTENDED CAB QUADRASTEER – With 18.5mm Min. Thick Rear Discs		F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
2 DR EXT. CAB QUADRASTEER W/- 28.5mm Min. Thick Rear Discs		F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
2 DOOR REG. & EXTENDED CAB 2 WHEEL STEER	2004	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	66
2 DOOR – EXT. CAB HYBRID AND QUADRASTEER MODELS		F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
		R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6
2 DOOR HD – EXT. CAB – With 4.63 inch Rear Disc Hub Hole		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
2 DOOR HD – EXT. CAB – With 4.84 inch Rear Disc Hub Hole		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
4 DOOR HD – CREW CAB With REAR DISC, 2 WHEEL STEER & QUADRASTEER	2005	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
4 DOOR HD – CREW CAB With REAR DISC & 2 WHEEL STEER 8 LUG FRONT	2006	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
SIERRA 1500 1/2 TON FULL SIZE PICKUP 4WD																	
With REAR DISC	1999-2000	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
2 DOOR – REGULAR CAB	2001	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
2 DOOR – EXTENDED CAB		F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
		R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6
2 DOOR	2002	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
2 DR EXT. CAB QUADRASTEER		F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
		R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6
4 DOOR – HD CREW CAB		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
2 DOOR – EXTENDED CAB	2003	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
		R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6
4 DOOR HD – CREW CAB 2 WHEEL STEER		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
4 DOOR HD – CREW CAB QUADRASTEER		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
2 DOOR – REG. & EXT. CAB 2 WHEEL STEER	2004	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
2 DOOR – REG. & EXT. CAB QUADRASTEER		F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
2 DOOR – EXTENDED CAB		F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
		R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6

F721 2019 Red Master v45.indd 99 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

GMC

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
SIERRA 1500 1/2 TON FULL SIZE PICKUP 4WD – Continued																	
2 DOOR HD – EXTENDED CAB With 4.63 inch Rear Disc Hub Hole	2004	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
2 DOOR HD – EXT. CAB – With 4.84 inch Rear Disc Hub Hole		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
4 DOOR CREW CAB STD DUTY		F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
		R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6
4 DOOR HD – CREW CAB – With REAR DISC & 2 WHEEL STEER	2005	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
4 DOOR HD – CREW CAB – With REAR DISC & QUADRASTEER		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
4 DOOR HD – CREW CAB – With REAR DISC & 2 WHEEL STEER 8 LUG FRONT	2006	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
SIERRA 2500 3/4 TON FULL SIZE PICKUP 2WD																	
Except 6.0L 5 SPEED – With 4.63 inch Rear Disc Hub Hole	1999-2000	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
6.0L 5 SPEED – With 4.84 inch Rear Disc Hub Hole		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2051**								V	330	91.5	29	**27**	122	8
Except HD AUTOMATIC – With 4.63 inch Rear Disc Hub Hole	2001-2003	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
Except HD MANUAL – With 4.84 inch Rear Disc Hub Hole		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2051**								V	330	91.5	29	**27**	122	8
Except HD AUTOMATIC – With 4.63 inch Rear Disc Hub Hole	2004	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
Except HD MANUAL – With 4.84 inch Rear Disc Hub Hole		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
HD – 2 WHEEL STEER		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
Except HD	2005	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
Except HD	2006	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
SIERRA 2500 3/4 TON FULL SIZE PICKUP 4WD																	
Except 6.0L 5 SPEED – With 4.63 inch Rear Disc Hub Hole	1999-2000	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
6.0L 5 SPEED– With 4.84 inch Rear Disc Hub Hole		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2051**								V	330	91.5	29	**27**	122	8
Except HD AUTOMATIC – With 4.63 inch Rear Disc Hub Hole	2001-2003	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
Except HD MANUAL – With 4.84 inch Rear Disc Hub Hole		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2051**								V	330	91.5	29	**27**	122	8
Except HD AUTOMATIC – With 4.63 inch Rear Disc Hub Hole	2004	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
Except HD MANUAL – With 4.84 inch Rear Disc Hub Hole		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2051**								V	330	91.5	29	**27**	122	8
HD – 2 WHEEL STEER		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
Except HD	2005-2006	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
SUBURBAN 1500 1/2 TON 4WD																	
6 LUG	1992-1999	F	**773**								V	295	63.5	32.5	**30.9**	79	6
	2000-2002	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
ALL MODELS – With 28.5mm Minimum Thickness Rear Disc	2003-on	R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 100 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

GMC

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
SUBURBAN 2500 3/4 TON 2WD																	
2 WHEEL STEER – With 4.63 inch Rear Disc Hub Hole	2000-2005	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
2 WHEEL STEER – With 4.84 inch Rear Disc Hub Hole		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
SUBURBAN 2500 3/4 TON 4WD																	
2 WHEEL STEER – With 4.63 inch Rear Disc Hub Hole	2000-2005	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
2 WHEEL STEER – With 4.84 inch Rear Disc Hub Hole		F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
YUKON 2WD EXCEPT YUKON XL																	
ALL	1992-1994	F	**773**								V	295	63.5	32.5	**30.9**	79	6
With REAR DISC	2000-2005	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
		R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6
ALL	2006	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
YUKON 4WD EXCEPT YUKON XL																	
With REAR DRUM	1995-1999	F	**773**								V	295	63.5	32.5	**30.9**	79	6
With REAR DISC	2000-2005	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
ALL	2006	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
YUKON XL 1/2 TON 2WD & 4WD																	
ALL	2000-2005	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
		R	**2001**	●	●	○					V	330	97	30	**28.5**	76	6
ALL	2006	F	**2000**	●	○	○					V	305	58	29	**27.2**	79	6
YUKON XL 3/4 TON 2WD & 4WD																	
2 WHEEL STEER – With 4.63 inch Rear Disc Hub Hole	2000-2005	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
		R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

GREAT WALL

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
V200 V240 X200 & X240																	
K2 Series RWD & 4WD 4 DOOR WELLSIDE 2 DOOR CAB CHASSIS	06/2009-2014	F	**2290E**	●	○						V	280	36	26	**24**	88	6
X200 & X240 Only		R	**2291E**	●	○						S	313	80.2	18	**16**	101	6
DRUM V Series	2009-2016	R	**1655**	●							Dr	295	80.6		**296.5**	101	6

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 102 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

HOLDEN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
ADVENTRA																	
ALL MODELS – 4WD	2004-2006	F	**2050**	●	●	○	●	●	○		V	302	45	28	**25**	71.5	5
		R	**041E**	●	●	●	●	●	●		S	286	78.6	16	**14**	70	5
APOLLO																	
JK, JL, SL, SLX, SLE EXEC	1989-1992	F	**730**	●	○						V	255	47.5	22	**21**	54	5
JM 4 Cyl	3/1993-1997	F	**733**	●	○						V	255	49	28	**26**	62	5
JM V6		F	**735**	●	●	○					V	275	49.5	28	**26**	62	5
JM SEDAN		R	**736**	●	○	○					S	269	65	10	**9**	62	5
JM WAGON		R	**734**								S	288	65	10	**9**	62	5
ACADIA																	
AC Series 3.6L AWD & FWD	08/2018-on	F	**3300E**								V	321		30	**27**		
		R	**3301E**								V	315		23	**20**		
ASTRA																	
LD – DB1117 Pads	7/1987-1989	F	**602**	●							V	240	45.5	18	**16**	60	4
TR CITY 1.6L – Same as DBA021	8/1996-1998	F	**896**	●	○						V	235	41.25	20	**17**	60	4
TR 1.8 & 2.0 – Same as DBA891		F	**023**								V	256	41.1	24	**21**	60	4
		R	**819**	○							S	260	69	10	**8**	57	4
DRUM – TR Series		R	**1680**	●							Dr	200	67		**201**	57	4
TS CITY 5 STUD WHEELS TS Series II	9/1998-2005	F	**815**	●	●	●					V	280	42	25	**22**	70	5
		R	**816**	●	●	○					S	264	42	10	**8**	65	5
TS CITY 4 STUD WHEELS TS Series II		F	**817**	●	○	○					V	256	41	24	**21**	60	4
		R	**818**	●	●	○					S	240	42	10	**8**	57	4
TS SRI TURBO	2002-2004	F	**2815**	●	●		●	●	○		V	308	42.3	25.1	**22**	70	5
		R	**816**	●	●	○					S	264	42	10	**8**	65	5
AH CD, CDX, CDXI COUPE, HATCH, WAGON	2005-2006	F	**815**	●	●	●					V	280	42	25	**22**	70	5
		R	**816**	●	●	○					S	264	42	10	**8**	65	5
AH07 SRI, TWIN TOP, CDTI 2.2L PETROL, 1.9L DIESEL	2007-2010	F	**2815**	●	●		●	●	○		V	308	42.3	25.1	**22**	70	5
		R	**816**	●	●	○					S	264	42	10	**8**	65	5
AH07 SRI TURBO 2.0L TURBO		F	**2815**	●	●		●	●	○		V	308	42.3	25.1	**22**	70	5
		R	**2035**	●	●	○					S	278	42.2	10	**8**	65	5
PJ Series GTC 17 inch Wheels	05/2015-on	F	**2497E**	●	○						V	321	45.5	30	**27**	71	5
		R	**2015E**	●	●	○					S	292	45.3	12	**10**	71	5
PJ Series VRX Brembo REPLACEMENT		F	**52073**							●	V	355	32	32	**30**		
		R	**2204E**								V	314	45	23	**20**	70.7	5
BK Series TURBO	2017-on	F	**2012E**	●	●	○					V	276	45.7	26	**23**	60	5
		R	**3249E**								S	264	44	10	**8**	60	5
BL Series TURBO	06/2017-on	F	**TBA**														
		R	**3249E**								S	264	44	10	**8**	60	5
BARINA																	
MB, ML	2/1985-1988	F	**012**								S	215	33.5	10	**8**	86	4
MF, MH	1989-1994	F	**022**	●	○						V	231	50	17	**15**	64	4
SB CITY 1.2L & 1.4L	1994-2000	F	**820**	●	○						S	236	41	12	**9.7**	60	4
SB JOY, SWING 1.4L	1994-2000	F	**821**	●	○						V	236	41	20	**17**	60	4
SB GSI 1.6L	1994-2000	F	**822**								V	256	41	20	**17**	60	4
DRUM SB Series	1994-2000	R	**1609**	●							Dr	200	84		**201.4**	HUB	4
XC 2D & 4D HATCHBACK	4/2001-2006	F	**847**	●	○						V	260	41.2	24	**21**	60	4
		R	**849**	●	○						S	240	41	10	**8**	57	4
DRUM		R	**1923**								Dr	200	83.7		**201**	HUB	4

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

HOLDEN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
BARINA – Continued																	
TK Series 1.6L *To Chassis AB999999*	2006-10/2011	F	**2032E**	●	●	○					V	236	41	20	**18**	59	4
From Chassis BB000001		F	**2076E**	●	○						V	256	41	24	**22**	59	4
DRUM TK Series Without ABS	2006-2011	R	**1656**	●							Dr	200	57		**201**	57	4
MJ – SPARK CD, CDX 1.2L	10/2010-2016	F	**2032E**	●	●	○					V	236	41	20	**18**	59	4
DRUM MJ Series		R	**1656**	●							Dr	200	57		**201**	57	4
TM 1.6L – *276mm Diameter Rotor*	2012-on	F	**2012E**	●	●	○					V	276	45.7	26	**23**	60	5
DRUM TM Series		R	**1659**	●							Dr	230	63		**232**	60	5
CALIBRA																	
YE – Same as DBA891	9/1991-1998	F	**023**								V	256	41.1	24	**21**	60	4
YE V6 2 DOOR COUPE	7/1995-on																
Some Models Have DBA038 On Front		R	**024**								S	270	77	10	**8**	57	4
C20 ELT TURBO, C25 XE, V6, 4WD *From Chassis T9000001* *From Chassis T1000001*	1992-1997	F	**825**	●	○						V	288	42	25	**22**	70	5
CAMIRA																	
JB 1600CC – *Same as DBA890* JD 1800CC, JE 2000CC	1982-1984	F	**011**	●							S	236	41.25	12.7	**10.7**	60	4
Same as DBA896	1984-8/1989	F	**896**	●	○						V	236	41.25	20	**17**	60	4
CAPTIVA																	
ALL MODELS	2006-2014	F	**2040E**	●	○						V	296	52	29	**27.4**	70.7	5
		R	**2041**	●	○						V	303	72	20	**18.4**	70.7	5
CG Series 2.4L PETROL	2014-on	F	**TBA**														
		R	**TBA**														
CG Series 2.3L TD	04/2016-on	F	**TBA**														
		R	**TBA**														
CASCADA																	
CJ Series 1.6L PETROL TURBO	05/2015-on	F	**2497E**	●	○						V	321	45.5	30	**27**	71	5
		R	**2015E**	●	●	○					S	292	45.3	12	**10**	71	5
COLORADO – See RODEO / COLORADO																	
COMBO																	
SB VAN	2/1996-2002	F	**821**	●	○						V	236	41	20	**17**	60	4
DRUM		R	**1650**	●							Dr	230	75.5		**231.2**	57	4
XC VAN	4/2001-2005	F	**847**	●	○						V	260	41.2	24	**21**	60	4
	2005-2012	F	**2036**	●	○	○					V	280	42.3	25	**23**	60	4
		R	**2016**	●	○	○					S	264	42	10	**8**	57	4
COMMODORE Inc UTE																	
VC, VH 4 Cyl *Complete With Studs & Cups*	1980-1983	F	**013**								S	256	78	15.6	**14.3**	HUB	5
VB, VC, VH, VK, 6, 8 Cyl	1978-1986	F	**015**	●	●	○					V	270	82	22	**20**	HUB	5
VL 6 Cyl	1986-1988																
VN, VG, V6 Inc UTE	1988-1992																
VP V6 *Complete With Studs & Cups* *Up to & Inc Chassis L569902*																	

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 104 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

HOLDEN

COMMODORE Inc UTE – Continued

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
VL 6 Cyl TURBO	1986-1988	F	**017**	●	●	●					V	290	82	22	**20**	HUB	5
VL V8 CALAIS																	
VN V6 With FE2 SUSPENSION	1988-9/1991																
VN, VG V8 Inc UTE VP V8 *Up to & Inc Chassis L570556*	1988-1992																
VQ STATESMAN Without ABS *Complete With Studs & Cups*	3/1990-10/1992																
VP 6 Cyl Inc UTE *Chassis 569903-on* Limited Run – Without ABS	1992 Ends 10/1992	F	**025**	●	○	○					V	272	82	23	**20**	HUB	5
VP V8 Inc UTE *Chassis 570557-on*	1992-1993	F	**027**	●	●						V	290	82	23	**20**	HUB	5
VP V6 Series II VQ STATESMAN Suitable For ABS *No Sensor Ring Supplied*	11/1992-1993																
VR, VS Inc ABS Inc UTE	7/1993-2000	F	**035**	●	●	●	●	○	○		V	289	83	23	**20**	70	5
VB, VC, VH, VK, VL VN, VP, VR, VS Inc UTE *Except* IRS 6, 8 Cyl	1978-1997	R	**016**	●	●	●	●	●	○		S	279	83	10.5	**8.5**	70	5
VQ STATESMAN Without IRS	1990-1993																
VP, IRS VQ STATESMAN IRS	1992-7/1993	R	**026**	●	●	○					S	279	67	10.5	**8.5**	70	5
VR, VS IRS	7/1993-1997	R	**036**	●	●	○					S	279	86	10.7	**8.5**	70	5
VR, VS IRS 10 HOLE STUD PATTERN		R	**036B**	●	●	○					S	279	86	10.7	**8.5**	70	10
VS 10 HOLE STUD PATTERN VS UTE	2/1995-1997	R	**037**	●	●						S	279	83	10.7	**8.5**	70	10
	2/1995-2000																
VT, VX, VY, VZ, V6 & V8	9/1997-2005	F	**040E**	●	●	●	●	●	●	●	V	296	83	28	**25**	71.5	5
Plus VT, VX, VU, VZ UTE WH, WK, WL STATESMAN	2001-2007																
		R	**041E**	●	●	●	●	●	●		S	286	78.6	16	**14**	70	5
VZ SSZ COMMODORE Inc UTE	2005-2006	F	**2020**	●	●	●	●	●	●		V	320	83	32	**30**	71.6	5
		R	**2021**	●	●	●	●	●	●		V	286	80	18	**16**	70	5
VZ SSZ 1 TONNER		F	**2020**	●	●	●	●	●	●		V	320	83	32	**30**	71.6	5
		R	**041E**	●	●	●	●	●	●		S	286	78.6	16	**14**	70	5
VE / VEII V6 OMEGA & VF V6 BERLINA SV6, CALAIS Inc V, WM STATESMAN	08/2006-on	F	**2026E**	●	●	●	●	●	●		V	298	52.2	30	**28**	67.5	5
		R	**2027E**	●	●	●	●	●	○		V	302	56	22	**20**	67.4	5
VE / VEII V8 BERLINA, SS Inc V & VF V8 CALAIS Inc V, WM STATESMAN		F	**2028E**	●	●	●	●	●	●		V	321	52.2	30	**28**	67.5	5
		R	**2029E**	●	●	●	●	●	●		V	324	56.1	22	**20**	67.4	5
VE / VF SS-V REDLINE EDITION Inc UTE	2010-on	F	**2604**	●	●	●	●	●	●	●	V	355	50	32	**30**	67.4	5
		R	**2029E**	●	●	●	●	●	●		V	324	56.1	22	**20**	67.4	5
VE REDLINE OPTION		R	**2605**	●	●	○	●	●	●		V	365	47.7	28	**26**	67.4	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

HOLDEN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
COMMODORE Inc UTE – Continued																	
ZB Series 2.0L x 125kW TURBO DIESEL	12/2017-on	F	**2014E**	●	●	○					V	300	45.7	26	**23**	70.7	5
		R	**3303E**								S	288	46	12	**10**	70.7	5
ZB Series 2.0L x 191kW TURBO PETROL		F	**2014E**	●	●	○					V	300	45.7	26	**23**	70.7	5
		R	**3303E**								S	288	46	12	**10**	70.7	5
ZB RS & RS-V Series 3.7L x 235kW V6 PETROL		F	**3302E**								V	321	45.5	28	**25**	70.7	5
		R	**3305E**								V	315	44.8	23	**21**	70.7	5
ZB VXR Series 3.7L x 235kW V6 PETROL		F	**TBA**														
For all models above – Check application specifications		R	**TBA**														
COMMODORE UPGRADE OPTIONS																	
VR, VS	7/1993-1997	F	**040B**	●	●	●	○	●	●		V	296	83	28	**25**	70	5
VT – VZ	9/1997-2005	F	**046B**				●	●	○	●	V	328	83	28	**25**	71.5	5
PBR M Series UPGRADE FLAT ROTOR		F	**52075.1**							●	V	355	32	32	**30**		10
PBR M Series UPGRADE FLAT ROTOR		R	**52909.1**							●	V	355	26	26	**24.4**		10
VE SS-V – Brembo SILVER CALIPER – LEFT	2006-on	R	**42074**				●	●	●		V	360	51.5	28	**26**	67.4	5
VF SS-V – Brembo RED CALIPER Series 2 REDLINE – LEFT	05/2013-on	R	**42074**				●	●	●		V	360	51.5	28	**26**	67.4	5
VF SS-V – POLICE CHASER UPGRADE	2015-on	F	**42078**				●	●			V	345	52	30	**28.5**	67.5	5
WALKINSHAW UPGRADE																	
VE & VF SV6, SS, SSV & SSV REDLINE – 19 & 20 inch Wheels	2006-2016	F	**52230 BLKCSL**							●		365	61	32	**30**	67.4	5
		F	**52230 BLKCSR**							●		365	61	32	**30**	67.4	5
CREWMAN UTE & ONE TONNER																	
VY, VZ – CREWMAN, S, S 2WD	2002-2007	F	**040E**	●	●	●	●	●	●	●	V	296	83	28	**25**	71.5	5
VZ CREWMAN / ONE TONNER CROSS 6 AWD / 4WD	04/2005-2006	F	**040E**	●	●	●	●	●	●	●	V	296	83	28	**25**	71.5	5
CROSS 8 – AWD / 4WD	2004-2006	F	**2050**	●	●	○	●	●	○		V	302	45	28	**25**	71.5	5
VZ SSZ	2005-2006	F	**2020**	●	●	●	●	●	●		V	320	83	32	**30**	71.6	5
REAR ALL MODELS 2WD & 4WD	2003-2006	R	**041E**	●	●	●	●	●	●		S	286	78.6	16	**14**	70	5
VE SS-V REDLINE EDITION	2010-2013	F	**2604**	●	●	●	●	●	●	●	V	355	50	32	**30**	67.4	5
		R	**2029E**	●	●	●	●	●	●		V	324	56.1	22	**20**	67.4	5
REDLINE OPTION		R	**2605**	●	●	○	●	●	●		V	365	47.7	28	**26**	67.4	5
CRUZE																	
YG Series	06/2002-06/2006	F	**523**	●	○						V	257	49	17	**15**	60	4
JG Series – CD, CDX	2009-2011	F	**2012E**	●	●	○					V	276	45.7	26	**23**	60	5
		R	**2013E**	●	●	○					S	268	45.3	12	**10**	60	5
JG Series – CD, CDX		F	**2014E**	●	●	○					V	300	45.7	26	**23**	71	5
		R	**2015E**	●	●	○					S	292	45.3	12	**10**	71	5
JH Series 1.4L TURBO & 1.8L 16 & 17 inch Wheels	2011-2014	F	**2012E**	●	●	○					V	276	45.7	26	**23**	60	5
4D SEDAN / HATCHBACK		R	**2013E**	●	●	○					S	268	45.3	12	**10**	60	5
JH Series 1.6L TURBO & 2.0L TD 16 & 17 inch Wheels		F	**2014E**	●	●	○					V	300	45.7	26	**23**	71	5
4D SEDAN / HATCH / WAGON		R	**2015E**	●	●	○					S	292	45.3	12	**10**	71	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 106 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

HOLDEN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
DROVER																	
QB 4WD	3/1985-1987	F	**510**	●	○						S	290	46.5	10	**9**	107	5
EPICA																	
ALL MODELS	2006-2011	F	**2038E**	●	○	○					V	278	47	24	**22**	60	4
		R	**2039**	●	○						S	276	58.5	12	**10**	60	4
EQUINOX																	
EQ Series 1.5L TURBO PETROL	12/2017-on	F	**TBA**														
		R	**TBA**														
1.6L TURBO DIESEL		F	**TBA**														
		R	**TBA**														
2.0L TURBO PETROL		F	**TBA**														
		R	**TBA**														
FONTERA 4 X 4																	
2.0I – With & Without ABS	3/1995-8/2001	F	**840**	●	●	○					V	280	36	26	**24.6**	87.5	6
SPORT 4WD UT	10/1995-6/1999																
S & SE V6 & 4 Cyl	2/1999-8/2001																
		R	**841**	●	○						V	313	81	18	**16.6**	101	6
MX 3.2L	1999-2004	R	**841**	●	○						V	313	81	18	**16.6**	101	6
GEMINI																	
TC, TD, TE, TX, TF, TG	1975-5/1985	F	**006**	●	●	○					S	240	47	10	**8.6**	68	4
RB FWD	5/1985-1987	F	**007**	○							S	227	42	11	**9.6**	57	4
HOLDEN																	
HD, HR	1965-1967	F	**001**	●	●	○					S	253	50	9.7	**9**	72	5
HK, HT	1968-1970	F	**002**	●	●	○					S	270	55	12.7	**11.7**	72	5
HT – V8	1969-1971	F	**003**	●	●	○					S	270	56.5	15.9	**14.7**	72	5
HG – *Check Spacer in Caliper*																	
HQ – HZ & WB UTE & PANEL VAN	1971-1985	F	**014**	●	●	●	●	●	●		V	276	72	25.4	**24.5**	HUB	5
		R	**018**	●	●	○					S	292	90	15.9	**14.7**	72	5
HSV ASTRA VXR																	
2L TURBO	2005-2010	F	**2034**			●					V	321	44	28	**26**	70	5
		R	**2035**	●	●	○					S	278	42.2	10	**8**	65	5
HSV AWD																	
COUPE 4 AVALANCHE WAGON	05/2004-on	F	**42022**				●	●	○		V	336	45.2	32	**30**	71.5	5
AVALANCHE XUV DUAL CAB UTE ALL VY Series II-on	05/2004-2006	R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
HSV – CLUBSPORT																	
VR-VS SEDAN & WAGON	1993-1997	F	**4046**				●	●	○	●	V	328	82	28	**25**	70	5
		R	**4047**				●	●	○		V	280	86	20	**19**	70	5
VN & VP Inc CLUBSPORT 5000I	1988-1993	F	**4019**				●	●	○		V	327	82	28	**25**	HUB	5
VN REAR		R	**020**	●	●	○					V	278	83.6	20	**19**	70	5
VP REAR		R	**045**								V	280	67	20	**19**	70	5
VT & VX STANDARD BRAKES	9/1997-10/2002	F	**040E**	●	●	●	●	●	●	●	V	296	83	28	**25**	71.5	5
		R	**041E**	●	●	●	●	●	●		S	286	78.6	16	**14**	70	5
VT-VZ PERFORMANCE BRAKE FRONT PBR 2 PISTON CALIPERS	9/1997-01/2005	F	**4048**			○	●	●	●	●	V	330	82.5	32	**29**	71.5	5
		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
VX-VY PREMIUM BRAKES FRONT HARROP 4 PISTON CALIPERS	9/1997-8/2004	F	**4055**				●	●	●	●	V	343	82.5	32	**30**	71.5	5
		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5

The Kangaroo Paw design is not available on all part numbers, ask your supplier for details. FOR LATEST CATALOGUE LISTINGS REFER TO WWW.DBA.COM.AU

F721 2019 Red Master v45.indd 107 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

HOLDEN – HSV

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
HSV – CLUBSPORT – Continued																	
VZ I & II – Not Suitable For *Use With OE Hat / Bell*	8/2004-8/2006	F	**52024**							●	V	362	83	32	**30**	71.5	5
FRONT AP 6 PISTON CALIPERS		R	**42025**				●	●	○		V	343	76.3	26	**24**	70.1	5
VZ II PERFORMANCE BRAKES	1/2005-8/2006	F	**52018**							●	V	350	83	32	**30**	71.6	5
FRONT AP 4 PISTON CALIPERS		R	**42019**				●	●	○		V	332	75.2	24	**22**	70.1	5
VF RED CALIPER	06/2013-00/2016	F	**42066**					●		●	V	367	54	32	**30**	67.4	5
		R	**42065**					●			V	367	51.7	28	**26**	67.4	5
HSV – CLUBSPORT R8 Inc TOURER																	
VX-VY PERFORMANCE BRAKE	9/1997-2003	F	**4048**			○	●	●	●	●	V	330	82.5	32	**29**	71.5	5
FRONT PBR 2 PISTON CALIPERS		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
VX-VZ PREMIUM BRAKES	9/1997-01/2005	F	**4055**				●	●	●	●	V	343	82.5	32	**30**	71.5	5
FRONT HARROP 4 PISTON CALIPERS		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
VZ I & II – Not Suitable For *Use With OE Hat / Bell*	8/2004-8/2006	F	**52024**							●	V	362	83	32	**30**	71.5	5
FRONT AP 6 PISTON CALIPERS		R	**42025**				●	●	○		V	343	76.3	26	**24**	70.1	5
VZ II PERFORMANCE BRAKES	1/2005-8/2006	F	**52018**							●	V	350	83	32	**30**	71.6	5
FRONT AP 4 PISTON CALIPERS		R	**42019**				●	●	○		V	332	75.2	24	**22**	70.1	5
VE LS2 V8 & VE2 LS3 V8	2006-2013	F	**42030**				●	●	●	●	V	365	54	32	**30**	67.4	5
Inc CLUBSPORT R8 TOURER		R	**42031**				●	●	●		V	350	51.5	26	**24**	67.4	5
REDLINE OPTION		R	**2605**	●	●	○	●	●	●		V	365	47.7	28	**26**	67.4	5
VF RED CALIPER	06/2013-00/2017	F	**42066**					●		●	V	367	54	32	**30**	67.4	5
190mm Handbrake		R	**42065**					●			V	367	51.7	28	**26**	67.4	5
200mm Handbrake LSA Models		R	**42069**				●	●	●		V	372	47.5	28	**26**	67.4	5
HSV – HRT & HSVDT CLUBSPORT																	
VZ SPECIAL EDITION	1/2005-8/2006	F	**52018**							●	V	350	83	32	**30**	71.6	5
PERFORMANCE BRAKES – FRONT AP 4 PISTON CALIPERS		R	**42019**				●	●	○		V	332	75.2	24	**22**	70.1	5
VZ SPECIAL EDITION	1/2005-8/2006	F	**52024**							●	V	362	83	32	**30**	71.5	5
FRONT AP 6 PISTON CALIPERS *– Not Suitable For Use With OE Hat / Bell*		R	**42025**				●	●	○		V	343	76.3	26	**24**	70.1	5

Holden VE HSV – Special Edition Curve Slot Design

Utlising an OE like, directional slot design, the DBA VE HSV 4000 and 5000 Series rotors ensure optimal braking perfomance whilst retaining the factory look.

Suits: Holden VE HSV's excluding GXP and W427 Vauxhaul VXR8 and Maloo.

Front – 5000 Series
DBA52030BLKSL
& DBA52030BLKSR



Front – 4000 Series
DBA42030SL
& DBA42030SR



Rear – 4000 Series
DBA42031SL
& DBA42031SR



All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 108 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

HOLDEN – HSV

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
HSV – COUPE LE																	
VY II PERFORMANCE BRAKES FRONT PBR 2 PISTON CALIPERS	10/2002-8/2004	F	**4048**			○	●	●	●	●	V	330	82.5	32	**29**	71.5	5
		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
VY II PREMIUM BRAKES FRONT HARROP 4 PISTON CALIPERS		F	**4055**				●	●	●	●	V	343	82.5	32	**30**	71.5	5
		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
HSV – FORMULA																	
VP	1991-1993	F	**4019**				●	●	○		V	327	82	28	**25**	HUB	5
		R	**020**	●	●	○					V	278	83.6	20	**19**	70	5
HSV – GRANGE																	
VS	1995-1997	F	**4046**				●	●	○	●	V	328	82	28	**25**	70	5
		R	**4047**				●	●	○		V	280	86	20	**19**	70	5
WH – STANDARD BRAKE	6/1999-2003	F	**040E**	●	●	●	●	●	●	●	V	296	83	28	**25**	71.5	5
		R	**041E**	●	●	●	●	●	●		S	286	78.6	16	**14**	70	5
WH-WL PERFORMANCE BRAKE FRONT PBR 2 PISTON CALIPERS		F	**4048**			○	●	●	●	●	V	330	82.5	32	**29**	71.5	5
		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
WH-WL PREMIUM BRAKES FRONT HARROP 4 PISTON CALIPERS		F	**4055**				●	●	●	●	V	343	82.5	32	**30**	71.5	5
		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
VE LS2 V8 & VE2 LS3 V8	2006-2013	F	**42030**				●	●	●	●	V	365	54	32	**30**	67.4	5
		R	**42031**				●	●	●		V	350	51.5	26	**24**	67.4	5
WN – PEWTER CALIPER	06/2013-00/2016	F	**42066**					●		●	V	367	54	32	**30**	67.4	5
		R	**42065**					●			V	367	51.7	28	**26**	67.4	5
HSV – GTO COUPE																	
V2 – 2 DOOR COUPE PERFORMANCE BRAKES – FRONT PBR 2 PISTON CALIPERS	10/2002-8/2004	F	**4048**			○	●	●	●	●	V	330	82.5	32	**29**	71.5	5
		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
V2 – 2 DOOR COUPE PREMIUM BRAKES FRONT HARROP 4 PISTON CALIPERS		F	**4055**				●	●	●	●	V	343	82.5	32	**30**	71.5	5
		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
VY-VZ PERFORMANCE BRAKE FRONT PBR 2 PISTON CALIPERS	10/2002-01/2005	F	**4048**			○	●	●	●	●	V	330	82.5	32	**29**	71.5	5
		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
VY-VZ PREMIUM BRAKES FRONT HARROP 4 PISTON CALIPERS	10/2002-2006	F	**4055**				●	●	●	●	V	343	82.5	32	**30**	71.5	5
		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
VZ – *Not Suitable For Use With OE Hat / Bell*	8/2004-1/2005	F	**52024**							●	V	362	83	32	**30**	71.5	5
FRONT AP 6 PISTON CALIPERS		R	**42025**				●	●	○		V	343	76.3	26	**24**	70.1	5
HSV – GTO LE																	
VZ SPECIAL EDITION	8/2004-8/2006	F	**52018**							●	V	350	83	32	**30**	71.6	5
PERFORMANCE BRAKES – FRONT AP 4 PISTON CALIPERS		R	**42019**				●	●	○		V	332	75.2	24	**22**	70.1	5
VZ SPECIAL EDITION	1/2005-8/2006	F	**52024**							●	V	362	83	32	**30**	71.5	5
FRONT AP 6 PISTON CALIPERS – *Not Suitable For Use With OE Hat / Bell*		R	**42025**				●	●	○		V	343	76.3	26	**24**	70.1	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

HOLDEN – HSV

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
HSV – GTS																	
VR, VS	1993-1997	F	**4046**				●	●	○	●	V	328	82	28	**25**	70	5
		R	**4047**				●	●	○		V	280	86	20	**19**	70	5
VP	1991-1993	F	**4019**				●	●	○		V	327	82	28	**25**	HUB	5
		R	**045**								V	280	67	20	**19**	70	5
VT PERFORMANCE BRAKE FRONT PBR 2 PISTON CALIPERS	9/1997-10/2002	F	**4048**			○	●	●	●	●	V	330	82.5	32	**29**	71.5	5
		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
VT-VX PREMIUM BRAKES FRONT HARROP 4 PISTON CALIPERS		F	**4055**				●	●	●	●	V	343	82.5	32	**30**	71.5	5
		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
VYI & VYII – Not Suitable For *Use With OE Hat / Bell* FRONT AP 6 PISTON CALIPERS	10/2002-8/2004	F	**52024**							●	V	362	83	32	**30**	71.5	5
		R	**42025**				●	●	○		V	343	76.3	26	**24**	70.1	5
VE LS2 V8 & VE2 LS3 V8 4 PISTON CALIPER	2006-2013	F	**42030**				●	●	●	●	V	365	54	32	**30**	67.4	5
		R	**42031**				●	●	●		V	350	51.5	26	**24**	67.4	5
VE & VF GTS YELLOW CALIPER	08/2006-2015	F	**52068 BLKLS**							●		390	54	35.6	**33.6**	67.4	5
		F	**52068 BLKRS**							●		390	54	35.6	**33.6**	67.4	5
VE & VF GTS YELLOW CALIPER		F	**52072 BLKS**							○		378	54.5	36	**34**	67.4	5
VE & VF GTS YELLOW CALIPER AP *DBA Rotor Ring Only – No Nuts*		R	**52069.1**							●		372	28	28	**26**		
HSV – GTS COUPE																	
V2 – 2 DOOR COUPE PERFORMANCE BRAKES – FRONT PBR 2 PISTON CALIPERS	10/2002-8/2004	F	**4048**			○	●	●	●	●	V	330	82.5	32	**29**	71.5	5
		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
V2 – 2 DOOR COUPE PREMIUM BRAKES – FRONT HARROP 4 PISTON CALIPERS		F	**4055**				●	●	●	●	V	343	82.5	32	**30**	71.5	5
		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
VY-VZ – *Not Suitable For Use With OE Hat / Bell* FRONT AP 6 PISTON CALIPERS	10/2002-2007	F	**52024**							●	V	362	83	32	**30**	71.5	5
		R	**42025**				●	●	○		V	343	76.3	26	**24**	70.1	5
HSV – MALOO																	
VN & VP	1988-1993	F	**4019**				●	●	○		V	327	82	28	**25**	HUB	5
		R	**020**	●	●	○					V	278	83.6	20	**19**	70	5
VR	1993-1995	F	**4046**				●	●	○	●	V	328	82	28	**25**	70	5
VS	1995-1997																
		R	**016**	●	●	●	●	●	○		S	279	83	10.5	**8.5**	70	5
VU – STANDARD BRAKE	9/1997-10/2002	F	**040E**	●	●	●	●	●	●	●	V	296	83	28	**25**	71.5	5
		R	**041E**	●	●	●	●	●	●		S	286	78.6	16	**14**	70	5
VU-VZ PERFORMANCE BRAKE FRONT PBR 2 PISTON CALIPERS	9/1997-08/2006	F	**4048**			○	●	●	●	●	S	330	82.5	32	**29**	71.5	5
		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
VU-VZ PREMIUM BRAKES FRONT HARROP 4 PISTON CALIPERS		F	**4055**				●	●	●	●	V	343	82.5	32	**30**	71.5	5
		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
VF RED CALIPER	06/2013-00/2016	F	**42066**					●		●	V	367	54	32	**30**	67.4	5
		R	**42065**					●			V	367	51.7	28	**26**	67.4	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 110 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

HOLDEN – HSV

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
HSV – MALOO R8																	
VU-VZ PERFORMANCE BRAKE FRONT PBR 2 PISTON CALIPERS	9/1997-01/2005	F	**4048**			○	●	●	●	●	V	330	82.5	32	**29**	71.5	5
		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
VU-VZ PREMIUM BRAKES FRONT HARROP 4 PISTON CALIPERS		F	**4055**				●	●	●	●	V	343	82.5	32	**30**	71.5	5
		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
VZI & VZII – Not Suitable For *Use With OE Hat / Bell* FRONT AP 6 PISTON CALIPERS	8/2004-8/2006	F	**52024**							●	V	362	83	32	**30**	71.5	5
		R	**42025**				●	●	○		V	343	76.3	26	**24**	70.1	5
VZ II PERFORMANCE BRAKE FRONT AP 4 PISTON CALIPERS	1/2005-8/2006	F	**52018**							●	V	350	83	32	**30**	71.6	5
		R	**42019**				●	●	○		V	332	75.2	24	**22**	70.1	5
VE LS2 V8 & VE LS3 V8	2006-2009	F	**42030**				●	●	●	●	V	365	54	32	**30**	67.4	5
VE2 LS3 V8	9/2009-2013	R	**42031**				●	●	●		V	350	51.5	26	**24**	67.4	5
VF – RED CALIPER 190mm Handbrake	06/2013-00/2016	F	**42066**					●		●	V	367	54	32	**30**	67.4	5
		R	**42065**					●			V	367	51.7	28	**26**	67.4	5
VF – RED CALIPER LSA SUPERCHARGED Engine	11/2015-on	F	**42066**					●		●	V	367	54	32	**30**	67.4	5
		R	**TBA**									372	47.5	28	**26**	67.4	5
HSV – MANTA																	
VS – SEDAN & WAGON	1995-1997	F	**4046**				●	●	○	●	V	328	82	28	**25**	70	5
		R	**4047**				●	●	○		V	280	86	20	**19**	70	5
VT – STANDARD BRAKE	9/1997-10/2002	F	**040E**	●	●	●	●	●	●	●	V	296	83	28	**25**	71.5	5
		R	**041E**	●	●	●	●	●	●		S	286	78.6	16	**14**	70	5
VT PERFORMANCE BRAKE FRONT PBR 2 PISTON CALIPERS		F	**4048**			○	●	●	●	●	V	330	82.5	32	**29**	71.5	5
		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
HSV – NITRON																	
VP	1991-1993	F	**4019**				●	●	○		V	327	82	28	**25**	HUB	5
		R	**020**	●	●	○					V	278	83.6	20	**19**	70	5
HSV – PLUS6																	
VP	1991-1993	F	**4019**				●	●	○		V	327	82	28	**25**	HUB	5
		R	**045**								V	280	67	20	**19**	70	5
HSV – PLUS8																	
VN	1988-1991	F	**4019**				●	●	○		V	327	82	28	**25**	HUB	5
		R	**045**								V	280	67	20	**19**	70	5
HSV – SENATOR																	
VP Inc SENATOR 5000I	1991-1993	F	**4019**				●	●	○		V	327	82	28	**25**	HUB	5
		R	**045**								V	280	67	20	**19**	70	5
VR & VS – SEDAN & WAGON	1993-1997	F	**4046**				●	●	○	●	V	328	82	28	**25**	70	5
		R	**4047**				●	●	○		V	280	86	20	**19**	70	5
VT & VX – STANDARD BRAKE	9/1997-10/2002	F	**040E**	●	●	●	●	●	●	●	V	296	83	28	**25**	71.5	5
		R	**041E**	●	●	●	●	●	●		S	286	78.6	16	**14**	70	5
VT-VZ PERFORMANCE BRAKES FRONT PBR 2 PISTON CALIPERS	9/1997-2007	F	**4048**			○	●	●	●	●	V	330	82.5	32	**29**	71.5	5
		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
VT-VY PREMIUM BRAKES FRONT HARROP 4 PISTON CALIPERS	9/1997-08/2004	F	**4055**				●	●	●	●	V	343	82.5	32	**30**	71.5	5
		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
VZ – AP 6 PISTON CALIPERS *Not Suitable For Use With OE Hat / Bell*	8/2004-2007	F	**52024**							●	V	362	83	32	**30**	71.5	5
		R	**42025**				●	●	○		V	343	76.3	26	**24**	70.1	5
VE LS2 V8 & VE LS3 V8	2006-2009	F	**42030**				●	●	●	●	V	365	54	32	**30**	67.4	5
VE2 LS3 V8	9/2009-2013	R	**42031**				●	●	●		V	350	51.5	26	**24**	67.4	5
VF – PEWTER CALIPER	06/2013-00/2016	F	**42066**					●		●	V	367	54	32	**30**	67.4	5
		R	**42065**					●			V	367	51.7	28	**26**	67.4	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

HOLDEN – HSV

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
HSV – SIGNATURE COUPE																	
VZ SPECIAL EDITION FRONT AP 6 PISTON CALIPERS *Not Suitable For Use With OE Hat / Bell*	8/2004-2007	F	**52024**							●	V	362	83	32	**30**	71.5	5
		R	**42025**				●	●	○		V	343	76.3	26	**24**	70.1	5
VF – PEWTER CALIPER	06/2013-2016	F	**42066**					●		●	V	367	54	32	**30**	67.4	5
		R	**42065**					●			V	367	51.7	28	**26**	67.4	5
HSV – SKAIFE SENATOR																	
VZ SPECIAL EDITION PERFORMANCE BRAKES – FRONT AP 4 PISTON CALIPERS	1/2005-2007	F	**52018**							●	V	350	83	32	**30**	71.6	5
		R	**42019**				●	●	○		V	332	75.2	24	**22**	70.1	5
HSV – SPORTS WAGON																	
VP	1991-1993	F	**4019**				●	●	○		V	327	82	28	**25**	HUB	5
		R	**020**	●	●	○					V	278	83.6	20	**19**	70	5
HSV – SS GROUP A																	
VN	1988-1991	F	**4019**				●	●	○		V	327	82	28	**25**	HUB	5
		R	**020**	●	●	○					V	278	83.6	20	**19**	70	5
HSV – STATESMAN SV93																	
VP	1991-1993	F	**4019**				●	●	○		V	327	82	28	**25**	HUB	5
		R	**020**	●	●	○					V	278	83.6	20	**19**	70	5
HSV – SV LE																	
VN – SEDAN & WAGON	1988-1991	F	**4019**				●	●	○		V	327	82	28	**25**	HUB	5
		R	**020**	●	●	○					V	278	83.6	20	**19**	70	5
HSV – SV300																	
VX – PREMIUM BRAKES FRONT HARROP 4 PISTON CALIPERS	10/2002-8/2004	F	**4055**				●	●	●	●	V	343	82.5	32	**30**	71.5	5
		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
HSV – SV3800, SV5000																	
VN	1988-1991	F	**4019**				●	●	○		V	327	82	28	**25**	HUB	5
		R	**020**	●	●	○					V	278	83.6	20	**19**	70	5
HSV – SV6000																	
VZ – SPECIAL EDITION FRONT AP 6 PISTON CALIPERS *Not Suitable For Use With OE Hat / Bell*	8/2004-2007	F	**52024**							●	V	362	83	32	**30**	71.5	5
		R	**42025**				●	●	○		V	343	76.3	26	**24**	70.1	5
HSV – SV89																	
VN	1988-1991	F	**4019**				●	●	○		V	327	82	28	**25**	HUB	5
		R	**020**	●	●	○					V	278	83.6	20	**19**	70	5
HSV – SV91																	
VN	1988-1991	F	**4019**				●	●	○		V	327	82	28	**25**	HUB	5
		R	**045**								V	280	67	20	**19**	70	5
VP	1991-1993	F	**4019**				●	●	○		V	327	82	28	**25**	HUB	5
		R	**045**								V	280	67	20	**19**	70	5
HSV W427																	
VE W427 AP REPLACEMENT YELLOW CALIPERS	07/2008-09/2009	F	**52072 BLKS**							○		378	54.5	36	**34**	67.4	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 112 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

HOLDEN – HSV

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
HSV – XU6																	
VX – STANDARD BRAKES	9/1997-10/2002	F	**040E**	●	●	●	●	●	●	●	V	296	83	28	**25**	71.5	5
PERFORMANCE PACKAGE		F	**4048**			○	●	●	●	●	V	330	82.5	32	**29**	71.5	5
HARROP PREMIUM PACKAGE		F	**4055**				●	●	●	●	V	343	82.5	32	**30**	71.5	5
STANDARD BRAKES		R	**041E**	●	●	●	●	●	●		S	286	78.6	16	**14**	70	5
With PERFORMANCE & PREMIUM PACKAGE		R	**4049**			○	●	●	●		V	315	71	18	**16**	70	5
HSV – XU8																	
VT	9/1997-10/2002	F	**040E**	●	●	●	●	●	●	●	V	296	83	28	**25**	71.5	5
STANDARD BRAKES		R	**041E**	●	●	●	●	●	●		S	286	78.6	16	**14**	70	5
INSIGNIA																	
VXR GA Series 2.8L TURBO ONE-PIECE REPLACEMENT FRONT	05/2015-on	F	**2604**	●	●	●	●	●	●	●	V	355	50	32	**30**	67.4	5
		R	**2985E**								V	315	48	23	**21.5**	67.5	5
JACKAROO / TROOPER – ISUZU GM																	
MONTEREY U8 3.5L ABS	2/1998-2004	F	**840**	●	●	○					V	280	36	26	**24.6**	87.5	6
		R	**841**	●	○						V	313	81	18	**16.6**	101	6
UBS 17, UBS 55	1988-1992	F	**033**	●	●						V	257	36	22	**20.6**	88	6
UBS 16, 17, 52, 55	1987-1992	R	**034**								S	265	47	12	**10.6**	97	6
DRUM Series UBS13, 16, 17, 52 & 55	1981-1992	R	**1652**	●							Dr	254	71		**255.5**	97	6
UBS 25	1992-1998	F	**840**	●	●	○					V	280	36	26	**24.6**	87.5	6
US / U8 S & SE, MONTEREY	2/1998-2004	R	**841**	●	○						V	313	81	18	**16.6**	101	6
MALIBU																	
EM Series 2.4L PETROL	2013-on	F	**2984E**	●	○						V	296	51	30	**27**	67.5	5
		R	**2983E**	●	○						S	292	48	12	**10.5**	67.5	5
EM Series 2.0L TD		F	**42602**				●	●			V	321	51	30	**27**	67.5	5
		R	**2985E**								V	315	48	23	**21.5**	67.5	5
MONARO																	
CV6 & CV8	12/2001-2004	F	**040E**	●	●	●	●	●	●	●	V	296	83	28	**25**	71.5	5
V2 – 2 DOOR COUPE		R	**041E**	●	●	●	●	●	●		S	286	78.6	16	**14**	70	5
VZ CV8 GEN III V8 260kW	2005-2006	F	**2020**	●	●	●	●	●	●		V	320	83	32	**30**	71.6	5
Except V5B – MODEL 37 COUPE		R	**2021**	●	●	●	●	●	●		V	286	80	18	**16**	70	5
NOVA																	
LE, LF	1989-10/1994	F	**701**	●	○						S	243	48	13.5	**12.5**	54	4
	1989-9/1992	F	**704**	●	○						V	238	48	18	**17**	54	4
LE OPTION LF GS Rear	1989-10/1994	R	**703**	●	○						S	242	37	9	**8**	54	4
DRUM Series LE & LF		R	**1602**	●							Dr	200	65.5		**201**	54	4
LG – GS, SLX	10/1994-1997	F	**709**	●	●						V	255	48.5	22	**20**	55	4
		R	**710**	●	○						S	266	37	9	**8**	55	4
DRUM – Series LG 1.6L		R	**1842**	●							Dr	200	65		**201.4**	65	4
PIAZZA																	
PIAZZA IMPULSE	1983-1989	F	**811**								V	250	32	18	**16.6**	68	4

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

HOLDEN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
RODEO / COLORADO																	
TFR, TFS17, 54, G3, G6	1988-1994	F	**033**	●	●						V	257	36	22	**20.6**	88	6
R7 2WD 2.6L, 2.8L	1996-2002																
R9 2WD, 4WD 2.6L, 2.8L	1996-2002																
DRUM Series KB & TF	1980-11/1996	R	**1652**	●							Dr	254	71		**255.5**	97	6
DRUM Series TF	11/1996-2002	R	**1653**	●							Dr	295	80.5		**296.5**	97	6
RODEO – *South Africa – Special*	1996-2002	F	**2033**								V	252	36	22	**20.6**	88	6
TF Series R7 & R9 – V6 3.2L 2WD & 4WD Versions		F	**840**	●	●	○					V	280	36	26	**24.6**	87.5	6
DRUM Series TF		R	**1653**	●							Dr	295	80.5		**296.5**	97	6
RA V6 PFI 2WD & ALL 4WD HI-RIDE SUSPENSION	12/2002-2008	F	**2840E**	●	●	○					V	280	40.5	27	**25.6**	88	6
RA 2.4L 4 Cyl, 3.0L TURBO DIESEL Non HI-RIDE SUSPENSION COIL FRONT	11/2002-2008	F	**2839**	●	●						V	256	40.1	26	**24.6**	88	6
RC V6 PFI 2WD & ALL 4WD HI-RIDE SUSPENSION TORSION BAR FRONT	2008-2012	F	**2840E**	●	●	○					V	280	40.5	27	**25.6**	88	6
RC 2.4L 4 Cyl, 3.0L TURBO DIESEL Non HI-RIDE SUSPENSION COIL FRONT		F	**2839**	●	●						V	256	40.1	26	**24.6**	88	6
RG & Z71 MODELS – REVERSE MOUNT	06/2012-2016	F	**2060E**	●	●	●	●	●	●		V	300	40.3	27	**25**	88	6
EXTERNAL SLIP ON HAT TYPE – SEALED HUB	2016-on	F	**2079E**	●	●		●	●			V	300	61	27	**25**	104	6
COLORADO 7 – 7 SEATER	2013-on	F	**2060E**	●	●	●	●	●	●		V	300	40.3	27	**25**	88	6
		R	**2061E**	●	○		●	○	○		V	318	80.2	18	**16.6**	101	6
DRUM Series RA RODEO & RC COLORADO – *Check Size*	2003-2009	R	**1657**	●							Dr	254	71		**255.5**	101	6
DRUM Series RA RODEO RC COLORADO – 62.5mm Machined Face	2003-2012	R	**1655**	●							Dr	295	80.5		**296.5**	101	6
DRUM Series RG COLORADO – 65.6mm Machined Face	2012-2018	R	**1658**	●							Dr	295	80.4		**296.5**	101	6
SCURRY																	
NB	7/1985-1987	F	**012**								S	215	33.5	10	**8**	86	4
SHUTTLE																	
WFR	1982-1990	F	**032**								V	250	35	18	**16.7**	80	6
SPARK																	
MP Series 1.4L PETROL	01/2016-on	F	**3248E**								V	256	41.1	20	**18**	60	4
DRUM		R	**1919**	●							Dr	200	57		**201**	60	4
SUBURBAN																	
1500 K8 LS & LT 5.7L	2/1998-2000	F	**773**								V	295	63.5	32.5	**30.9**	78.7	6
2500 K8 LS & LT 6.5L		F	**774**								V	317.5	70	33	**31.4**	137.2	8
TIGRA																	
1.3L CDTI, 1.4L, 1.8L CONVERTIBLE	4/2001-2006	F	**847**	●	○						V	260	41.2	24	**21**	60	4
		R	**849**	●	○						S	240	41	10	**8**	57	4

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 114 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

HOLDEN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
TORANA / SUNBIRD																	
HB, TA, LC, LJ, 4 Cyl	1969-1972	F	**009**								S	215	28.5	10	**9**	61	4
LC, LJ 6 Cyl	1969-1972	F	**008**	●	●	○					S	256	60	12.7	**12**	72	5
LJ XU-1	1972-1973	F	**004**								S	256	60	15.7	**14.7**	72	5
LH, LX, UC	1974-1979	F	**010**	●	●	○				●	S	256	77	16	**14.3**	HUB	5
A9X	1977-1978	F	**014**	●	●	●	●	●	●		V	276	72	25.4	**24.5**	HUB	5
TRAILBLAZER																	
RG Series 2.8L – EXTERNAL SLIP ON HAT TYPE	10/2016-on	F	**2079E**	●	●		●	●			V	300	61	27	**25**	104	6
		R	**2061E**	●	○		●	○	○		V	318	80.2	18	**16.6**	101	6
TRAX																	
TJ 1.4L TURBO & 1.8L PETROL	2013-on	F	**2077E**	●	○						V	300	45.5	26	**23**	60	5
DRUM		R	**1659**	●							Dr	230	63		**232**	60	5
VECTRA																	
JR, JS, JSII – 2.0L, 2.2L, 2.5L CD & GL SEDANS	6/1997-2/2003	F	**825**	●	○						V	288	42	25	**22**	70	5
		R	**826**	●	○						S	286	69	10	**8**	65.5	5
ZC 2.2L	2/2003-2005	F	**2820**	●	○						V	285	43	25	**22**	70	5
		R	**2629E**	●	○						S	278	41.4	11.9	**10**	65.5	5
ZC V6 – *Up to VIN No. 38047796*	2003-2005	F	**2817**	●	○						V	302	46	28	**25**	70	5
ZC V6 – *After VIN No. 38047796*		F	**2819**	●	●	○					V	314	46	28	**25**	70	5
ZC V6 REAR – Suits ALL MODELS		R	**2818**	●	○						V	292	42	20	**18**	66	5
VOLT																	
EV Series 1.4L 4 DOOR HATCH	09/2012-on	F	**2014E**	●	●	○						300	45.7	26	**23**	71	5
		R	**2015E**	●	●	○					S	292	45.3	12	**10**	71	5
VIVA																	
JF Series HATCH, SEDAN, WAGON	2005-2009	F	**2042**	●	○						V	256	47.5	24	**22**	60	4
		R	**2043**	●	○						S	258	57	10	**8**	60	4
ZAFIRA																	
TT 2.2L DOHC, 4 DOOR WAGON	6/2001-5/2006	F	**815**	●	●	●					V	280	42	25	**22**	70	5
		R	**816**	●	●	○					S	264	42	10	**8**	65	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

HONDA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
ACCORD																	
SJ, SY & SZ Series	1980-1983	F	**190**								S	231	50	12	**10**	61	4
AC & AD Series	1983-1986	F	**196**								V	242	50	19	**17**	61	4
CA Series	1986-1989	F	**184**	●	○						V	262	51	21	**19**	64	4
CB Series	1989-1993	F	**470**	●	○						V	260	34	23	**21**	92	4
2WS		R	**471**	●	○		○	○	○		S	260	49	10	**8**	64	4
4WS		R	**481**								S	260	43	10	**8**	64	4
CD Series	1993-1998	F	**470**	●	○						V	260	34	23	**21**	92	4
		R	**471**	●	○		○	○	○		S	260	49	10	**8**	64	4
CG Series – CG5 Chassis	1997-2002	F	**480**	●	●	○					V	260	47	23	**21**	64	4
CG1 Chassis		F	**488**	●	●	○	●	●	○		V	282	47	23	**21**	64	5
CG1 Chassis Only		R	**489**	●	○	○					S	260	48	9	**8**	64	5
CG2 V6 J30A1 (UK Model)	7/1998-2002	F	**405**	○							V	282	47	28	**26**	64	5
CK Series 2.3L	12/1997-05/2003	F	**480**	●	●	○					V	260	47	23	**21**	64	4
CL Series 2.2L (VTEC) EURO R	2000-09/2002	F	**476**	●	●	○					V	300	47.5	28	**26**	70	5
CL Series – Inc EURO 2.4L	10/2002-11/2008	F	**2510E**	●	●	○	●	●	○	○	V	300	48	28	**26**	64	5
		R	**2511E**	●	●	○	●	○	○		S	260	49	9	**8**	64	5
CM Series 2.4L & 3.0LV6	2003-01/2008	F	**488**	●	●	○	●	●	○		V	282	47	23	**21**	64	5
		R	**2511E**	●	●	○	●	○	○		S	260	49	9	**8**	64	5
CP Series 2.4L VTI & 3.4L V6	02/2008-04/2013	F	**2510E**	●	●	○	●	●	○	○	V	300	48	28	**26**	64	5
		R	**2519**	●	●	○	●	●	○		S	282	49	9	**8**	64	5
CU Series EURO 2.4L	06/2008-06/2015	F	**2521E**	●	●						V	320	47	32	**30**	64	5
Check Specs		R	**2519**	●	●	○	●	●	○		S	282	49	9	**8**	64	5
Check Specs		R	**2523**	●	●						S	305	60	9	**8**	70	5
CR Series 2.4L & 3.4L V6	2013-on	F	**2617E**	●	○		●	●			V	293	47.2	25	**23**	64	5
		R	**2239E**								S	304.7	60.8	9	**8**	64	5
ACCORD ***New Zealand***																	
CF Series 1.8L	09/1997-09/2002	F	**480**	●	●	○					V	260	47	23	**21**	64	4
		R	**471**	●	○		○	○	○		S	260	49	10	**8**	64	4
CF & CH Series 2.3L (NZ)	2000-10/2002	F	**476**	●	●	○					V	300	47.5	28	**26**	70	5
CM Series 2.4L	11/2002-12/2008	F	**488**	●	●	○	●	●	○		V	282	47	23	**21**	64	5
		F	**2510E**	●	●	○	●	●	○	○	V	300	48	28	**26**	64	5
		R	**2503**	●	○	○	○		○		S	282	61	9	**7.5**	64	5
CL Series 2.0L 15 inch Wheels	10/2002-12/2008	F	**488**	●	●	○	●	●	○		V	282	47	23	**21**	64	5
CL Series 2.0L 16 inch Wheels		F	**2510E**	●	●	○	●	●	○	○	V	300	48	28	**26**	64	5
		R	**2511E**	●	●	○	●	○	○		S	260	49	9	**8**	64	5
CW Series 2.4L WAGON *Check Specs*	06/2008-06/2015	F	**2521E**	●	●						V	320	47	32	**30**	64	5
		R	**2519**	●	●	○	●	●	○		S	282	49	9	**8**	64	5
ACCORD ***USA***																	
USA & Europe V 4DR	2000-2003	F	**2506**				○	○	○		V	282	48	25	**23**	64	5
USA 4 CYL	2003-2007	F	**488**	●	●	○	●	●	○		V	282	47	23	**21**	64	5
USA		R	**2511E**	●	●	○	●	○	○		S	282	49	9	**8**	64	5
USA V6 AUTO TRANSMISSION	2003-2007	F	**488**	●	●	○	●	●	○		V	282	47	23	**21**	64	5
USA V6 MANUAL TRANSMISSION		F	**2510E**	●	●	○	●	●	○	○	V	300	48	28	**26**	64	5
USA ALL		R	**2511E**	●	●	○	●	○	○		S	282	49	9	**8**	64	5
USA LX & LX-S	2008-2012	F	**488**	●	●	○	●	●	○		V	282	47	23	**21**	64	5
USA EX & EX-L		F	**2510E**	●	●	○	●	●	○	○	V	300	48	28	**26**	64	5
USA ALL		R	**2519**	●	●	○	●	●	○		S	282	49	9	**8**	64	5
AIRWAVE ***New Zealand***																	
GJ Series 1.5L	04/2005-08/2010	F	**474**	●	●	○	●	●	○		V	262	45	21	**19**	64	4

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 116 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

HONDA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
ASCOT / RAFAGA ***New Zealand***																	
CE Series 2.0L SEDAN	10/1993-08/1997	F	**470**	●	○						V	260	34	23	**21**	92	4
		R	**471**	●	○		○	○	○		S	260	49	10	**8**	64	4
AVANCIER ***New Zealand***																	
TA Series 2.3L WAGON	09/1999-07/2003	F	**478**	●	●	○	●	●	○		V	282	47	23	**21**	70	5
		R	**2509**	●	○						S	282	55	9	**7.5**	64	5
CITY																	
GM 1.5L	2009-2014	F	**474**	●	●	○	●	●	○		V	262	45	21	**19**	64	4
		R	**2505E**	●							S	239	33	9	**8**	61	4
GM & GK 1.5L	04/2014-on	F	**2507E**	●							V	262	44.7	21	**19**	61	4
		R	**1901**								Dr	200	54			61	4
CIVIC																	
AH Series HATCH	1984-1988	F	**191**	●	○						S	231	44	12	**10**	61	4
CA-CQ Series	1984-1992	F	**187**	●	○	○					V	242	44.5	19	**17**	61	4
ED Series	1987-1993	F	**187**	●	○	○					V	242	44.5	19	**17**	61	4
EE Series	1988-1995	F	**187**	●	○	○					V	242	44.5	19	**17**	61	4
Check Size		F	**474**	●	●	○	●	●	○		V	262	45	21	**19**	64	4
		R	**475**	●	●	○	●	●	●		S	239	48	9	**8**	61	4
EG, EH & EJ Series – *Check Size*	1991-1996	F	**473**	●	●						V	240	45	21	**19**	61	4
Check Size		F	**474**	●	●	○	●	●	○		V	262	45	21	**19**	64	4
COUPE /SEDAN EX/LX *USA Application*	1990-1995	F	**474**	●	●	○	●	●	○		V	262	45	21	**19**	64	4
MA8 1.4I, MA9, MB1/4	12/1994-on	F	**474**	●	●	○	●	●	○		V	262	45	21	**19**	64	4
MB2, MB3, MB7/8/9, MC1	1997-on	F	**474**	●	●	○	●	●	○		V	262	45	21	**19**	64	4
MC3 2.0TDI, EJ6/8, EK		F	**474**	●	●	○	●	●	○		V	262	45	21	**19**	64	4
		R	**475**	●	●	○	●	●	●		S	239	48	9	**8**	61	4
EK & EM Series	1995-2000	F	**474**	●	●	○	●	●	○		V	262	45	21	**19**	64	4
		R	**475**	●	●	○	●	●	●		S	239	48	9	**8**	61	4
EP Series – TYPE R	2001-12/2005	F	**2500**	●	●	○	●	●	○	○	V	300	47.5	25	**23**	64	5
		R	**2515**	●	●	○	○	●			S	259.5	49	10	**8**	64	5
2.0L R EP3 UK	2001-2006	F	**2500**	●	●	○	●	●	○	○	V	300	47.5	25	**23**	64	5
VI HATCHBACK EU_, EP_		R	**2515**	●	●	○	○	●			S	259.5	49	10	**8**	64	5
ES & EU Series	10/2000-2006	F	**474**	●	●	○	●	●	○		V	262	45	21	**19**	64	4
		R	**2502**	●	○						S	260	48	9	**8**	61	4
Check Centre Hole		R	**2515**	●	●	○	○	●			S	259.5	49	10	**8**	64	5
EX, HYBRID, LX & DX – *USA Application*	2006-2011	F	**2615E**	●	○		●	●			V	262	47.1	21	**19**	64	5
EX & Si – *USA Application*	2006-2015	R	**2616E**	●	○						S	260	42.2	9.1	**8**	64	5
1.8 SOHC VTI & VTI-L & 2.0L SPORT	2006-2012	F	**488**	●	●	○	●	●	○		V	282	47	23	**21**	64	5
140mm Handbrake		R	**2616E**	●	○						S	260	42.2	9.1	**8**	64	5
156mm Handbrake		R	**438**	●	●	○					S	260	42.2	9.1	**8**	64	5
FD Series		F	**488**	●	●	○	●	●	○		V	282	47	23	**21**	64	5
HYBRID		F	**2615E**	●	○		●	●			V	262	47.1	21	**19**	64	5
TYPE-R		F	**2518**	●	●	○	●	●	○		V	320	62	25	**23**	64	5
		R	**438**	●	●	○					S	260	42.2	9.1	**8**	64	5
HYBRID		R	**2616E**	●	○						S	260	42.2	9.1	**8**	64	5
TYPE-R		R	**2519**	●	●	○	●	●	○		S	282	49	9	**8**	64	5
FN Series TYPE-R	2007-2012	F	**2500**	●	●	○	●	●	○	○	V	300	47.5	25	**23**	64	5
		R	**438**	●	●	○					S	260	42.2	9.1	**8**	64	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

HONDA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
CIVIC – Continued																	
FB Series	2012-2016	F	**488**	●	●	○	●	●	○		V	282	47	23	**21**	64	5
HYBRID		F	**2615E**	●	○		●	●			V	262	47.1	21	**19**	64	5
HYBRID 140mm Handbrake *Check All Specs*		R	**2616E**	●	○						S	260	42.2	9.1	**8**	64	5
156mm Handbrake		R	**438**	●	●	○					S	260	42.2	9.1	**8**	64	5
FC Series 1.5L TURBO & 1.8L Non TURBO	04/2016-on	F	**2540E**								V	282		23			
		R	**2541E**								S	260		9			
FK Series	2006-06/2012	F	**488**	●	●	○	●	●	○		V	282	47	23	**21**	64	5
		R	**438**	●	●	○					S	260	42.2	9.1	**8**	64	5
FK Series – MANUAL	07/2012-03/2017	F	**2612E**	●	○						V	280	47.6	25	**23**	64	5
FK Series – AUTO		F	**2614E**	●	○						V	293	47.3	25	**23**	64	5
		R	**2613E**	●							S	276	31.9	10	**8**	64	5
FK Series 1.5L TURBO & 1.8L Non TURBO	03/2017-on	F	**2540E**								V	282		23			
		R	**2541E**								S	260		9			
FK Series – TYPE-R – 2.0L TYPE-R	09/2017-on	F	**3700E**	●			●	●	●		V	350		32	**30**		
		R	**3701E**								S	305		11	**9**		
CIVIC FERIOR ***New Zealand***																	
ES Series 1.5 & 1.7L *Check Specs*	09/2000-08/2005	F	**474**	●	●	○	●	●	○		V	262	45	21	**19**	64	4
		R	**2502**	●							S	260	48	9	**8**	61	4
CONCERTO																	
EXI, REPRISE, EXI REPRISE	1988-1992	F	**187**	●	○	○					V	242	44.5	19	**17**	61	4
CR-V																	
RD Series 2.0L & 2.4L 4WD	10/1995-09/2001	F	**478**	●	●	○	●	●	○		V	282	47	23	**21**	70	5
	2002-2004	F	**488**	●	●	○	●	●	○		V	282	47	23	**21**	64	5
DRUM 2.0L Only		R	**1920**	●							Dr	220	60			64	5
	2004-01/2007	F	**2500**	●	●	○	●	●	○	○	V	300	47.5	25	**23**	64	5
	10/1995-2005	R	**2509**	●	○						S	282	55	9	**7.5**	64	5
	2005-09/2006	R	**2543E**	●	○						S	305	61.5	9	**7.5**	64	5
RE Series 2.4L 4WD	02/2007-10/2012	F	**2610**	●	○						V	296	47.2	28	**26**	64	5
		R	**2543E**	●	○						S	305	61.5	9	**7.5**	64	5
RM Series 2.0L, 2.2L TD & 2.4L PETROL	11/2012-06/2017	F	**2618E**	●	○		○				V	315	47.2	28	**26**	64	5
		R	**2543E**	●	○						S	305	61.5	9	**7.5**	64	5
RW Series FWD & AWD 1.5L x 140 kW TURBO	06/2017-on	F	**2624E**														
		R	**2625E**												**8**		
CRV ***New Zealand***																	
RD Series RD5 Chassis 2.0L 4WD *Check All Specs*	09/2001-08/2004	F	**478**	●	●	○	●	●	○		V	282	47	23	**21**	70	5
		F	**488**	●	●	○	●	●	○		V	282	47	23	**21**	64	5
		R	**2611**	●	○						S	302	60.8	10	**8**	64	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 118 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

HONDA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
CRX																	
ED 1.6L 2 DOOR DX-SI	1987-1991	F	**187**	●	○	○					V	242	44.5	19	**17**	61	4
1500/1600 SI	1990-1991	F	**187**	●	○	○					V	242	44.5	19	**17**	61	4
		R	**475**	●	●	○	●	●	●		S	239	48	9	**8**	61	4
EE8 VTEC 1.6L	1989-1992	F	**474**	●	●	○	●	●	○		V	262	45	21	**19**	64	4
EG21 VTI, EH61 ESI 1.6L	1992-1997																
EG VTEC	6/1992-on																
		R	**475**	●	●	○	●	●	●		S	239	48	9	**8**	61	4
CR-Z																	
ZF Series 1.5L	02/2010-on	F	**2615E**	●	○		●	●			V	262	47.1	21	**19**	64	5
HR-V																	
GH Series 1.6I 16V GH1/2	1999-2004	F	**478**	●	●	○	●	●	○		V	282	47	23	**21**	70	5
RU Series 1.8L	2015-on	F	**2617E**	●	○		●	●			V	293	47.2	25	**23**	64	5
		R	**2519**	●	●	○	●	●	○		S	282	49	9	**8**	64	5
EDIX ***New Zealand***																	
BE Series 1.7L	07/2004-2011	F	**2615E**	●	○		●	○			V	262	47.1	21	**19**	64	5
BE Series 2.0L		F	**488**	●	●	○	●	●	○		V	282	47	23	**21**	64	5
FIT ***New Zealand***																	
GD Series 1.3 & 1.5L *Check Specs*	06/2001-09/2007	F	**2504**	●	○						V	240	39	21	**19**	61	4
		R	**475**	●	●	○	●	●	●		S	239	48	9	**8**	61	4
GE Series 1.4L & 1.5L	10/2007-09/2013	F	**474**	●	●	○	●	●	○		V	262	45	21	**19**	64	4
INSPIRE ***New Zealand***																	
UC Series 3.0L	2003-2005	F	**2510E**	●	●	○	●	●	○	○	V	300	47.2	28	**26**	64	5
		R	**2519**	●	●	○	●	●	○		S	282	49	9	**8**	64	5
INSIGHT																	
ZE2 Series 1.4L 4 DOOR	12/2010-2014	F	**474**	●	●	○	●	●	○		V	262	45	21	**19**	64	4
INTEGRA																	
DA3, DA4, 1.6L	1986-1988	F	**187**	●	○	○					V	242	44.5	19	**17**	61	4
1.8L DOHC 16V	1989-1994	F	**474**	●	●	○	●	●	○		V	262	45	21	**19**	64	4
1.8L GSI, VTI-R	1993-1998																
ACURA INTEGRA, 2.0L GSI	1990-on																
		R	**475**	●	●	○	●	●	●		S	239	48	9	**8**	61	4
DC2 1.8L x 141kW TYPE-R	2000-01	F	**478**	●	●	○	●	●	○		V	282	47	23	**21**	70	5
		R	**477E**				○	●	○		S	260	48	9	**8**	64	5
DC5 2.0L	2001-2007	F	**2615E**	●	○		●	●			V	262	47.1	21	**19**	64	5
		R	**489**	●	○	○					S	260	48	9	**8**	64	5
INTEGRA TYPE-R & S DC5		F	**2500**	●	●	○	●	●	○	○	V	300	47.5	25	**23**	64	5
		R	**2515**	●	●	○	○	●			S	260	48	10	**8**	64	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

HONDA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
JAZZ																	
GD	10/2002-2008	F	**2504E**	●	○						V	240	39	21	**19**	61	4
		R	**475**	●	●	○	●	●	●		S	239	48	9	**8**	61	4
DRUM		R	**1921**								Dr	180	56		**181**	61	4
GE	2008-on	F	**474**	●	●	○	●	●	○		V	262	45	21	**19**	64	4
		R	**2505E**	●							S	239	33	9	**8**	61	4
GK or GF Series 1.5L	07/2014-on	F	**2507E**	●							V	262	44.7	21	**19**	61	4
		R	**1901**								Dr	200	54		**201**	61	4
GK or GF Series 1.3L / 1.5L x 96kW (NZ)	06/2014-on	F	**474**	●	●	○	●	●	○		V	262	45	21	**19**	64	4
		F	**2507E**	●							V	262	44.7	21	**19**	61	4
IF ROTOR FITTED		R	**2505**	●							S	239	33	9	**8**	61	4
DRUM		R	**1901**								Dr	200	54		**201**	61	4
LEGEND																	
KA2 4 DOOR SEDAN	1986-1987	F	**186**								V	262	51.5	21	**19**	64	4
KA3 4 DOOR SEDAN, KA4 2 DOOR COUPE	11/1987-1991	F	**185**								V	282	51	21	**19**	64	4
KA7, KA8, KA9	3/1991-1995	F	**478**	●	●	○	●	●	○		V	282	47	23	**21**	70	5
3.5L V6 – 15 inch Wheels	1996-on																
3.5L V6 – 16 inch Wheels	1996-2003	F	**476**	●	●	○					V	300	47.5	28	**26**	70	5
		R	**499**								S	282	61	12	**10**	64	5
MDX																	
3.5L YD 4 DOOR WAGON 4WD	2002-2006	F	**2510E**	●	●	○	●	●	○	○	V	300	47.2	28	**26**	64	5
NSX																	
NSX 4 AUTO	1991-1998	F	**484**								V	282	36	28	**26**	70	5
6 SPEED MANUAL NSX, NSX-T	4/1997-on	F	**486**				○		○		V	298	36.5	28	**26**	70	5
		R	**487**	○	○						V	303	32.5	23	**21**	64	5
ODYSSEY																	
ODYSSEY – 4 DOOR WAGON	6/1995-2000	F	**478**	●	●	○	●	●	○		V	282	47	23	**21**	70	5
ODYSSEY 2.3L & V6	2000-2005	F	**476**	●	●	○					V	300	47.5	28	**26**	70	5
		R	**2503**	●	○	○	○		○		S	282	61	9	**7.5**	64	5
RB Series	2005-on	F	**2544**	●	○						V	300	47.2	28	**26**	64	5
		R	**2547**	●	○						S	305	61	10	**8.5**	64	5
RC Series 2.4L	2014-on	F	**2617E**	●	○		●	●			V	293	47.2	25	**23**	64	5
		R	**2543E**	●	○						S	305	61.5	9	**7.5**	64	5
ORTHIA ***New Zealand***																	
EL Series 1.8 & 2.0L	02/1996-01/2002	F	**474**	●	●	○	●	●	○		V	262	45	21	**19**	64	4
PASSPORT																	
ALL MODELS	1996-2001	F	**842**								V	280	36	26	**24.6**	88	6
		R	**841**	●	○						V	313	80.6	18.1	**16.6**	101	6
PILOT																	
ALL MODELS	2003-2005	F	**476**	●	●	○					V	300	47.5	28	**26**	70	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 120 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

HONDA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
PRELUDE																	
SU, SN	1979-1982	F	**190**								S	231	50	12	**10**	61	4
BA3	1986-1987	F	**196**								V	241	50	19	**17**	61	4
BA4, SI, SE	1988-1991	F	**184**	●	○						V	262	51	21	**19**	64	4
V-TEC	1992-1996	F	**4200**				●	○	○		V	282	47	23	**21**	64	4
		R	**481**								S	260	43	10	**8**	64	4
5-LUG	1997-2001	F	**478**	●	●	○	●	●	○		V	282	47	23	**21**	70	5
		R	**438**	●	●	○					S	260	42.2	9.1	**8**	64	5
BB Inc 4WS	12/1991-1994	F	**480**	●	●	○					V	260	47	23	**21**	64	4
		F	**4200**				●	○	○		V	282	47	23	**21**	64	4
		R	**481**								S	260	43	10	**8**	64	4
VTI-S & SI	2/1994-2000	F	**480**	●	●	○					V	260	47	23	**21**	64	4
STEPPED HAT		R	**481**								S	260	43	10	**8**	64	4
STRAIGHT HAT		R	**2513**								S	260	42	9	**8**	64	4
VTI-R	2/1994-1997	F	**4200**				●	○	○		V	282	47	23	**21**	64	4
		R	**481**								S	260	43	10	**8**	64	4
VTI-R 2.2L DOHC	1997-2001	F	**478**	●	●	○	●	●	○		V	282	47	23	**21**	70	5
		R	**438**	●	●	○					S	260	42.2	9.1	**8**	64	5
S 2000																	
S 2000	1999-2002	F	**482**	●	●	○	●	●	○		V	300	40	25	**23**	70	5
S 2000	1999-2003	R	**483**	●	●	○	●	●	○		S	282	40	12	**10**	64	5
ALL MODELS	2003-2005	F	**488**	●	●	○	●	●	○		V	282	47	23	**21**	64	5
		R	**483**	●	●	○	●	●	○		S	282	40	12	**10**	64	5
SHUTTLE																	
2.3I RA1, 2.3I ES/LS RA3	6/1995-on	F	**478**	●	●	○	●	●	○		V	282	47	23	**21**	70	5
STREAM ***New Zealand***																	
RN1, 3, 4 & 5 Series	2000-2014	F	**488**	●	●	○	●	●	○		V	282	47	23	**21**	64	5
		R	**TBA**														
RN6, 8 & 9 Series	2006-2014	F	**488**	●	●	○	●	●	○		V	282	47	23	**21**	64	5
		R	**2509**	●	○						S	282	55	9	**7.5**	64	5
TORNEO ***New Zealand***																	
CF Series CF3 Chassis 1.8L SEDAN *Check Specs*	09/1997-10/2002	F	**480**	●	●	○					V	260	47	23	**21**	64	4

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

HUMMER

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
HUMMER																	
H2 – 6.0L AWD	09/2002-09/2004	F	**2048**	●	○	○	●	●	○		V	325	89.5	38	**36.5**	118.2	8
H2 – 6.0L Suit Pickup	09/2004-2009	R	**2049**	●	○	●	●	●	○		V	330	85.6	29	**26.5**	118.2	8
H3 – 3.5L	04/2005-2010	F	**2054**								V	315	70.4	28	**26.5**	100.7	6
H3 – 3.7L AWD	09/2006-on																
H3 – 5.3L V8	10/2008-on																
		R	**2055**								S	312	67.9	12	**10.5**	101	6

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 122 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

HYUNDAI

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
ACCENT																	
1.3I 12V, 1.5I 12V, 1.5I 16V	1994-1999	F	**451**	●	●		○				V	242	40.5	19	**17.7**	86	4
GL, GLS, SPRINT, LIFESYLE	10/04/91	F	**450**	●	○						V	241	52	19	**17.7**	63	4
DRUM Series LC 1.5L	2000-2003	R	**1873**	○							Dr	180	62.7		**182.4**	63	4
DRUM Series LS & LS	2003-2006	R	**1679**	●							Dr	203.2	64		**205.2**	62.5	4
1.6L MC 2 & 4 DOOR HATCH	05/2006-01/2010	F	**2893E**	●	○						V	256	47	22	**20**	62	4
		R	**2453**	●	○	○					S	262	63.8	10	**8.4**	62.5	4
Check Front OE Diameter		F	**450**	●	○						V	241	52	19	**17.7**	63	4
RB Series 1.6L	07/2011-00/2015	F	**2455E**	●	○						V	256	43.9	22	**20**	62	4
		R	**2477**	●	○						S	262	43.9	10	**8.4**	62	4
RB Series 1.4L PETROL	09/2015-2017	F	**2455E**	●	○						V	256	43.9	22	**20**	62	4
		R	**2477**	●	○						S	262	43.9	10	**8.4**	62	4
COUPE																	
FX, SX, SFX, TIBURON	8/1996-1998	F	**453**	●	○						V	257	34	22	**20**	86	4
		R	**2873**	●	●						S	257	40.5	10	**8**	76	4
COUPE, TURBULENCE	8/1998-2002	F	**456**	●	○	○	○		○		V	257	45	24	**21.6**	69	4
S COUPE 1.5I, Inc USA	1989-4/1995	F	**451**	●	●		○				V	242	40.5	19	**17.7**	86	4
ELANTRA / LANTRA / LAVITA																	
J1 & J2 Inc 1.9L DIESEL	5/1991-5/1998	F	**453**	●	○						V	257	34	22	**20**	86	4
	5/1991-8/1995	R	**459**	○							S	257	40	10	**8**	90	4
J2	5/1998-2003	F	**456**	●	○	○	○		○		V	257	45	24	**21.6**	69	4
		R	**2873**	●	●						S	257	40	10	**8**	76	4
ELANTRA XD GL 1.8L, GLS 2.0L	5/2000-2003	F	**456**	●	○	○	○		○		V	257	45	24	**21.6**	69	4
ELANTRA HD	2006-2011	R	**2873**	●	●						S	257	40	10	**8**	76	4
HD SERIES 2.0L		F	**3334E**								V	275	47.4	26	**24**	69	5
		R	**2485E**	●	○						S	262	61	10	**8.4**	76	5
MD Series	6/2011-on	F	**2478**	●	●						V	280	44.4	23	**21.5**	69	5
		R	**2479**	●	○						S	262	45	10	**8.4**	76	5
ALL – *USA Application*	2011-2015	F	**2478**	●	●						V	280	44.4	23	**21.5**	69	5
AD Series 2.0L	04/2016-on	F	**2478**	●	●						V	280	44.4	23	**21.5**	69	5
AD Series 1.6L SR TURBO	10/2016-on	F	**2490E**	●	○						S	305	47	25	**23.4**	69	5
		R	**2479**	●	○						S	262	45	10	**8.4**	76	5
EXCEL																	
X1	11/1985-1/1988	F	**215**	●							S	228	40	13	**11.5**	86	4
X1, X3, XZ, XL VAN, S COUPE	1/1988-2000	F	**451**	●	●		○				V	242	40.5	19	**17.7**	86	4
PONY/EXCEL 1.3-1.5L MU	1989-1994	F	**451**	●	●		○				V	242	40.5	19	**17.7**	86	4
DRUM – X3 Series	1994-2000	R	**1677**	●							Dr	180	58.4		**182**	76	4
GALLOPER 4WD																	
V6 3.0L LWB	9/1988-1992	F	**2229**								V	276	45.5	22	**20.4**	87	6
GENESIS																	
DH Series GN41E 3.7L V6	11/2014-2017	F	**TBA**								V	345	56.5	30	**28**	69	5
		R	**TBA**								S	313	60.5	13	**11.4**	69	5
GETZ																	
TB ALL – Without ABS	7/2002-2011	F	**2450E**	●	○						V	241	48	19	**17**	62	4
TB ALL – With ABS		F	**2451**	●	●						V	256	48	19	**17**	69	4
		R	**2453**	●	○	○					S	262	63.8	10	**8.4**	62.5	4
DRUM – Without ABS		R	**1902**								Dr	180	57.7		**182**	62.5	4
GRANDUER																	
XG – 4 DOOR SEDAN V6 DOHC	9/1999-2004	F	**460**								V	276	46.5	26	**24**	69	5
		R	**461**	●	○						S	262	61	10	**8.4**	76	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

HYUNDAI

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
I20																	
PB 1.4L ACTIVE, 2 DOOR HATCH	07/2010-2015	F	**2893E**	●	○						V	256	47	22	**20**	62	4
PB 1.4L ACTIVE, ELITE 4 DOOR HATCHBACK		F	**2893E**	●	○						V	256	47	22	**20**	62	4
PB 1.6L ELITE, PREMIUM		F	**2893E**	●	○						V	256	47	22	**20**	62	4
PB		R	**2453**	●	○	○					S	262	63.8	10	**8.4**	62.5	4
I30																	
ALL MODELS	2007-2012	F	**2464E**	●	●	○					V	280	47.5	26	**24.4**	69	5
2.0L PETROL, 1.6L CRDI		R	**2459E**	●	●						S	262	61	10	**8.4**	76	5
GD	2012-on	F	**2478**	●	●						V	280	45	23	**21.5**	69	5
		F	**2456E**	●	●	○	●	●	○		V	300	47.5	28	**26**	69	5
Check All Specs – Height 61mm		R	**2459E**	●	●						S	262	61	10	**8.4**	76	5
Check All Specs – Height 45mm		R	**2479**	●	○						S	262	45	10	**8.4**	76	5
I30CW																	
FD Series 1.6L 2.0L WAGON	2009-01/2013	F	**2464E**	●	●	○					V	280	47.5	26	**24.4**	69	5
		R	**2459E**	●	●						S	262	61	10	**8.4**	76	5
PD Series 1.6L TD & 2.0L PETROL	04/2017-on	F	**2478**	●	●						V	280	45	23	**21.5**	69	5
		R	**2479**	●	○						S	262	45	10	**8.4**	76	5
PD Series SR 1.6L TURBO PETROL		F	**2490E**	●	○						S	305	47	25	**23.4**	69	5
		R	**2489E**	●	○						S	284	31.9	10	**8.4**	76	5
I40																	
VF Series 1.7L & 2.0L – ACTIVE	2011-2017	F	**2456E**	●	●	○	●	●	○		V	300	47.5	28	**26**	69	5
		R	**2469**	●	○						S	284	25	10	**8.4**	76	5
VF Series 1.7L & 2.0L – ELITE		F	**2472**	●	○	○					V	320	47	28	**26**	69	5
		R	**2473**	●	○						S	300	25	10	**8.4**	76	5
I45																	
YF Series 2.0L	2010-2014	F	**2464E**	●	●	○					V	280	47.5	26	**24.4**	69	5
		R	**2459E**	●	●						S	262	61	10	**8.4**	76	5
YF Series 2.4L		F	**2456E**	●	●	○	●	●	○		V	300	47.5	28	**26**	69	5
		R	**2457**	●	○	○					S	284	54.6	10	**8.4**	76	5
IX35																	
2.0L ELITE, HIGHLANDER LM DIESEL 4 DOOR WAGON	02/2010-06/2012	F	**2456E**	●	●	○	●	●	○		V	300	47.5	28	**26**	69	5
		R	**465**	●	○	○					S	284	61	10	**8.4**	76	5
2.4L ELITE, HIGHLANDER LM 4 DOOR WAGON AWD		F	**2456E**	●	●	○	●	●	○		V	300	47.5	28	**26**	69	5
		R	**465**	●	○	○					S	284	61	10	**8.4**	76	5
2.0L ACTIVE, ELITE LM 4 DOOR WAGON FWD	02/2010-2013	F	**2464E**	●	●	○					V	280	47.5	26	**24.4**	69	5
		R	**2459E**	●	●						S	262	61	10	**8.4**	76	
I-LOAD I-MAX H1																	
TQ Series, 2.4L, 2.5L CRDI	2007-2018	F	**2460E**	●	●	○	●	●	○		V	300	52.5	30	**28.4**	96.2	6
		R	**2461E**	●	●		●	●	○		S	324	82.6	18	**16.4**		6
KONA																	
OS Series 1.6L x 130kW AWD TURBO	09/2017-on	F	**2490E**	●	○						V	305	47	25	**23.4**	69	5
		R	**TBA**								S	284		10			
OS Series 2.0L x 110kW FWD		F	**2478**	●	●						V	280	44.4	23	**21.5**	69	5
		R	**2479**	●	○						S	262	45	10	**8.4**	76	5
LAVITA																	
XD Series 1.8L	2001-2004	F	**456**	●	○	○	○		○		V	257	45	24	**21.6**	69	4
If Discs Fitted		R	**2873**	●	●						S	257	40	10	**8**	76	4

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 124 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

HYUNDAI

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
SANTA FE																	
GL 2.4, GL/GLS 2.7L V6	11/2000-8/2006	F	**2452**	●	○	○					V	294	46	26	**24**	69	5
REAR FOR GLS V6 Only		R	**465**	●	○	○					S	284	61	10	**8.4**	76	5
ALL MODELS	9/2006-2011	F	**2462**	●							V	298	49.5	28	**26.4**	69	5
Internal Mounting Face 186.4mm		R	**2463**	●	○						S	302	72	11	**9.4**	69	5
Internal Mounting Face 148.6mm DM Series		R	**2475**	●							S	302	71.4	11	**9.4**	69	5
Check All Specs	09/2012-2018	F	**2474E**	●	○						V	320	49.1	28	**26.4**	69	5
Internal Mounting Face 148.6mm		R	**2475**	●							S	302	71.4	11	**9.4**	69	5
DM Series – Non SPORTS	06/2015-2018	F	**TBA**								V	320	49.1	28	**26.4**	69	5
DM Series – SR CRDi SPORTS Brembo CALIPER		F	**2482E**				○	○	○		V	340	49.5	28.5	**26**	69	5
		R	**2483E**	●	○		●	●	○		V	302	71.5	22	**20**	69	5
SONATA																	
Y1, Y2 SONICA ALL MODELS	1/1989-4/1998	F	**452**	●	○	○					V	257	45.5	22	**20**	69	4
Y1 – REAR	1/1989-1994	R	**454**	●	○						S	263	46	12	**10**	90	4
Y2 – REAR	7/1993-4/1998	R	**455**								S	260	59.5	12	**10.5**	90	4
Y3 ALL MODELS	4/1998-4/2001	F	**456**	●	○	○	○		○		V	257	45	24	**21.6**	69	4
		R	**458**								S	262	61	10	**8**	76	4
EF-B GL 2.3L, 2.7L V6	4/2001-2005	F	**463**	●	○						V	257	47.5	25	**22.4**	69	4
Y3 ALL MODELS	4/1998-4/2001	F	**456**	●	○	○	○		○		V	257	45	24	**21.6**	69	4
		R	**458**								S	262	61	10	**8**	76	4
2.4L GL & 2.7L V6	2004-06	F	**2458**	●							V	257	47	24.5	**22.4**	64	4
NF 2.4L PETROL	06/2008-04/2010	F	**2464E**	●	●	○					V	280	48	26	**22.4**	69	5
		R	**461**	●	○						S	262	61	10	**8.4**	76	5
NF 2.0L DIESEL & 3.3L V6	06/2005-04/2010	F	**2456E**	●	●	○	●	●	○		V	300	47.5	28	**26**	69	5
		R	**2457**	●	○	○					S	284	54.6	10	**8.4**	76	5
Except HYBRID – *USA Application*	2011-2014	F	**2456E**	●	●	○	●	●	○		V	300	47.5	28	**26**	69	5
– USA Application		R	**2457**	●	○	○					S	284	54.6	10	**8.4**	76	5
LF Series 2.0L	2015-2017	F	**2472**	●	○	○					V	320	47	28	**26**	69	5
		R	**2489E**	●	○						S	284	31.9	10	**8.4**	76	5
LF Series 2.4L		F	**2490E**	●	○						S	305	47	25	**23.4**	69	5
		R	**TBA**														
TERRACAN 4WD																	
3.5 V6 & 2.9L TCI DIESEL	2001-2003	F	**466**								V	280	43	27	**25.4**	87	6
3.5 V6 & 2.9L TCI DIESEL	12/2005-2007	F	**2454**	●	○						V	303	43	28	**26.4**	87	6
REAR Suits ALL MODELS		R	**467**	●							V	315	86.5	20	**18.4**	108	6
TIBURON																	
2.7L V6 & 2.0L GT	9/2001-2010	F	**2464E**	●	●	○					V	280	48	26	**22.4**	69	5
COUPE 1.6S, 2.0SE, 2.7L		R	**469**								S	258	45	10	**8**	75.5	5
TIBURON – Upgrade FLAT ROTOR Only		F	**52468**							○	V	320	27	27	**26**		

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

HYUNDAI

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
TUCSON																	
ALL MODELS	8/2004-2009	F	**2464E**	●	●	○					V	280	48	26	**22.4**	69	5
		F	**2456E**	●	●	○	●	●	○		V	300	47.5	28	**26**	69	5
AWD Only – *Check Dimensions*		R	**465**	●	○	○					S	284	61	10	**8.4**	76	5
FWD		R	**461**	●	○						S	262	61	10	**8.4**	76	5
TL & TLE Series	07/2015-2018	F	**2490E**	●	○						V	305	47	25	**23.4**	69	5
1.6L TURBO, 2.0L TD & 2.0L PETROL ELITE		R	**2491E**	●	○						S	302	31	10	**8.4**	76	5
2.0L PETROL ACTIVE X		R	**2492E**	●							S	302	54.5	10	**8.4**	76	5
TRAJET																	
GL, GLS V6 2.7L WAGON	3/2000-2007	F	**464**	●	○						V	276	47	26	**24**	69	5
		R	**465**	●	○	○					S	284	61	10	**8.4**	76	5
VELOSTER																	
FS Series – Non TURBO	2012-on	F	**2478**	●	●						V	280	44.4	23	**21.5**	69	5
TURBO PETROL		F	**2480**	●	○						V	300	47.3	28	**26.4**	69	5
ALL		R	**2479**	●	○						S	262	45	10	**8.4**	76	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 126 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

INFINITY

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
FX30D																	
S51	2012-on	F	**2314**	●	●	○	●	●	●	●	V	354.6	49.5	32	**30**	68	5
172mm Handbrake		R	**2309**	●	●	○					V	308	62	16	**14**	68	5
190mm Handbrake		R	**2313E**	●	●	○	●	●	○		V	308	62	16	**14**	68	5
190mm Handbrake		R	**2339E**	●	○						V	350	62	20	**18**	68	5
FX37																	
S51	2012-on	F	**2324**	●	○		●	●	○		V	319.5	49	34	**32**	68	5
		F	**2314**	●	●	○	●	●	●	●	V	354.6	49.5	32	**30**	68	5
172mm Handbrake		R	**2309**	●	●	○					V	308	62	16	**14**	68	5
190mm Handbrake		R	**2313E**	●	●	○	●	●	○		V	308	62	16	**14**	68	5
190mm Handbrake		R	**2339E**	●	○						V	350	62	20	**18**	68	5
FX50																	
S51	2012-on	F	**2324**	●	○		●	●	○		V	319.5	49	34	**32**	68	5
		F	**2314**	●	●	○	●	●	●	●	V	354.6	49.5	32	**30**	68	5
172mm Handbrake		R	**2309**	●	●	○					V	308	62	16	**14**	68	5
190mm Handbrake		R	**2313E**	●	●	○	●	●	○		V	308	62	16	**14**	68	5
190mm Handbrake		R	**2339E**	●	○						V	350	62	20	**18**	68	5
G 37																	
37S PREMIUM / GT	2013-on	F	**2324**	●	○		●	●	○		V	319.5	49	34	**32**	68	5
		F	**2314**	●	●	○	●	●	●	●	V	354.6	49.5	32	**30**	68	5
172mm Handbrake		R	**2309**	●	●	○					V	308	62	16	**14**	68	5
190mm Handbrake		R	**2313E**	●	●	○	●	●	○		V	308	62	16	**14**	68	5
		R	**2315**	●	●	○	●	●	○		V	350	62	20	**18**	68	5
M30D																	
Y51	2012-on	F	**2324**	●	○		●	●	○		V	319.5	49	34	**32**	68	5
		F	**2314**	●	●	○	●	●	●	●	V	354.6	49.5	32	**30**	68	5
190mm Handbrake		R	**2313E**	●	●	○	●	●	○		V	308	62	16	**14**	68	5
		R	**2339E**	●	○						V	350	62	20	**18**	68	5
M35H																	
Y51	2012-2013	F	**2308**	●	●	●	●	●	●		V	320	49.2	28	**26**	68	5
		F	**2324**	●	○		●	●	○		V	319.5	49	34	**32**	68	5
190mm Handbrake		R	**2313E**	●	●	○	●	●	○		V	308	62	16	**14**	68	5
M37																	
Y51 37S PREMIUM / GT	2012-2013	F	**2308**	●	●	●	●	●	●		V	320	49.2	28	**26**	68	5
		F	**2324**	●	○		●	●	○		V	319.5	49	34	**32**	68	5
		F	**2314**	●	●	○	●	●	●	●	V	354.6	49.5	32	**30**	68	5
190mm Handbrake		R	**2313E**	●	●	○	●	●	○		V	308	62	16	**14**	68	5
		R	**2339E**	●	○						V	350	62	20	**18**	68	5
Q30																	
H15 Series 1.6L TURBO *Check Specs*	08/2016-11/2018	F	**2684E**	●	○						V	295	51	28	**26**	67	5
		R	**2685E**	●	○						S	295	44	10	**8.3**	67	5
H15 Series 2.0L TURBO & 2.2L TD *Check Specs*	08/2016-on	F	**2686E**	●	○						V	320	51	30	**28**	67	5
SOLID		R	**2685E**	●	○						S	295	44	10	**8.3**	67	5
VENTED		R	**2623E**	●	○						V	295	42.5	22	**19.4**	67	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

INFINITY

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
Q50																	
2.0L	2014-on	F	**2308**	●	●	●	●	●	●		V	320	49.2	28	**26**	68	5
3.5L SPORT		F	**2314**	●	●	○	●	●	●	●	V	354.6	49.5	32	**30**	68	5
172mm Handbrake		R	**2309**	●	●	○					V	308	62	16	**14**	68	5
190mm Handbrake		R	**2313E**	●	●	○	●	●	○		V	308	62	16	**14**	68	5
3.5L SPORT		R	**2339E**	●	○						V	350	62	20	**18**	68	5
Q60																	
V36	2014-on	F	**2324**	●	○		●	●	○		V	319.5	49	34	**32**	68	5
		F	**2314**	●	●	○	●	●	●	●	V	354.6	49.5	32	**30**	68	5
172mm Handbrake		R	**2309**	●	●	○					V	308	62	16	**14**	68	5
172mm Handbrake		R	**2315**	●	●	○	●	●	○		V	350	62	20	**18**	68	5
V37 SERIES 2.0L TURBO	11/2016-on	F	**TBA**														
SPORTS		F	**2314**	●	●	○	●	●	●	●	V	354.6	49.5	32	**30**	68	5
		R	**2313E**	●	●	○	●	●	○		V	308	62	16	**14**	68	5
SPORTS		R	**2339E**	●	○						V	350	62	20	**18**	68	5
Q70																	
Y51	2014-on	F	**2308**	●	●	●	●	●	●		V	320	49.2	28	**26**	68	5
		F	**2324**	●	○		●	●	○		V	319.5	49	34	**32**	68	5
		F	**2314**	●	●	○	●	●	●	●	V	354.6	49.5	32	**30**	68	5
190mm Handbrake		R	**2313E**	●	●	○	●	●	○		V	308	62	16	**14**	68	5
		R	**2339E**	●	○						V	350	62	20	**18**	68	5
QX70																	
3.0L TD	2014-on	F	**2308**	●	●	●	●	●	●		V	320	49.2	28	**26**	68	
		F	**2324**	●	○		●	●	○		V	319.5	49	34	**32**	68	5
3.7L & 5.0L		F	**2314**	●	●	○	●	●	●	●	V	354.6	49.5	32	**30**	68	5
		R	**2313E**	●	●	○	●	●	○		V	308	62	16	**14**	68	5
		R	**2339E**	●	○						V	350	62	20	**18**	68	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 128 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

ISUZU

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
BIGHORN ***New Zealand***																	
USB Series 3.0L TD	12/1991-01/1998	F	**840**	●	●	○					V	280	36	26	**24.6**	87.5	6
		R	**841**	●	○						V	313	81	18	**16.6**	101	6
D-MAX																	
2.4L, 2.5D, 3.0DITD, 3.5L V6 HI-RIDE SUSPENSION TORSION BAR	2008-2012	F	**2840E**	●	●	○					V	280	40.5	27	**25.6**	88	6
2.4L, 2.5D, 3.0DITD, 3.5L V6 Non HI-RIDE SUSPENSION COIL FRONT		F	**2839**	●	●						V	256	40.1	26	**24.6**	88	6
2.5DITD, 3.0D HI-RIDE SUSPENSION TORSION BAR		F	**2840E**	●	●	○					V	280	40.5	27	**25.6**	88	6
2.5DITD, 3.0D Non HI-RIDE SUSPENSION COIL FRONT		F	**2839**	●	●						V	256	40.1	26	**24.6**	88	6
TF Series	2012-on	F	**2060E**	●	●	●	●	●	●		V	300	40.3	27	**25**	88	6
If Rear Rotor Fitted		R	**2061E**	●	○		●	○	○		V	318	80.2	18	**16.6**	101	6
DRUM – 62.5mm Machined Face	2008-2011	R	**1655**	●							Dr	295	80.6		**296.5**	101	6
DRUM – 65.6mm Machined Face	2012-on	R	**1658**	●							Dr	295	80.4		**296.5**	101	6
MU-X																	
UC Series 3.0L	2013-2016	F	**2060E**	●	●	●	●	●	●		V	300	40.3	27	**25**	88	6
		R	**2061E**	●	○		●	○	○		V	318	80.2	18	**16.6**	101	6
JACKAROO / TROOPER																	
MONTEREY U8 3.5L ABS	2/1998-2004	F	**840**	●	●	○					V	280	36	26	**24.6**	87.5	6
	1992-1998	R	**841**	●	○						V	313	81	18	**16.6**	101	6
UBS 16, UBS 521, 522	2/1998-2004	F	**032**								V	250	35	18	**16.7**	80	6
UBS 17, UBS 55	1988-1991	F	**033**	●	●						V	257	36	22	**20.6**	88	6
UBS 16, 17, 52, 55	1987-1991	R	**034**								S	265	47	12	**10.6**	97	6
UBS 25 Without ABS	1992-1998	F	**840**	●	●	○					V	280	36	26	**24.6**	87.5	6
US / U8 S & SE, MONTEREY	2/1998-2004	R	**841**	●	○						V	313	81	18	**16.6**	101	6
RODEO																	
KB, KBD, 2, 4 Series	1980-1982	F	**030**								S	250	35	18	**17**	80	6
KB 28, 29, 43, 49, KBD 27, 28, 43, 47	Late 1984-1988	F	**032**								V	250	35	18	**16.7**	80	6
TFR, TFS17, 54, G3, G6	1988-1994	F	**033**	●	●						V	257	36	22	**20.6**	88	6
R7 2WD 2.6L, 2.8L R9 2WD, 4WD 2.6L, 2.8L	1996-2002																
R7 & R9 – V6 3.2L 2WD & 4WD Versions	1997-2002	F	**840**	●	●	○					V	280	36	26	**24.6**	87.5	6
RA V6 PFI 2WD & ALL 4WD HI-RIDE SUSPENSION TORSION BAR	12/2002-2008	F	**2840E**	●	●	○					V	280	40.5	27	**25.6**	88	6
RA 2.4L 4 Cyl, 3.0L TURBO DIESEL Non HI-RIDE SUSPENSION COIL FRONT		F	**2839**	●	●						V	256	40.1	26	**24.6**	88	6

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

JAGUAR

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
MK SERIES																	
MK 2 – ALL MODELS	1959-1967	F	**072**								S	280	51.5	9.75	**8.5**	82.5	5
MK 10	1961-1967																
240, 340	1967-1969																
X-TYPE																	
X400 Series	2002-2009	F	**2172E**	●	○						V	300	47	24	**22**	63.5	5
Check All Specs		R	**2173**	●	○						S	280	34	12	**10**	63.5	5
XE																	
2.0L 20D TD RWD	08/2015-on	F	**3092E**								V	316	49	28	**26**	63.5	5
		R	**3093E**								S	300	42	10	**8**	63.5	5
2.0L 20T & 25T TURBO RWD		F	**3094E**								V	325	48	30	**28**	63.5	5
		R	**3095E**								V	325	42	20	**18**	63.5	5
2.0L x 221kW 30T & 3.0L V6 SUPERCHARGED RWD		F	**3096E**								V	350	48	32	**28**	63.5	5
		R	**3095E**								V	325	42	20	**18**	63.5	5
XF X250																	
X250 Series 2.0L TURBO PETROL	06/2008-2016	F	**2174**	●	○						V	326	46.2	30	**28**	71	5
		R	**2175**	●	○						V	326	38.2	20	**18**	64.5	5
2.2L TWIN TURBO DIESEL *17 inch Brakes*		F	**2174**	●	○						V	326	46.2	30	**28**	71	5
		R	**2175**	●	○						V	326	38.2	20	**18**	64.5	5
2.7L V6 TWIN TURBO DIESEL *17 inch Brakes*		F	**2174**	●	○						V	326	46.2	30	**28**	71	5
		R	**2175**	●	○						V	326	38.2	20	**18**	64.5	5
3.0L V6 PETROL 17 inch Brakes *To VIN S61361*		F	**2174**	●	○						V	326	46.2	30	**28**	71	5
		R	**2175**	●	○						V	326	38.2	20	**18**	64.5	5
3.0L V6 TWIN TD 17 inch Brakes *To VIN S01140*		F	**2174**	●	○						V	326	46.2	30	**28**	71	5
18 inch Brakes To VIN S01140		F	**TBA**								V	355	48	32	**30**	71	5
		R	**2175**	●	○						V	326	38.2	20	**18**	64.5	5
3.0L V6 PETROL SUPERCHARGED 18 inch Brakes		F	**TBA**								V	355	48	32	**30**	71	5
		R	**2175**	●	○						V	326	38.2	20	**18**	64.5	5
4.2L V8 PETROL 17 inch Brakes		F	**2174**	●	○						V	326	46.2	30	**28**	71	5
		R	**2175**	●	○						V	326	38.2	20	**18**	64.5	5
4.2L V8 PETROL SUPERCHARGED 18 inch Brakes		F	**TBA**								V	355	48	32	**30**	71	5
		R	**2175**	●	○						V	326	38.2	20	**18**	64.5	5
5.0L V8 PETROL 18 inch Brakes		F	**TBA**								V	355	48	32	**30**	71	5
		R	**2175**	●	○						V	326	38.2	20	**18**	64.5	5
XFR-S 5.0L SUPERCHARGED 19 inch Brakes		F	**TBA**								V	380					
		R	**TBA**								V	380					
XF X260																	
2.0L 20d, 20t, 25t & 30t	01/2016-on	F	**3094E**								V	325	48	30	**28**	63.5	5
		R	**3095E**								V	325	42	20	**18**	63.5	5
3.0L 30d, 35t-S		F	**3096E**								V	350	48	32	**28**	63.5	5
		R	**3095E**								V	325	42	20	**18**	63.5	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 130 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

JAGUAR

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
XJ SERIES																	
XJ6 Series 2, Series 3	1974-10/1986	F	**076**	●	●	○					V	285	60.5	24	**22.9**	82.7	5
XJS, XJ12	1973-1990																
		R	**075**	●	○						S	264	25.5	12.7	**11.4**	70	4
XJ6, XJ12, XJS	11/1986-1990	R	**075B**	○							S	262	25.5	12.5	**11.4**	70	4
XJ8 X300 & X350	11/1997-03/2004	F	**2046**								V	305	49.5	28	**26**	73.8	5
		R	**2047**								V	305	67.8	20	**18.5**	73.8	5
XJ6 – V6 X350 – *To Chassis G49700*	2004-06/2008	F	**TBA**								V	320	43	30	**28.4**	71	5
From Chassis G497001		F	**2174**	●	○						V	326	46.2	30	**28**	71	5
To Chassis G49700		R	**2045**								V	288	32.5	20	**18.5**	64.5	5
From Chassis G497001		R	**2175**	●	○						V	326	38.2	20	**18**	64.5	5
E-SERIES																	
E- 3.8L, 4.2L	1961-1968	F	**072**								S	280	51.5	9.75	**8.5**	82.5	5
E- V12 4.2L	1968-1974	F	**076**	●	●	○					V	285	60.5	24	**22.9**	82.7	5
		R	**075**	●	○						S	265	25.5	12.7	**11.4**	70	4
F-PACE																	
X761 Series 2.0L & 3.0L 17 inch Brakes	05/2017-on	F	**TBA**								V	325	48	30	**28**	63.5	5
18 inch Brakes		F	**TBA**								V	350	48	23	**30**	63.5	5
		R	**TBA**								V	325	42	20	**18**	63.5	5
S-SERIES																	
S- 3.4L, 3.8L	1963-1968	F	**072**								S	280	51.5	9.75	**8.5**	82.5	5
		R	**075**	●	○						S	264	25.5	12.7	**11.4**	70	4
S- X200 3.0l V6 / 4.0l *To Chassis M45254*	1999-2008	F	**2044**								V	300	43	30	**28**	71	5
To Chassis N52047		F	**TBA**								V	320	43	30	**28.4**	71	5
From Chassis N52048		F	**2174**	●	○						V	326	46.2	30	**28**	71	5
To Chassis N52047		R	**2045**								V	288	32.5	20	**18.5**	64.5	5
From Chassis N52048		R	**2175**	●	○						V	326	38.2	20	**18**	64.5	5
XKR																	
XKR V8 4.0L TURBO	1998-2003	F	**2046**								V	305	49.5	28	**26**	73.8	5
		R	**2047**								V	305	67.8	20	**18.5**	73.8	5
With Brembo CALIPERS	2003-2009	F	**52070**							○	V	356	50.5	32	**30**	73.8	5
XK8																	
V8 4.0L	1996-2008	F	**2046**								V	305	49.5	28	**26**	73.8	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

JEEP

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
CHEROKEE																	
CJ UNIVERSAL	1977-1978	F	**095**								V	298	56	30	**28.5**	96	5
4WD	1988-1992	F	**096**	●	○	○	●	●	●		V	280	81	24	**22.7**	72	5
CHEROKEE / WAGONEER / BRAIRWOOD – XJ SERIES																	
4WD	1990-1/1992	F	**096**	●	○	○	●	●	●		V	280	81	24	**22.7**	72	5
ALL MODELS With OE COMPOSITE DISC	2/1992-1998 1990-99																
With OE FULL CAST DISC	1999-2001	F	**888**	●	●	●	●	●	●		V	280	78	24.5	**22.7**	72	5
DRUM Series XJ	1994-2001	R	**1793**	●							Dr	229	90		**230**	72	5
CHEROKEE / WAGONEER / BRAIRWOOD – KJ SERIES																	
2.4L, 2.5L CRD	09/2001-2008	F	**889**	●	○	○					V	288	65	28	**26**	72	5
2.8L CRD	11/2002-on																
3.7L V6	08/2003-on																
2.8L CRD	11/2004-on																
Handbrake 184mm		R	**2535**	●	○	○	●	●	●		S	285	59.6	12	**11**	72	5
KK Series	2008-2013	F	**2424**	●	○	○					V	302	64	28	**26.4**	72	5
KK – HEAVY DUTY		F	**42534**				●	○			V	332	64	28	**26**	72	5
		R	**2427**	●	●	○					S	316	76.5	12	**10.4**	72	5
KL SERIES																	
2L TD & 3.3L PETROL	2014-on	F	**2298**	●	●						V	330	40	28	**26**	70	5
		R	**2631E**	●							S	320	33.2	12	**10.4**	70	5
COMANCHE																	
4WD	1990-1992	F	**096**	●	○	○	●	●	●		V	280	81	24	**22.7**	72	5
COMMANDER																	
ALL MODELS	2006-2010	F	**2530E**	●	●	●	●	●	●		V	328	53	30	**28.5**	72	5
		R	**2531**	●	○	○	○	●	○		S	320	67	14	**12.5**	72	5
COMPASS																	
2.0L & 2.4L	2007-2016	F	**2422**	●	●	○					V	294	45.5	26	**24.4**	69	5
		R	**2209**	●	●	●					S	262	60.3	10	**8.4**	80	5
		R	**2425**	●	●	○					S	302	60.3	10	**8.4**	80	5
GRAND CHEROKEE																	
ALL MODELS	1993-1998	F	**096**	●	○	○	●	●	●		V	280	81	24	**22.7**	72	5
		R	**097**	●	○	○	●	○	●		S	285	59.5	11	**9.5**	72	5
ALL MODELS	1999-2004	F	**540**	●	●	○	●	●	○		V	305	64	26	**24.5**	72	5
		R	**541**	●	●	○					S	305	75.5	10	**8.5**	72	5
WH ALL *Except* SRT-8	2005-2010	F	**2530E**	●	●	●	●	●	●		V	328	53	30	**28.5**	72	5
		R	**2531**	●	○	○	○	●	○		S	320	67	14	**12.5**	72	5
SRT8	2006-2011	F	**42532**				●	●	●	○	V	360	53.5	32	**31.8**	72	5
		R	**2533**	●	●	○	●	●	●		S	350	68.5	28	**27.85**	72	5
WK Non SRT MODELS 330mm =17 inch Wheels	2012-on	F	**42634**				●	●			V	330	55	32	**30**	72	5
350mm DIAMETER = 18 & 20 inch Wheels		F	**2635**	●	●	○	●	●		○	V	350	55	32	**30.5**	72	5
SOLID REAR – 17 inch Wheels		R	**2636**	●	○		●	●			S	330	64	14	**12.5**	72	5
VENTED REAR – 18 & 20 inch Wheels		R	**2637**				●	●			V	330	64	22	**20**	72	5
WK SRT 20 inch Wheels		F	**2632**	●	●	○	●	●	●	●	V	380	54.5	34	**32**	72	5
20 inch Wheels		R	**2633**	●	●	●	●	●	●		S	350	64	28	**27**	72	5
WK Series 3.0L TD & 3.6L PETROL – BR2, BR3 & X84	02/2017-on	F	**2635**	●	●	○	●	●		○	V	350	55	32	**30.5**	72	5
BR2, BR3 & X85		R	**3201E**														

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 132 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

JEEP

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
LIBERTY																	
ALL MODELS	2002-2006	F	**889**	●	○	○					V	288	65	28	**26**	72	5
With REAR DISC BRAKES	2003-2006	R	**2535**	●	○	○	●	●	●		S	285	59.6	12	**11**	72	5
PATRIOT																	
2.4L	2007-2016	F	**2422**	●	●	○					V	294	45.5	26	**24.4**	69	5
Check Rear Disc Diameter		R	**2209**	●	●	●					S	262	60.3	10	**8.4**	80	5
		R	**2425**	●	●	○					S	302	60.3	10	**8.4**	80	5
RENEGADE																	
1.4L – BU TURBO	10/2015-on	F	**2294E**	●	○						V	281	39.5	26	**24.2**	70	5
		F	**2296**	●	●	○					V	305	40	28	**26**	70	5
		R	**2297**	●	○	○					S	278	43	12	**10**	70	5
WRANGLER																	
With OE COMPOSITE DISC	1990-1999	F	**096**	●	○	○	●	●	●		V	280	81	24	**22.7**	72	5
With OE FULL CAST DISC	1999-2000	F	**888**	●	●	●	●	●	●		V	280	78	24.5	**22.7**	72	5
ALL MODELS – *Except* RUBICON DRUM REAR BRAKES	2001-2006																
TJ Series – *Inc* RUBICON	2003-2006	F	**888**	●	●	●	●	●	●		V	280	78	24.5	**22.7**	72	5
DISC REAR BRAKES		R	**2535**	●	○	○	●	●	●		S	285	59.6	12	**11**	72	5
JK 3.8L V6 & RUBICON *2010-on Have Larger Rotors*	2007-2014	F	**2536E**	●	●	●	●	●	●		V	302	55.4	28	**26.4**	72	5
		R	**2537**	●	●	●	●	●	●		S	316	76.7	12	**10.4**	72	5
JK / J8	2012	F	**2630**	●	●	○	●	●	○		V	332	55.5	28	**26.4**	72	5

The Kangaroo Paw design is not available on all part numbers, ask your supplier for details. FOR LATEST CATALOGUE LISTINGS REFER TO WWW.DBA.COM.AU

F721 2019 Red Master v45.indd 133 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

KIA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
CARNIVAL																	
KV11 Series SINGLE PISTON CALIPER	1999-4/2000	F	**877**	●	○						V	274	48	24	**22**	72	5
TWIN PISTON CALIPER	05/2000-11/2003	F	**878**	●	○	○					V	274	48	26	**24**	72	5
	12/2003-11/2005	F	**2870**	●	○	○	●	○	○		V	274	50.5	28	**26**	72	5
	2006-2007	F	**2871E**	●	○	○	○	○			V	300	54.1	28	**26**	96.3	6
VQ Series 2.7L	2006-05/2011	F	**2871E**	●	○	○	○	○			V	300	54.1	28	**26**	96.3	6
		R	**2892**	●							S	324	69	12	**10.4**	96.3	6
YP Series 2.2L TD & 3.3L PETROL	02/2015-on	F	**2786E**	●	○						V	320	49.2	29	**27**	69	5
		R	**2787E**	●	○						S	324	66	13	**11.4**	69	5
CARNIVAL GRAND																	
VQ Series 2.2L TD 3.0L TD, 3.5L & 3.8L	01/2006-01/2015	F	**2871E**	●	○	○	○	○			V	300	54.1	28	**26**	96.3	6
		R	**2892**	●							S	324	69	12	**10.4**	96.3	6
CERATO																	
LD Series 2.0L	07/2004-01/2009	F	**2872**	●	○						V	275	47.5	26	**24**	69	4
If Discs Fitted		R	**2873**	●	○						S	258	41.5	10	**8**	76	4
TD Series 2.0L	02/2009-09/2013	F	**2464E**	●	●	○					V	280	47.5	26	**24.4**	69	5
		R	**2891E**	●	○						S	262	61	10	**8.4**	76	5
YD Series 1.8L & 2.0L *Australian*	04/2013-2018	F	**2478**	●	●						V	280	44.5	23	**21.5**	69	5
		F	**2456E**	●	●	○	●	●	○		V	300	47.5	28	**26**	69	5
		R	**2479**	●	○						S	262	45	10	**8.4**	76	5
CREDOS																	
CREDOS 2.0L	5/1998-2001	F	**873**												**22**		
		R	**874**								S	260	40	10	**8**	72	4
K2700																	
K2700	2002-2008	F	**2890**	●							V	261	24	24	**22**	86	6
K2900																	
PU3 Series 2.9L TD	12/2009-01/2013	F	**3348E**								V	277.8	26.9	26.2	**24**	92	5
MAGENTIS																	
MG Series 2.4L FWD EX, EX-L & LX	08/2006-03/2010	F	**2464E**	●	●	○					V	280	47.5	26	**24.4**	69	5
4 DOOR SEDAN FWD, MG		R	**461**	●	○						S	262	61	10	**8.4**	76	5
MENTOR																	
MENTOR 1.5 L & 1.8 L	11/1996-2/2003	F	**875**	●	○						V	240	44	20	**18**	57	4
SHUMA /SPECTRA	1997-2000	F	**875**	●	○						V	240	44	20	**18**	57	4
OPTIMA																	
GD Series 2.5L V6	05/2001-07/2006	F	**2894E**	●	○						V	257	47.5	25	**22.4**	69	4
		R	**2895**	●	○	○					S	261	61.5	9.8	**8.4**	76	4
TF Series 2.4L PLATINUM Si & SLi	01/2011-10/2015	F	**2472**	●	○	○					V	320	47	28	**26**	69	5
With Manual Handbrake		R	**2457**	●	○	○					S	284	54.5	10	**8.4**	75	5
With Electric Handbrake		R	**2489E**	●	○						S	284	31.9	10	**8.4**	76	5
ALL – USA MANUFACTURE *– USA Application*	2012-2015	F	**2456E**	●	●	○	●	●	○		V	300	47.5	28	**26**	69	5
ALL – USA MANUFACTURE *– USA Application*		R	**2457**	●	○	○					S	284	54.5	10	**8.4**	75	5
JF Series 2.0L TURBO & 2.4L Non TURBO	11/2015-on	F	**2472**	●	○	○					V	320	47	28	**26**	69	5
		R	**2489E**	●	○						S	284	31.9	10	**8.4**	76	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 134 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

KIA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
PICANTO																	
BA Series 1.0L	2004-on	F	**3338E**								V	241	49	18	**16**	62	4
TA Series 1.2L HATCH	05/2011-03/2017	F	**3338E**								V	241	49	18	**16**	62	4
		R	**3345E**								S	234	37.5	10	**8.4**	62.5	4
JA Series 1.2L HATCH	05/2017-on	F	**3336E**								V	256	43	20	**18**	62.2	4
		R	**3345E**								S	234	37.5	10	**8.4**	62.5	4
PREGIO																	
PREGIO 2.7L DIESEL	2002-2006	F	**2897**	●	○						V	258	57	26	**24**	87	6
PROCEED																	
JD Series – 15 inch Wheels	2013-on	F	**2478**	●	●						V	280	44.5	23	**21.5**	69	5
16 inch Wheels		F	**2480**	●	○						V	300	47.3	28	**26.4**	69	5
Without Electric Handbrake		R	**2479**	●	○						S	262	45	10	**8.4**	76	5
RIO																	
BC Series 1.5L – *Check Height*	07/2000-07/2006	F	**532**	●	○	○					V	234.8	45	22	**20**	55	4
Check Height		F	**2896**	●	○						V	235	50	22	**20**	55	4
Machined Face 30.9mm	07/2000-08/2002	R	**1904**								Dr	200	67.5		**201.5**	HUB	4
Note: Wider Machined Face 34mm	09/2002-07/2005	R	**1905**								Dr	200	67.5		**201.5**	HUB	4
JB Series 1.4L & 1.6L	08/2005-08/2011	F	**2893E**	●	○						V	256	47	22	**20**	62	4
DRUM		R	**1662**	●							Dr	203	57		**205.2**	62	4
UB Series 1.4L & 1.6L	09/2011-01/2017	F	**2455E**	●	○						V	256	43.9	22	**20**	62	4
		R	**2477**	●	○						S	262	43.9	10	**8.4**	62	4
YB Series 1.4L x 74kW	01/2017-on	F	**3344E**								V	256		22			
		R	**2477**	●	○						S	262	43.9	10	**8.4**	62	4
RONDO																	
UN Series 2.0L EX, LX	04/2008-05/2013	F	**2464E**	●	●	○					V	280	47.5	26	**24.4**	69	5
4 DOOR WAGON FWD UN		R	**TBA**								S	275	61	10	**8.4**	76	5
RP Series Si & SLi 1.7L TURBO DIESEL	2013-2015	F	**2456E**	●	●	○	●	●	○		V	300	47.5	28	**26**	69	5
		R	**TBA**														
RP Series, PLATINUM Si & SLi 2.0L		F	**2456E**	●	●	○	●	●	○		V	300	47.5	28	**26**	69	5
		R	**TBA**														
SEDONA																	
3.8L V6 DOHC 24V	2006-on	F	**2871E**	●	○	○	○	○			V	300	54.1	28	**26**	96.3	6
SORENTO																	
BL Series DIESEL MODELS	2003-09/2009	F	**2898**	●	○	○					V	302	54	28	**26**	96.2	5
BL Series Non DIESEL		F	**2898**	●	○	○					V	302	54	28	**26**	96.2	5
		R	**2899**	●	○						V	315	87.5	20	**18.4**	96.2	5
		R	**2493E**	●	○						V	315	78.5	20	**18.4**	96.2	5
XM Series 2.2L TD	10/2009-2012	F	**2462**	●							V	298	49.5	28	**26.4**	69	5
	2013-05/2015	F	**2474E**	●	○						V	320	49	28	**26.4**	69	5
	2011-2015	R	**2475**	●							S	302	71.4	11	**9.4**	69	5
2.4L SI 4 DOOR WAGON XM		F	**2462**	●							V	298	49.5	28	**26.4**	69	5
TAPPERED HAT		R	**2475**	●							S	302	71.4	11	**9.4**	69	5
3.4L	08/2011-2012	F	**2462**	●							V	298	49.5	28	**26.4**	69	5
	2013-on	F	**2474E**	●	○						V	320	49	28	**26.4**	69	5
TAPPERED HAT		R	**2475**	●							S	302	71.4	11	**9.4**	69	5
UM Series 2.2L TD 3.3L & 3.4L V6	06/2015-on	F	**2474E**	●	○						V	320	49	28	**26.4**	69	5
		R	**2499E**	●							S	305	71.4	11	**9.4**	69	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

KIA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
SPORTAGE																	
JA Series 2.0L	12/1996-2004	F	**876**	●	○	○					V	284	51	24	**22.4**	96	5
KM Series 2.0L TD 2.0L & 2.7L PETROL	2005-7/2010	F	**2464E**	●	●	○					V	280	47	26	**22.4**	69	5
FWD		R	**2459E**	●	●						S	262	61	10	**8.4**	76	5
AWD		R	**465**	●	○	○					S	284	61	10	**8.4**	76	5
SL Series 2.0LTD, 2.0L & 2.4L *Check Size*	05/2010-01/2016	F	**2464E**	●	●	○					V	280	47	26	**22.4**	69	5
Check Size		F	**2456E**	●	●	○	●	●	○		V	300	47.5	28	**26**	69	5
FWD		R	**2459E**	●	●						S	262	61	10	**8.4**	76	5
AWD		R	**465**	●	○	○					S	284	61	10	**8.4**	76	5
QL Series 2.0L & 2.4L FWD & AWD	01/2016-2018	F	**2490E**	●	○						V	305	47	25	**23.4**	69	5
FWD		R	**2492E**	●							S	302	54.5	10	**8.4**	76	5
AWD		R	**2491E**	●	○						S	302	31	10	**8.4**	76	5
SPECTRA																	
ALL – 4 & 5 DOOR	2001-2003	F	**2898**	●	○	○					V	302	54	28	**26**	96.2	5
SOUL																	
AM Series 1.6L FWD 4 DOOR HATCH	04/2009-2014	F	**2464E**	●	●	○					V	280	47	26	**22.4**	69	5
If Rear Rotor Fitted		R	**2891E**	●	○						S	262	61	10	**8.4**	76	5
PS Series 2.0L HATCH	2014-on	F	**2478**	●	●						V	280	44.5	23	**21.5**	69	5
		R	**2479**	●	○						S	262	45	10	**8.4**	76	5
STINGER																	
CK Series 2.0L 200S & 200Si TURBO	07/2017-on	F	**43340E**									320		28	**26**		
3.3L V6 GT, 330S & 330Si TWIN TURBO – Brembo		F	**43341E**									314		13	**11**		
CK Series 2.0L 200S & 200Si TURBO		R	**43342E**									350		30	**28**		
3.3L V6 GT, 330S & 330Si TWIN TURBO – Brembo		R	**43343E**									340		22	**20**		

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 136 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

LANDROVER / RANGE ROVER

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
110 & DEFENDER																	
110, 130 TD4 200, 300 TDI	Up to1994	F	**087**	●	○	○	○	○	●		S	298	70	14	**13**	101.6	5
90	1984-on																
110, 130 TD4 & TD5 200, 300 TDI & LF CREW CAB	1994-2005	F	**086**	●	●	○	●	●	○		V	298	70	24	**22**	101.6	5
	1994-1998	R	**088**	●	○	○	○		○		S	290	61	12.7	**11.7**	101.6	5
110 Series	1999-on	R	**549**	●	●	○	●	○	●		S	298	59	14	**13**	101.6	5
90, 110 Series	1984-2009	F	**087**	●	○	○	○	○	●		S	298	70	14	**13**	101.6	5
Check if V or S		F	**086**	●	●	○	●	●	○		V	298	70	24	**22**	101.6	5
90 Series	1984-2009	R	**088**	●	○	○	○		○		S	290	61	12.7	**11.7**	101.6	5
110 Series	1999-on	R	**549**	●	●	○	●	○	●		S	298	59	14	**13**	101.6	5
DISCOVERY I LJ																	
V8 PETROL 2.5 TDI DIESEL	1989-1998	F	**087**	●	○	○	○	○	●		S	298	70	14	**13**	101.6	5
Check if V or S		F	**086**	●	●	○	●	●	○		V	298	70	24	**22**	101.6	5
		R	**088**	●	○	○	○		○		S	290	61	12.7	**11.7**	101	5
DISCOVERY II LT																	
V8 PETROL, TD5 DIESEL	1999-2004	F	**528**	●	●	○	○	○	○		V	297	91.5	25	**22**	70	5
S, SE & HSE		R	**093**	●	●	○	●	●	●		S	304	62.7	12.6	**11.7**	70	5
DISCOVERY III LM																	
4.0L V6, 2.7L TDV6	2004-2009	F	**2090**	●	●	○	●	●	●		V	317	62.2	30	**27**	79	5
		R	**2091**	●	●	○	○	○	●		V	325	59.6	20	**17**	79	5
4.4L V8 PETROL		F	**2094**	●	○	<@	○	○	○		V	337.5	62.2	30	**27**	79	5
		R	**2095**	●	●	○	○	○	○		V	350	59.6	20	**17**	79	5
DISCOVERY IV L319																	
2.7L TDV6	09/2009-11/2012	F	**2090**	●	●	○	●	●	●		V	317	62.2	30	**27**	79	5
		R	**2091**	●	●	○	○	○	●		V	325	59.6	20	**17**	79	5
3.0L SDV6 & TDV6 *To AA222221*	09/2009-07/2017	F	**2096**	●	●	●	●	●	●		V	360	62.2	30	**27**	79	5
To AA222221		R	**2095**	●	●	○	○	○	○		V	350	59.6	20	**17**	79	5
5.0L PETROL	09/2009-06/2015	F	**2096**	●	●	●	●	●	●		V	360	62.2	30	**27**	79	5
		R	**2095**	●	●	○	○	○	○		V	350	59.6	20	**17**	79	5
DISCOVERY V L462																	
TD4, SD4 & TD6	2017-on	F	**2096**	●	●	●	●	●	●		V	360	62.2	30	**27**	79	5
One Only Countersink Hole		R	**2628E**	●	●						V	350	48.9	25	**22**	79	5
DISCOVERY SPORTS LC																	
2.0L TURBO, TD & 2.2L TD	04/2015-on	F	**2084E**	●	○						V	325	52	30	**28**	63.5	5
		R	**2085E**	●	○						S	300	42	10	**8**	63.5	5
EVOQUE LV																	
2.0L – 16 inch Wheels	2011-2017	F	**2080E**	●	○	○					V	300	52	28	**26**	63.5	5
17 inch Wheels		F	**2084E**	●	○						V	325	52	30	**28**	63.5	5
Up to FH999999		R	**2129E**	●	●						S	302	51	11	**9**	63.5	5
From GH000001		R	**2643E**	●	○		○				S	317	50.8	10	**8**	63.5	5
FREELANDER																	
1.8L PETROL & 2.0L DIESEL	Up to 12/2000	F	**526**	○	○						S	262	51	14	**11**	66	5
V6 PETROL & TD4 DIESEL	2001-2006	F	**527**				●	○	○		V	277	51.5	21	**18**	66	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

LANDROVER / RANGE ROVER

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
FREELANDER II FA																	
1.9L & 2.2L TD	2007-2015	F	**2080E**	●	○	○					V	300	52	28	**26**	63.5	5
Up to CH999999 Straight Hat		R	**2081E**	●	○						S	302	66	12	**10**	63.5	5
From DH000001 Tapered Hat	2013-on	R	**2086E**	●	○						S	302	59.9	11	**9**	63.5	5
3.2L SE & HSE	06/2007-11/2012	F	**2082E**	●	○						V	316	52	28	**26**	63.5	5
		R	**2083E**	●	○						V	302	66	20	**18**	63.5	5
RANGE ROVER CLASSIC																	
CLASSIC	1972-1986	F	**087**	●	○	○	○	○	●		S	298	70	14	**13**	101	5
CLASSIC – V DISC	1990-on	F	**086**	●	●	○	●	●	○		V	298	70	24	**22**	101.6	5
CLASSIC – REAR	1972-on	R	**088**	●	○	○	○		○		S	290	61	12.7	**11.7**	101	5
RANGE ROVER II																	
4.0 & 4.6L V8 P38 TURBO DIESEL 2.5L 6 Cyl	1995-2001	F	**092**	●							V	297	64.6	25	**22**	70	5
		R	**093**	●	●	○	●	●	●		S	304	62.7	12.6	**11.7**	70	
RANGE ROVER III L322																	
3.0L TD HSE, SE, VOGUE & TD6	08/2002-01/2007	F	**2092**				●	●	○		V	344	76.2	30	**28.4**	79	5
SOLID		R	**093**	●	●	○	●	●	●		S	304	62.7	12.6	**11.7**	70	5
SOLID		R	**2093**				●	●	●		S	354	75	12	**10.4**	79	5
VENTED		R	**2097**	●	○	○	●	○	○		V	354	75.1	20	**17**	79	5
3.6L VOGUE, TDV8 & 4.2L V8 SUPERCHARGED	02/2007-12/2010	F	**2098**				●	●	○		V	360	81.3	30	**27**	79	5
SOLID		R	**2093**				●	●	●		S	354	75	12	**10.4**	79	5
VENTED		R	**2097**	●	○	○	●	○	○		V	354	75.1	20	**17**	79	5
4.4L HSE & VOGUE	08/2002-12/2007	F	**2092**				●	●	○		V	344	76.2	30	**28.4**	79	5
		F	**2098**				●	●	○		V	360	81.3	30	**27**	79	5
SOLID		R	**2093**				●	●	●		S	354	75	12	**10.4**	79	5
VENTED		R	**2097**	●	○	○	●	○	○		V	354	75.1	20	**17**	79	5
5.0L VOGUE & SUPERCHARGED	09/2009-01/2013	F	**2096**	●	●	●	●	●	●		V	360	62.2	30	**27**	79	5
		R	**2097**	●	○	○	●	○	○		V	354	75.1	20	**17**	79	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 138 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness

D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

LANDROVER / RANGE ROVER

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
RANGE ROVER III L320 SPORT																	
2.7L TDV6 – 17 inch Wheels	2005-2009	F	**2090**	●	●	○	●	●	●		V	317	62.2	30	**27**	79	5
18 & 19 inch Wheels		F	**2096**	●	●	●	●	●	●		V	360	62.2	30	**27**	79	5
17 inch Wheels		R	**2091**	●	●	○	○	○	●		V	325	59.6	20	**17**	79	5
18 & 19 inch Wheels		R	**2095**	●	●	○	○	○	○		V	350	59.6	20	**17**	79	5
3.6L TDV8 & 4.2L PETROL SUPERCHARGED		F	**2096**	●	●	●	●	●	●		F	360	62.2	30	**27**	79	5
		R	**2095**	●	●	○	○	○	○		V	350	59.6	20	**17**	79	5
4.4 L PETROL – 17 inch Wheels		F	**2094**	●	○	<@	○	○	○		V	337.5	62.2	30	**27**	79	5
18 & 19 inch Wheels		F	**2096**	●	●	●	●	●	●		F	360	62.2	30	**27**	79	5
		R	**2095**	●	●	○	○	○	○		V	350	59.6	20	**17**	79	5
3.0L TDV6 & SDV6 – *To AA215622*	2009-2013	F	**2096**	●	●	●	●	●	●		F	360	62.2	30	**27**	79	5
		R	**2095**	●	●	○	○	○	○		V	350	59.6	20	**17**	79	5
5.0L V8 – *To AA215622*		F	**2096**	●	●	●	●	●	●		F	360	62.2	30	**27**	79	5
		R	**2095**	●	●	○	○	○	○		V	350	59.6	20	**17**	79	5
RANGE ROVER L405																	
LG Series	2013-2018	F	**2096**	●	●	●	●	●	●		V	360	62.2	30	**27**	79	5
		F	**3090E**	●	○		●	○	○		V	380	62	34	**31**	79	5
		R	**2628E**	●	●						V	350	48.9	25	**22**	79	5
		R	**3091E**	●	●		●	○	○		V	365	49	25	**22**	79	5
RANGE ROVER L494 SPORT																	
LW Series	10/2013-2017	F	**2096**	●	●	●	●	●	●		V	360	62.2	30	**27**	79	5
		F	**3090E**	●	○		●	○	○		V	380	62	34	**31**	79	5
		R	**2628E**	●	●						V	350	48.9	25	**22**	79	5
		R	**3091E**	●	●		●	○	○		V	365	49	25	**22**	79	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

LEXUS

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
CT 200H																	
ZWA10R HYBRID 1.8L	2011-on	F	**2752E**	●	○						V	256	49.6	25	**22**	55	5
		R	**2784E**	●	○						S	279	30.3	10	**8.5**	55	5
ES 240																	
3.5L V6 ACV40	05/2006-on	F	**2709E**	●	●	●	●	●	●		V	296	49.3	28	**25**	62	5
		R	**2707E**	●	●	○	●	●	○		S	286	65	10	**8.5**	62	5
ES 300																	
ES 300	1992-1999	F	**735**	●	●	○					V	275	49.5	28	**26**	62	5
		R	**734**								S	288	65	10	**9**	62	5
ES 300	8/1999-2001	F	**735**	●	●	○					V	275	49.5	28	**26**	62	5
ES 300	7/2001-2008	F	**2705**	●	○	○	●	○	○		V	296	49.5	28	**26**	62	5
3.0L VF6 MCV30 THAI SPECS		R	**2711**	●							S	269	65	12	**10.5**	62	5
		R	**2713**	●	●	●	●	●	○		S	281	67	10	**8.5**	62	5
ES 300H																	
AVV60R 2.5L	11/2013-on	F	**2709E**	●	●	●	●	●	●		V	296	49.3	28	**25**	62	5
ES 350																	
3.5L V6 GSV60R	2013-on	F	**2709E**	●	●	●	●	●	●		V	296	49.3	28	**25**	62	5
GS SERIES																	
ALL MODELS	1993-2005	F	**4748**				●	●	●		V	296	51	32	**30**	62	5
		R	**4749**				●	●	○		S	307	63	12	**10.5**	62	5
GS200T ARL10 / ARL140R SPORTS UPGRADE	12/2015-on	F	**2720L&R**	●	●						V	334	51	30	**27**	62	5
		R	**2233E**	●							V	310	67.3	18	**16.5**	62	5
GS250 GRL11R 2.5L	04/2012-on	F	**2720L&R**	●	●						V	334	51	30	**27**	62	5
		R	**2233E**	●							V	310	67.3	18	**16.5**	62	5
GS300 GRS190R 3.0L RWD	03/2005-03/2012	F	**2720L&R**	●	●						V	334	51	30	**27**	62	5
		R	**2721**	●	●						V	310	67.5	18	**16.5**	62	5
GS300H AWL10R 2.5L HYBRID SPORTS UPGRADE	12/2013-on	F	**2720L&R**	●	●						V	334	51	30	**27**	62	5
		R	**2233E**	●							V	310	67.3	18	**16.5**	62	5
GS350 GRS191 3.5L	08/2005-12/2011	F	**2720L&R**	●	●						V	334	51	30	**27**	62	5
		R	**2721**	●	●						V	310	67.5	18	**16.5**	62	5
GS350 GRL10 & GRL12 3.5L	04/2012-on	F	**2720L&R**	●	●						V	334	51	30	**27**	62	5
		R	**2233E**	●							V	310	67.3	18	**16.5**	62	5
GS430 4.2L / GS450H GWS191R 2.5L	05/2006-03/2012	F	**2720L&R**	●	●						V	334	51	30	**27**	62	5
		R	**2721**	●	●						V	310	67.5	18	**16.5**	62	5
GS460 URS190R 4.6L V8	2008-2011	F	**2720L&R**	●	●						V	334	51	30	**27**	62	5
		R	**2721**	●	●						V	310	67.5	18	**16.5**	62	5
GS450H GWL10R HYBRID	05/2012-on	F	**2720L&R**	●	●						V	334	51	30	**27**	62	5
		R	**2233E**	●							V	310	67.3	18	**16.5**	62	5
GS-F SERIES																	
Series URL10 5.0L V8	12/2015-on	F	**52788**							●	V	380	50.8	34	**32**	62	5
GX SERIES																	
ALL MODELS	9/2002-2009	F	**2700**	●	●	●	●	●	●		V	338	68	28	**26**	108	6
		R	**793**	●	●	●	●	●	●		V	312	68	18	**16**	106	6

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 140 17/9/19 7:15 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

LEXUS

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
HS 250H																	
ANF10R Series HYBRID 2.4L	07/2009-on	F	**2754E**	●	○						V	275	46.5	25	**22**	62	5
		R	**2745**	●	○						S	281	55	12	**10.5**	62	5
IS-F																	
USE20R	10/2008-2016	F	**2758**	●	●	○	●	●			V	360	60.7	30	**28**	62	5
		R	**2759**	●	●	○	○	●	○		V	344.9	61.7	28	**26**	62	5
IS 200																	
IS 200	1999-2005	F	**4748**				●	●	●		V	296	51	32	**30**	62	5
		R	**4749**				●	●	○		S	307	63	12	**10.5**	62	5
IS 200T																	
AVE30R 2.0L TURBO	2015-11/2017	F	**2720L&R**	●	●						V	334	51	30	**27**	62	5
		R	**2233E**	●							V	310	67.3	18	**16.5**	62	5
IS 220D																	
ALE20R 2.2L TD	2006-2008	F	**2726E**	●	●	○					V	296	49.5	28	**26**	62	5
		R	**2721**	●	●						V	310	67.5	18	**16.5**	62	5
IS 250 & 250C																	
ALL MODELS *Check CHINA Specifications*	2010-2013	F	**2726E**	●	●	○					V	296	49.5	28	**26**	62	5
		R	**2727E**	●	●	○					S	291	61.5	10	**8.5**	62	5
	2013-2015	R	**2721**	●	●						V	310	67.5	18	**16.5**	62	5
IS 300																	
ALL MODELS	2000-2005	F	**4748**				●	●	●		V	296	51	32	**30**	62	5
		R	**4749**				●	●	○		S	307	63	12	**10.5**	62	5
ASE30R 2.0L TURBO	10/2017-on	F	**2720L&R**	●	●						V	334	51	30	**27**	62	5
		R	**2233E**	●							V	310	67.3	18	**16.5**	62	5
IS 300H																	
AVE30R HYBRID 2.4L	2013-on	F	**2726E**	●	●	○					V	296	49.5	28	**26**	62	5
		R	**TBA**														
IS 350																	
ALL MODELS	2007-2016	F	**2720L&R**	●	●						V	334	51	30	**27**	62	5
		R	**2721**	●	●						V	310	67.5	18	**16.5**	62	5
GSE31R 3.5L	2017-on	F	**2720L&R**	●	●						V	334	51	30	**27**	62	5
		R	**2233E**	●							V	310	67.3	18	**16.5**	62	5
LS 400																	
LS 400	4/1990-1992	F	**737**	●							V	276	51	28	**26**	60	5
		R	**738**	●	○						V	291	67.5	16	**15**	60	5
LS 400	1993-1994	F	**4748**				●	●	●		V	296	51	32	**30**	62	5
4.0L UCF20R 4 DOOR SEDAN	11/1994-11/2000	F	**745**								V	315	53.5	28	**26**	62	5
		R	**746**	●	●		●	●	○		V	307	67	16	**15**	62	5
4.0L UCF21R 4 DOOR SEDAN	1994-1998	F	**4748**				●	●	●		V	296	51	32	**30**	62	5
Check OE Disc Diameter		F	**745**								V	315	53.5	28	**26**	62	5
		R	**746**	●	●		●	●	○		V	307	67	16	**15**	62	5
LS 430																	
V8 4.2L	5/2001-2007	F	**845**	●	○	○	○		○		V	315	50.25	30	**28**	62	5
		R	**846**								V	310	67.5	16	**14.5**	62	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

LEXUS

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
LS 460																	
ALL MODELS	2007-2015	F	**2728E**	●	●		○	●			V	357.1	60.5	34	**31**	62	5
		R	**2729E**	●	○		○				V	334.9	66	22	**20**	62	5
LS 600H																	
UVF45R & UVF46R V8	2012-on	F	**2728E**	●	●		○	●			V	357.1	60.5	34	**31**	62	5
		R	**2729E**	●	○		●				V	334.9	66	22	**20**	62	5
LX 450D																	
VDJ201R 4WD 4.5L V8	2015-on	F	**2724E**	●	●	●	●	●	●		V	354	83.5	32	**29**	112	5
		R	**2723E**	●	●	●	●	●	●		V	345	76.5	18	**16**	112	5
LX 470																	
UZJ100R V8 DOHC 4.7L 4WD	4/1998-2007	F	**788**	●	●	●	●	●	●		V	312	71	32	**30**	115	5
		R	**789**	●	●	●	●	●	●		V	330	103	18	**16**	110	5
LX 570																	
5.7L V8 URJ201	11/2007-2012	F	**2722E**	●	●	○	●	●	●		V	340	83.6	32	**29**	112	5
		R	**2723E**	●	●	●	●	●	●		V	345	76.5	18	**16**	112	5
NX 200T																	
AGZ10R FWD & AGZ15R AWD	2015-on	F	**2748E**	●	●	●	●	●	●		V	328	49.5	28	**25**	62	5
		R	**2765E**	●							S	281	44.3	12	**10.5**	62	5
NX 300H																	
AYZ10R FWD & AYZ15R AWD HYBRID	2015-on	F	**2748E**	●	●	●	●	●	●		V	328	49.5	28	**25**	62	5
		R	**2765E**	●							S	281	44.3	12	**10.5**	62	5
RC-F																	
USC Series 10R 5.0L V8	11/2014-on	F	**52788**							●	V	380	50.8	34	**32**	62	5
RC 200T																	
ASC10R Series 2.0L TURBO	12/2015-on	F	**TBA**														
		R	**2233E**	●							V	310	67.3	18	**16.5**	62	5
RC 350																	
GSC10R Series 3.5L V6	11/2014-on	F	**2720L&R**	●	●						V	334	51	30	**27**	62	5
		R	**2233E**	●							V	310	67.3	18	**16.5**	62	5
RX 200T																	
AGL20R Series 2.0L TURBO	11/2015-on	F	**3450E**	●							V	328	49.4	28	**25**	62	5
		R	**3451E**								V	338	39.5	18	**16.5**	62	5
RX 270																	
AGL10R 2.6L FWD	2012-on	F	**2748E**	●	●	●	●	●	●		V	328	49.5	28	**25**	62	5
		R	**2733**	●	●	●	●	●	●		S	309	62.6	10	**8.5**	62	5
RX 300																	
MCU10, ACU10 & MCU15	1998-11/2001	F	**2712**		○	○					V	296	49.5	28	**26**	62	5
		R	**734**								S	288	65	10	**9**	62	5
RX 330 & RX 350																	
3.3L V6 4WD & FWD	3/2003-2009	F	**2702**	●	●	●	●	●	●		V	320	49.3	28	**26**	62	5
3.5L V6	2010-2015	F	**2748E**	●	●	●	●	●	●		V	328	49.5	28	**25**	62	5
		R	**2735**	●	●	●					S	309	69.7	10	**8.5**	62	5
3.5L	3/2003-on	R	**2703**	●	●	●					S	288	69.5	10	**8.5**	62	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 142 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

LEXUS

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
RX 350																	
GGL10R & GGL15R 3.5L 204kW 4WD	02/2009-10/2015	F	**2748E**	●	●	●	●	●	●		V	328	49.5	28	**25**	62	5
Check Rear Disc Specs		R	**2733**	●	●	●	●	●	●		S	309	62.6	10	**8.5**	62	5
GSU35R Series, *Check All Specs*	02/2006-01/2009	F	**2702**	●	●	●	●	●	●		V	320	49.3	28	**26**	62	5
		F	**2748E**	●	●	●	●	●	●		V	328	49.5	28	**25**	62	5
		R	**2703**	●	●	●					S	288	69.5	10	**8.5**	62	5
GGL25R Series 3.5L V6	11/2015-on	F	**3450E**	●							V	328	49.4	28	**25**	62	5
		R	**3451E**								V	338	39.5	18	**16.5**	62	5
RX 400H																	
MHU38R Series	10/2006-2008	F	**2702**	●	●	●	●	●	●		V	320	49.3	28	**26**	62	5
		R	**2703**	●	●	●					S	288	69.5	10	**8.5**	62	5
RX 450H																	
GYL15R & GYL16R 3.5L 183kW 4WD	06/2009-10/2015	F	**2748E**	●	●	●	●	●	●		V	328	49.5	28	**25**	62	5
		R	**2733**	●	●	●	●	●	●		S	309	62.6	10	**8.5**	62	5
GYL25R AWD 3.5L V6	11/2015-on	F	**3450E**	●							V	328	49.4	28	**25**	62	5
		R	**3451E**								V	338	39.5	18	**16.5**	62	5
SC SERIES																	
SC 300	1999-2000	F	**4748**				●	●	●		V	296	51	32	**30**	62	5
SC 400	1992-2000																
SC 430	2002-2010																
		R	**4749**				●	●	○		S	307	63	12	**10.5**	62	5
SOARER																	
JZZ30 Engine: 1JZGTE 2.5L TURBO UZZ32 Engine: 1UZFE 4.0L V8	1991-on	F	**4748**				●	●	●		V	296	51	32	**30**	62	5
		R	**746**	●	●		●	●	○		V	307	67	16	**15**	62	5
JZZ31 Engine: 2JZGE 3.0L	1994-on	F	**568**								V	275	49.5	28	**26**	62	5
UZZ30 Engine: 1UZFE 4.0L V8 UZZ31 Engine: 1UZFE 4.0L V8	1991-on																
		R	**586**								V	291	67.5	16	**15**	60	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

LEYLAND

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
LEYLAND																	
P76	1973-1974	F	**068**	●	○	○					V	273	62	25.4	**22.74**	HUB	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 144 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

LOTUS

Model	Years	F/R	DBA No.	STREET OEM	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
ELISE S1																	
ALL *Except* SPORT	3/2000-on	F/R	**5355**							●	V	280	26	26	**24.5**	56.6	4
SPORT 135, 190, 111S MODELS With LOTUS OEM CROSS-DRILLED ROTORS		F/R	**52356**							○	V	280	29.4	26	**24.5**	56.6	4
ELISE S2 / EXIGE																	
ELISE S2	2001-on	F/R	**42355**				●	●	●	●	V	288	44.5	26	**24.5**	60.1	4
ELISE Series 2 HAT TYPE UPGRADE OPTION	2001-2015	F/R	**42359**				●	●	○		V	308	44.5	26	**24**	60.1	5
ELISE Series 2 UPGRADE FLAT ROTOR Only	2001-2015	F	**52231.1**							●	V	308	26	26	**24**	174	12
EXIGE UPGRADE FLAT ROTOR Only	2004-2011	F	**TBA**														
LOTUS UPGRADE OPTION																	
ELISE S2	2001-on	F/R	**52358**							●	V	296	44.5	26	**24.5**	60.1	4
EVORA																	
EVORA	2009-2015	F	**42364**				○	○			V	350	54	32	**30**	71	5
		R	**42361**				●	●	○		V	332	63	26	**24**	71	5
EXIGE																	
HAT TYPE UPGRADE OPTION	2004-2011	F/R	**42359**				●	●	○		V	308	44.5	26	**24**	60.1	5
EXIGE	2013-2015	F	**42363**				●	●	○		V	332	43.5	32	**30**	70	5
		R	**42361**				●	●	○		V	332	63	26	**24**	71	5
AP UPGRADE FLAT ROTOR Only		F	**52908.1**							●	V	332	32	32	**30**	178	12
		R	**52903.1**							●	V	332	27	26	**24**	195.3	12

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MAZDA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
EARLY SERIES																	
121 DA SHADES	1986-11/1990	F	**635**	○							S	219	37	13	**11**	75	4
121 DB 1.5L	11/1990-2002	F	**530**	●	●	○	○	○	○		V	235	45.5	18	**16**	55	4
121 DB 1.3L	11/1990-1997	F	**525**	●	○						S	235	45	12	**10**	55	4
121 DW METRO	8/1996-2002	F	**530**	●	●	○	○	○	○		V	235	45.5	18	**16**	55	4
DRUM DB 1.3L & DW METRO		R	**1900**								Dr	200	58		**201.5**	55	4
323 SERIES																	
FA4 RWD	11/1976-8/1980	F	**339**								S	206	54	13	**12**	HUB	4
BD10 FWD	1981-1985	F	**100**	●							S	228	31	11	**10**	75	4
DRUM		R	**1611**	●							Dr	180	55		**181**	HUB	4
BF	11/1985-1989	F	**930**	●	○						V	238	31	18	**16**	75	4
BF WAGON *Check Disc Diamater*	6/1986-1988																
BF10 ALL With REAR DISC *Except* WAGON, TURBO Only	4/1987-1989	F	**101**	●	○						V	260	32	18	**16**	75	4
BF10 TURBO, 2WD ALL *Except* 4WD HUB SEAL DIAMETER 54mm		R	**931**								S	222	35	10	**8**	HUB	4
BG ASTINA 1.6L, 1.8L SOHC	1990-1994	F	**532E**	●	○	○					V	235	45.5	22	**20**	55	4
BG 1.8L SOHC		R	**531**	●	●	○	○	○	○		S	231	35	9	**8**	55	4
BG ASTINA 1.8L DOHC		F	**533**	●	●	○					V	257	45.5	22	**20**	55	4
BA PROTEGE 1.6L, 1.8 DOHC	1994-4/1998																
		R	**534**	●	●	○					S	250.5	34.5	9	**8**	55	4
BA ASTINA 2.0L & V6	5/1994-4/1998	F	**535**								V	274	45	22	**20**	72	5
		R	**536**								S	251	34.5	9	**8**	72	5
BJ ASTINA, PROTEGE 1.6L	1998-2002	F	**532E**	●	○	○					V	235	45.5	22	**20**	55	4
BJ ASTINA PROTEGE 1.8L		F	**537**	●	●						V	258	47	24	**22**	55	4
		R	**539**	●	●						S	261	40	10	**8**	55	4
DRUM – BJ Series	1998-2003	R	**1900**								Dr	200	58		**201.5**	55	4
BJ ASTINA PROTEGE 2.0L SP20		F	**950**	●	●	○					V	258	48.5	24	**22**	72	5
		R	**951**	●	○	○					S	261	40	9.5	**8**	72	5
626 SERIES																	
GC FWD	2/1983-2/1984	F	**119**	●							S	250	35	14	**12.5**	75	4
GC FWD & TURBO	1984-1987	F	**334**								V	250	35	20	**18.5**	75	4
GD FWD	1987-1991	F	**633**	●	○	○					V	264	47	24	**22**	64	5
GE, EE 2.0L, V6	1992-3/1997	F	**950**	●	●	○					V	258	49	24	**22**	72	5
GF 2.0L	4/1997-on																
Inc GF Series II		R	**951**	●	○	○					S	261	40	9.5	**8**	72	5
GV 626 WAGON 2WD & 4WD	1988-9/1997	F	**633**	●	○	○					V	264	47	24	**22**	64	5
929 / 929L SERIES																	
HBES COUPE, SEDAN HARDTOP	1984-1987	F	**940**								V	246	56	20	**18**	HUB	4
HC10 V6 Without ABS Series I	1987-1991	F	**638**	●	○						V	255	57	22	**20**	HUB	5
HC10 V6 Series II	11/1989-1991	F	**659**								V	255	72.4	22	**20**	HUB	5
XEDOS 6																	
1.6L, 1.8L, 2.0L	1992-2000	F	**950**	●	●	○					V	258	49	24	**22**	72	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 146 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MAZDA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
ATENZA ***New Zealand***																	
GG & GY Series – *Check All Specs*	05/2002-2008	F	**2950E**	●	●	○	○	○	○		V	274	47.5	24	**22**	72	5
Check All Specs		F	**2953E**	●							V	282.5	49	25	**23**	72	5
Check All Specs		F	**2960**	●	●	○	●	●	●		V	320	46.5	25	**23**	72	5
Check All Specs		R	**2951E**	●	●	○	●	●			S	280	40	10	**8**	72	5
Check All Specs		R	**2961**	●	●	○	●	●	○		S	314	41	11	**9**	72	5
GH Series 2.5L	2008-on	F	**2963E**	●	●	○					V	300	49	25	**23**	72	5
		R	**2951E**	●	●	○	●	●			S	280	40	10	**8**	72	5
AXELA ***New Zealand***																	
BK Series 1.5L & 2.0L	10/2003-2009	F	**2954E**	●	●	●	○	●	○		V	278	49	25	**23**	72	5
		R	**2955E**	●	●	○	○	●	○		S	264	41	11	**9**	72	5
BK Series 2.3L		F	**2956**	●	●	○	●	●	●		V	300	49	25	**23**	72	5
		R	**2957**	●	●	○	●	●	●		S	279.5	41.5	11	**9**	72	5
BK Series 2.3L TURBO	06/2006-05/2009	F	**2962**	●	●	○	●	●	●	●	V	320	49	25	**23**	72	5
		R	**2957**	●	●	○	●	●	●		S	279.5	41.5	11	**9**	72	5
BL Series 1.5L & 2.0L	2009-on	F	**2954E**	●	●	●	○	●	○		V	278	49	25	**23**	72	5
		F	**2956**	●	●	○	●	●	●		V	300	49	25	**23**	72	5
		R	**2955E**	●	●	○	○	●	○		S	264	41	11	**9**	72	5
		R	**2957**	●	●	○	●	●	●		S	279.5	41.5	11	**9**	72	5
BL Series 2.3L TURBO		F	**2962**	●	●	○	●	●	●	●	V	320	49	25	**23**	72	5
		R	**2957**	●	●	○	●	●	●		S	279.5	41.5	11	**9**	72	5
BOUNTY ***New Zealand***																	
UN Series 2.5L TD 4WD – *Check All Specs*	02/1999-2002	F	**959**	●	○						V	274	28	28	**26**	93	6
		F	**2952E**	●	●	○	●	●	○		V	288.5	70.5	28	**26**	98	6
DRUM		R	**1642**	●							Dr	295	80.8		**296.5**	93	6
B SERIES																	
B2000, B2200 & B2600 2WD	1985-1996	F	**631**	●	○						V	256	20	20	**18**	86	6
B2000, B2200 & B2600 4WD		F	**965**	●	○						V	272	25	22	**20**	93	6
B2500, B2600 2WD	1996-2002	F	**958**	●	●						V	255.5	24	24	**22**	86	6
B2500, B2600 4WD		F	**959**	●	○						V	274	28	28	**26**	93	6
B2500, B2600 4WD	2002-2012	F	**2952E**	●	●	○	●	●	○		V	288.5	70.5	28	**26**	98	6
B2600, 4WD	1998-on	F	**964**	●	○						V	275	24	24	**22**	93	6
DRUM B2500 & B2600	1999-2006	R	**1642**	●							Dr	295	80.8		**296.5**	93	6
BT50																	
UN Series – 2.5L & 3.0L TD	2006-2011	F	**2952E**	●	●	○	●	●	○		V	288.5	70.5	28	**26**	98	6
Check Disc Diameter		F	**958**	●	●						V	255.5	24	24	**22**	86	6
UP Series – 2.2L & 3.2L TD	11/2011-2015	F	**2132E**	●	●	●	●	●	●		V	301.5	60.7	32	**30**	98	6
UR Series – 2.2L & 3.2L TD	2015-on	F	**2132E**	●	●	●	●	●	●		V	301.5	60.7	32	**30**	98	6
DRUM 2.2L & 2.5L TD BT50 Non HIGH RIDER	2006-2018	R	**1644**	●							Dr	270	80.7		**271.5**	93	6
DRUM 2.2L, 3.0L & 3.2L TD BT50 HIGH RIDER		R	**1642**	●							Dr	295	80.8		**296.5**	93	6
CAPELLA ***New Zealand***																	
CG Series 1.8L SEDAN	08/1994-07/1997	F	**950**	●	●	○					V	258	49	24	**22**	72	5
		R	**951**	●	○	○					S	261	40	9.5	**8**	72	5
CX-3																	
DK Series 2WD	03/2015-on	F	**2565E**	●	○		○	○			V	280	51.5	25	**23**	68	5
DK Series 4WD		F	**2570E**	●	●						V	295	51.5	25	**23**	68	5
ALL REARS		R	**2569E**	●	○						S	281	35.7	9.5	**7.5**	68	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MAZDA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
CX-5																	
KE ALL MODELS	2011-2017	F	**2548**	●	●	○					V	297	52	28	**26**	68	5
		R	**2549**	●	○						S	303	40	10	**8**	68	5
KF Series 2.0L FWD & 2.5L AWD Non TURBO	03/2017-on	F	**3552E**	●							V	297	51.5	28	**26**	68	5
		R	**2549**	●	○						S	303	40	10	**8**	68	5
2.2L TWIN TURBO DIESEL		F	**3550E**	●	○						V	320	51.5	28	**26**	68	5
		R	**2549**	●	○						S	303	40	10	**8**	68	5
CX-7																	
ALL – *Check All Specs*	2006-2012	F	**2562**	●	●	●					V	296	48.5	28	**26**	72	5
		F	**2566**	●	●						V	320	48.3	28	**26**	72	5
		R	**2563**	●	●						V	302	57	18	**16**	72	5
TURBO DIESEL		R	**2567**	●	●						V	324	56	18	**16**	72	5
CX-9																	
TB Series 3.8L V6 DOHC	12/2007-07/2016	F	**2566**	●	●						V	320	48.3	28	**26**	72	5
		R	**2567**	●	●						V	324	56	18	**16**	72	5
TC Series 2.5L TURBO	08/2016-on	F	**3550E**	●	○						V	320	51.5	28	**26**	68	5
		R	**3551E**	●							S	325	45	11	**9**	68	5
DEMO ***New Zealand***																	
DW Series	08/1996-07/2002	F	**530**	●	●	○	○	○	○		V	235	45.5	18	**16**	55	4
DRUM – *Check Specs*		R	**1900**								Dr	200	58		**201.5**	55	4
DY SERIES – *Check Specs*	08/2002-06/2007	F	**2100**	●	●		○	○			V	258	43.5	22	**20**	63.5	4
DRUM – *Check Specs* Hub Type / Height 81mm		R	**1626**	●							Dr	203	81		**204.3**	HUB	4
DE Series	2007-on	F	**2568E**	●	●						V	258	44	23	**21**	55	4
DRUM – *Check Specs*		R	**1628**	●							Dr	200	57.3		**201.5**	55	4
E SERIES																	
E2000 – E2200 VAN, STD & LWB	1984-5/1992	F	**631**	●	○						V	256	20	20	**18**	86	6
	1984-1997	F	**934**								V	268	20	20	**18**	86	6
E2000 – 2200 VAN	5/1992-1994	F	**958**	●	●						V	255.5	24	24	**22**	86	6
FAMILIA ***New Zealand***																	
BHA Series 1.5L SEDAN	06/1994-09/1998	F	**532E**	●	○	○					V	235	45.5	22	**20**	55	4
		R	**536**								S	251	34.5	9	**8**	72	5
BJ Series 2.0L SPORT WAGON	08/1999-03/2004	F	**950**	●	●	○					V	258	49	24	**22**	72	5
		R	**951**	●	○	○					S	261	40	9.5	**8**	72	5
MAZDA 2																	
DY Series 1.5L HATCH	2003-2008	F	**2958**	●	○						V	258	43.5	22	**20**	55	4
DRUM – *Check Specs* Hub Type / Height 81mm		R	**1626**	●							Dr	203	81		**204.3**	HUB	4
DE Series 1.5L – *Check 100 PCD*	2008-2014	F	**2568E**	●	●						V	258	44	23	**21**	55	4
DRUM		R	**1628**	●							Dr	200	57.3		**201.5**	55	4
DJ & DL Series 1.5L	2015-on	F	**2572E**	●	○		●	○			V	257.5	43.9	22	**20**	55	4
DRUM		R	**1900**								Dr	200	58		**201.5**	55	4

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 148 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MAZDA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
MAZDA 3 & MPS – AUSTRALIA																	
BK & BL, 2.0L SEDAN, HATCH	2003-1/2014	F	**2954E**	●	●	●	○	●	○		V	278	49	25	**23**	72	5
NEO, MAXX, MAXX SPORT		R	**2955E**	●	●	○	○	●	○		S	264	41	11	**9**	72	5
2.3L SP23	2003-2008	F	**2956**	●	●	○	●	●	●		V	300	49	25	**23**	72	5
2.5L SP25	2009-2014	R	**2957**	●	●	○	●	●	●		S	279.5	41.5	11	**9**	72	5
SUB MODEL i – *USA Application*	2004-2009	F	**2954E**	●	●	●	○	●	○		V	278	49	25	**23**	72	5
SUB MODEL S – *USA Application*	2004-2010	F	**2956**	●	●	○	●	●	●		V	300	49	25	**23**	72	5
MPS 2.3L 4 Cyl TURBO	2006-2014	F	**2962**	●	●	○	●	●	●	●	V	320	49	25	**23**	72	5
		R	**2957**	●	●	○	●	●	●		S	279.5	41.5	11	**9**	72	5
BM Series 2.0L PETROL & SP25	01/2014-07/2016	F	**2565E**	●	○		○	○			V	280	51.5	25	**23**	68	5
		F	**2570E**	●	●						V	295	51.5	25	**23**	68	5
		R	**2571E**	●	○						S	265	39	9	**7**	68	5
BM Series 2.5L SP25	01/2014-2015	F	**TBA**														
		R	**TBA**														
BN Series 2.0L & 2.5L SP25	07/2016-on	F	**2570E**	●	●						V	295	51.5	25	**23**	68	5
		R	**2571E**	●	○						S	265	39	9	**7**	68	5
MAZDA 6																	
2.3L DOHC MZR	2002-2007	F	**2950E**	●	●	○	○	○	○		V	274	47.5	24	**22**	72	5
SEDAN, HATCH, WAGON		R	**2951E**	●	●	○	●	●			S	280	40	10	**8**	72	5
MPS 2.3L 4 Cyl TURBO	2005-2007	F	**2960**	●	●	○	●	●	●		V	320	46.5	25	**23**	72	5
		R	**2961**	●	●	○	●	●	○		S	314	41	11	**9**	72	5
GH Series	12/2008-12/2012	F	**2963E**	●	●	○					V	300	49	25	**23**	72	5
GJ Series	01/2013-2016	F	**2548**	●	●	○					V	297	52	28	**26**	68	5
ALL		R	**2967E**	●	○						S	278	39.5	10	**8**	68	5
GL Series 2.2L TD & 2.5L PETROL	2016-on	F	**2548**	●	●	○					V	297	52	28	**26**	68	5
		R	**2967E**	●	○						S	278	39.5	10	**8**	68	5
MPV																	
LVW D 2.5L, V6, 3.0L	1999-2005	F	**962**								V	274	51	28	**26**	72	5
MPV *New Zealand*																	
LY SERIES 2.3L – *Check Specs*	02/2006-03/2016	F	**962**								V	274	51	28	**26**	72	5
		F	**2562**	●	●	●					V	296	48.5	28	**26**	72	5
		F	**2566**	●	●						V	320	48.3	28	**26**	72	5
		R	**2563**	●	●						V	302	57	18	**16**	72	5
		R	**2567**	●	●						V	324	56	18	**16**	72	5
		R	**956**								V	286	56.5	18	**16**	72	5
MX-3																	
With REAR DRUM	1992-1995	F	**533**	●	●	○					V	257	45.5	22	**20**	55	4
With REAR DISC		F	**533**	●	●	○					V	257	45.5	22	**20**	55	4
		R	**534**	●	●	○					S	250	34.5	9	**8**	55	4

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MAZDA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
MX-5 – MIATA																	
NA 1.6 & 1.8	10/1989-9/1993	F	**530**	●	●	○	○	○	○		V	235	45.5	18	**16**	55	4
		R	**531**	●	●	○	○	○	○		S	231	35	9	**8**	55	4
NA & NB 1.8	9/1993-2000	F	**538**	○	○	○	○	●	●		V	255	45	20	**18**	55	4
Inc TITANIUM & SP TURBO AUTO	2000-on																
REAR Suits ALL MODELS Inc TITANIUM & SP TURBO AUTO	1993-2004	R	**534**	●	●	○					S	250	34.5	9	**8**	55	4
NB 1.8L TITANNIUM & SP TURBO MANUAL MODELS Only	8/2003-5/2005	F	**545**				●	●	●		V	270	46	22	**20**	55	4
NB 1.8L ROADSTER 2005 MODEL	2005																
		R	**546**				○	●	●		S	276	35	10	**8**	55	4
NC 2.0L	5/2005-2014	F	**2959**	●	●	○	●	●	●		V	290	45.1	22	**20**	72	5
		R	**2951E**	●	●	○	●	●			S	280	40	10	**8**	72	5
ND Series 1.5L x 96kW	08/2015-on	F	**2572E**	●	○		●	○			V	258	44	22	**20**	55	4
		R	**2573E**	●	○						S	255	35.7	9.5	**7.5**	55	4
2.0L x 118kW		F	**2964E**	●	○		●	●			V	280	44	22	**20**	55	4
		R	**2965E**	●	○		●	○			S	280	35.6	9.5	**7.5**	55	4
MX-5 UPGRADE																	
GOODWIN UPGRADE		F	**52545**							○	V	280	48.5	21	**19**	55	4
		R	**52546**							○	S	273	36.5	9	**8**	55	4
MAZDA 5 *Europe*																	
ALL MODELS – 16 inch Wheels	2005-on	F	**2956**	●	●	○	●	●	●		V	300	49	25	**23**	72	5
MX 6																	
GC & TURBO	1986-1987	F	**334**								V	250	35	20	**18.5**	75	4
GD TURBO	1987-1991	F	**633**	●	○	○					V	264	47	24	**22**	64	5
GE	1991-1997	F	**950**	●	●	○					V	258	49	24	**22**	72	5
		R	**951**	●	○	○					S	261	40	9.5	**8**	72	5
PREMACY *New Zealand*																	
1.8L – Rear Drum Brakes	1999-2001	F	**950**	●	●	○					V	258	49	24	**22**	72	5
2.0L	2001-2003	R	**951**	●	○	○					S	261	40	9.5	**8**	72	5
CW Series – *Check All Specs*	2010-on	F	**2954E**	●	●	●	○	●	○		V	278	49	25	**23**	72	5
		F	**2956**	●	●	○	●	●	●		V	300	49	25	**23**	72	5
		R	**2957**	●	●	○	●	●	●		S	279.5	41.5	11	**9**	72	5
RX-7																	
RX7 Series 1, 2 SA22	1979-1983	F	**336**								V	228	59	18	**17**	HUB	4
RX7 Series 4 FC1	2/1986-4/1992	F	**636**	●	●	○					V	276	65	22	**20**	77	5
RX7 Series 4 TURBO FC1		R	**637**	●	●	○					V	273	53	20	**18**	66	5
RX7 FD 103	4/1992-2000	F	**947**	●	●	○	●	●	○		V	294	67	22	**20**	72	5
RX-8																	
RX8 – STANDARD SUSPENSION MODELS	2003-2010	F	**2552**				●	●	○		V	302.5	45	24	**22**	72	5
		R	**2551**				○	●	○		V	302	43	18	**16**	72	5
RX8 – SPORTS SUSPENSION MODELS – *Australia*		F	**2550**				●	●	○	○	V	323	46	24	**22**	72	5
		R	**2551**				○	●	○		V	302	43	18	**16**	72	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 150 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MAZDA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
TRIBUTE																	
ALL MODELS	2000-2005	F	**957**	●	○	○					V	278	47	24	**22**	72	5
DRUM 3.0L V6	2001-2005	R	**1911**								Dr	228.7	66		**230.1**	72	5
2.3L 4 Cyl, 3.0L V6	2006-2008	F	**2560**	●	●	○	●	●	●		V	302.7	47.2	26	**24**	72	5
		R	**2561**	●	○	○					S	302	56.1	12	**11**	72	5
REAR 22mm THICK		R	**2268**	●							V	285	93	22	**19**	120	6
VERISA ***New Zealand***																	
DC Series 1.5L HATCH *– Check Specs*	06/2004-10/2015	F	**2958**	●	○						V	258	43.5	22	**20**	55	4

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MERCEDES BENZ

EARLY MODEL MERCEDES BENZ

Model		Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
180E	W201 [201018]	10/1991-12/1993	F	**260**								S	262	43	11	**9**	67	5
			R	**261**	●	○						S	258	55	9	**7.3**	67	5
190	W201 [201023]	1985-1990	F	**260**								S	262	43	11	**9**	67	5
			R	**261**	●	○						S	258	55	9	**7.3**	67	5
190D	W201 [201126]	1984-1991	F	**260**								S	262	43	11	**9**	67	5
			R	**261**	●	○						S	258	55	9	**7.3**	67	5
190E	W201 [201018 & 201024]	1990-1991	F	**260**								S	262	43	11	**9**	67	5
			R	**261**	●	○						S	258	55	9	**7.3**	67	5
190E	W201 [201034]	1984-1989	F	**279**								V	262	44.5	22	**19.4**	67	5
			R	**261**	●	○						S	258	55	9	**7.3**	67	5
	W201 [201029]	06/1987-03/1991	F	**279**								V	262	44.5	22	**19.4**	67	5
			R	**261**	●	○						S	258	55	9	**7.3**	67	5
220E	W124 [124022]	03/1993-08/1993	F	**264**								V	284	43	22	**19.4**	67	5
			R	**261**	●	○						S	258	55	9	**7.3**	67	5
230	W114 [114015]	1968-1973	F	**250**								S	273	63.3	12.7	**10.6**	70	5
			R	**251**								S	279	72	10	**8.3**	67	5
230	W123 [123023]	1976-1985	F	**254**								S	278	63.3	12.7	**10.6**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
230.4	W115 [115017]	1974-1976	F	**252**								S	273	63.3	12.7	**10.6**	80	5
			F	**254**								S	278	63.3	12.7	**10.6**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
230CE	W124 [124043]	1989-1992	F	**263**								S	284	46	12	**10**	67	5
			F	**269**								V	284	43	22	**19.4**	67	5
			R	**261**	●	○						S	258	55	9	**7.3**	67	5
230E	W123 [123223]	1981-1984	F	**254**								S	278	63.3	12.7	**10.6**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
	W124 [124023]	1986-1989	F	**263**								S	284	46	12	**10**	67	5
		1990-1992	F	**264**								V	284	43	22	**19.4**	67	5
			R	**261**	●	○						S	258	55	9	**7.3**	67	5
230SL	W110 [110011]	1965-1968	F	**252**								S	273	63.3	12.7	**10.6**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
230TE	S123 [123283]	1981-1986	F	**254**								S	278	63.3	12.7	**10.6**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
	S124 [124083]	1986-1989	F	**269**								V	284	43	22	**19.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
240D	W123 [123123]	1976-1984	F	**254**								S	278	63.3	12.7	**10.6**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
	W115 [115117]	1973-1976	F	**252**								S	273	63.3	12.7	**10.6**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
250	W114 [114010 & 114011]	1968-1976	F	**252**								S	273	63.3	12.7	**10.6**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
	W123 [123026]	1977-1981	F	**254**								S	278	63.3	12.7	**10.6**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
250C	W114 [114021]	1969-1976	F	**254**								S	278	63.3	12.7	**10.6**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
250CE	W114 [114022]	1969-1972	F	**252**								S	273	63.3	12.7	**10.6**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
250D	W124 [124185]	1985-1993	F	**263**								S	284	46	12	**10**	67	5
			R	**261**	●	○						S	258	55	9	**7.3**	67	5
260E	W124 [124026]	1988-1991	F	**269**								V	284	43	22	**19.4**	67	5
			R	**261**	●	○						S	258	55	9	**7.3**	67	5
280	W114 [114060]	1972-1976	F	**254**								S	278	63.3	12.7	**10.6**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
280C / CE	W114 [114073 & 114072]	1972-1976	F	**254**								S	278	63.3	12.7	**10.6**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 152 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MERCEDES BENZ

EARLY MODEL MERCEDES BENZ – Continued

Model		Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
280CE	W123 [123053]	1977-1985	F	**254**								S	278	63.3	12.7	**10.6**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
280E	W114 [114062]	1972-1976	F	**254**								S	278	63.3	12.7	**10.6**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
	W123 [123033]	1976-1984	F	**254**								S	278	63.3	12.7	**10.6**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
	W124 [124028]	1992-1995	F	**264**								V	284	43	22	**19.4**	67	5
			R	**261**	●	○						S	258	55	9	**7.3**	67	5
280S	W116 [116020]	1973-1980	F	**255**	●							V	278	67	22	**20**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
280SE	W116 [116024]	1973-1980	F	**255**	●							V	278	67	22	**20**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
	W126 [126022]	1980-1986	F	**258**								V	278	69	22	**19.4**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
280SEL	W116 [116025]	1975-1980	F	**255**	●							V	278	67	22	**20**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
	W126 [126023]	1980-1986	F	**258**								V	278	69	22	**19.4**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
280SL	R107 [107042]	1976-1986	F	**255**	●							V	278	67	22	**20**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
280SLC	W113 [113042]	1967-1971	F	**250**								S	273	63.3	12.7	**10.6**	70	5
			R	**251**								S	279	72	10	**8.3**	67	5
	R107 [107022]	1975-1981	F	**255**	●							V	278	67	22	**20**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
280TE	S123 [123093]	1980-1985	F	**254**								S	278	63.3	12.7	**10.6**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
300CE	W124 [124050]	1998-01/1990	F	**269**								V	284	43	22	**19.4**	67	5
			R	**261**	●	○						S	258	55	9	**7.3**	67	5
	W124 [124051]	01/1990-12/1992	F	**266**								V	295	49.5	22	**19.4**	67	5
			R	**267**								S	278	56	9	**7.3**	67	5
300D	W123 [123130]	1976-1984	F	**254**								S	278	63.3	12.7	**10.6**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
	W124 [124130]	1986-1993	F	**263**								S	284	46	12	**10**	67	5
			R	**261**	●	○						S	258	55	9	**7.3**	67	5
300E	W124 [124030 & 124031]	1986-1992	F	**264**								V	284	43	22	**19.4**	67	5
			R	**261**	●	○						S	258	55	9	**7.3**	67	5
300GE	W463 [463228]	1989-1993	F	**2250**				●	○	○		V	315	83	30	**27.4**	85	5
300SE	W126 [126024]	1985-1992	F	**262**								V	300	68.5	27.5	**25.4**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
	W140 [140033]	1991-1993	F	**282**								V	310	83	28	**25.4**	67	5
	SPORT PACK		F	**284**								V	320	82	30	**27.4**	67	5
			R	**283**								S	290	60	12	**9.8**	67	5
300SEL	W126 [126024 & 126025]	1986-1991	F	**262**								V	300	68.5	27.5	**25.4**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
300TE	S124 [124090]	1989-1992	F	**269**								V	284	43	22	**19.4**	67	5
			R	**267**								S	278	56	9	**7.3**	67	5
320CE	W124 [124066] *Up to Chassis B162121*	1993-1994	F	**266**								V	295	49.5	22	**19.4**	67	5
	Chassis B162121-on		F	**268**								V	294	50	24	**22.4**	67	5
			R	**267**								S	278	56	9	**7.3**	67	5
320S	W140 [140032]	1991-1993	F	**282**								V	310	83	28	**25.4**	67	5
			R	**283**								S	290	60	12	**9.8**	67	5
350SE	W116 [116028]	1973-1976	F	**255**	●							V	278	67	22	**20**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5

The Kangaroo Paw design is not available on all part numbers, ask your supplier for details. FOR LATEST CATALOGUE LISTINGS REFER TO WWW.DBA.COM.AU

F721 2019 Red Master v45.indd 153 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MERCEDES BENZ

Model		Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
EARLY MODEL MERCEDES BENZ – Continued																		
350SL	R107 [107043]	1973-1980	F	**255**	●							V	278	67	22	**20**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
350SLC	C107 [107023]	1973-1981	F	**255**	●							V	278	67	22	**20**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
380SE / SEL	W126 [126032 & 126033]	1981-03/1986	F	**258**								V	278	69	22	**19.4**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
380SEC	C126 [126043]	02/1982-03/1986	F	**259**								V	286	60	22	**19.4**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
380SL	R107 [107045]	12/1980-03/1986	F	**258**								V	278	69	22	**19.4**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
400SE / SEL	W140 [140042 & 140043]	1991-1993	F	**284**								V	320	82	30	**27.4**	67	5
			R	**285**								V	300	60	22	**19.4**	67	5
420SE / SEC / SEL	W126 [126034, 126035 & 126046]	04/1986-12/1991	F	**262**								V	300	68.5	27.5	**25.4**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
450SE / SEL	W116 [116032, 116033 & 116036]	1974-1980	F	**255**	●							V	278	67	22	**20**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
450SL	R107 [107044]	1972-1980	F	**255**	●							V	278	67	22	**20**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
450SLC	C107 [107024]	1973-1981	F	**255**	●							V	278	67	22	**20**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
500SE	C126 [126036]	1981-1985	F	**258**								V	278	69	22	**19.4**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
500SE / SEC	W126 [126037]	1981-1986	F	**258**								V	278	69	22	**19.4**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
500SEC	C140 [140070]	1991-1993	F	**280**								V	300	45.5	28	**25.4**	67	5
			R	**285**								V	300	60	22	**19.4**	67	5
500SEL	W126 [126037]	1981-1986	F	**262**								V	300	68.5	27.5	**25.4**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
	W140 [140050 & 140051]	1991-1993	F	**284**								V	320	82	30	**27.4**	67	5
			R	**285**								V	300	60	22	**19.4**	67	5
500SL	R107 [107046]	1981-1985	F	**258**								V	278	69	22	**19.4**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
	R129 [129066 & FA66E]	1989-1990	F	**258**								V	278	69	22	**19.4**	80	5
		1990-1993	R	**251**								S	279	72	10	**8.3**	67	5
560SEC	C126 [126045]	1986-1991	F	**262**								V	300	68.5	27.5	**25.4**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
	W126 [126039]	1986-1991	F	**262**								V	300	68.5	27.5	**25.4**	80	5
			R	**251**								S	279	72	10	**8.3**	67	5
560SL	R107 [107048]	1986-1990	F	**264**								V	284	43	22	**19.4**	67	5
			R	**251**								S	279	72	10	**8.3**	67	5
600SEL	W140 [140057]	1992-1993	F	**284**								V	320	82	30	**27.4**	67	5
			R	**285**								V	300	60	22	**19.4**	67	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 154 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MERCEDES BENZ

Model		Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
A-CLASS																		
A140	W168 [168031] SWB	2000-2001	F	**556**	●							S	260	40.5	12	**10**	67	5
	LWB		F	**557**	●							V	260	40.5	22	**19.4**	67	5
A149	W169 [169331]	2004-2007	F	**557**	●							V	260	40.5	22	**19.4**	67	5
A150	W169 [169331]	2005-2007	F	**TBA**								S	276	44.5	12	**10**	67	5
			R	**2693E**	●			●	○			S	258	57	8	**7**	67	5
	LWB			**557**	●							V	260	40.5	22	**19.4**	67	5
A160	W168 SWB [168033 & 168133]	10/1998-04/2005	F	**556**	●							S	260	40.5	12	**10**	67	5
			R	**559**								S	258	55.2	8	**7**	67	5
	LWB		F	**557**	●							V	260	40.5	22	**19.4**	67	5
A170 CDI	W168 [168008] SWB	1999-2001	F	**556**	●							S	260	40.5	12	**10**	67	5
			R	**2693E**	●			●	○			S	258	57	8	**7**	67	5
A170	W169 [169032 & 169332]	2005-06/2010	F	**2689E**	●	○		○	○			V	276	44.5	22	**19.4**	67	5
			R	**2693E**	●			●	○			S	258	57	8	**7**	67	5
A180	W169 [169032]	2009-2016	F	**2689E**	●	○		○	○			V	276	44.5	22	**19.4**	67	5
			R	**2693E**	●			●	○			S	258	57	8	**7**	67	5
A180 CDI	W169 [169007]	05/2005-06/2010	F	**2689E**	●	○		○	○			V	276	44.5	22	**19.4**	67	5
			R	**2693E**	●			●	○			S	258	57	8	**7**	67	5
A180	W176 [176042]	06/2012-on	F	**2682E**	●	○						V	280	51	25	**22.4**	67	5
	SPORT PACK		F	**2684E**	●	○						V	295	51	28	**26**	67	5
	With Electric Handbrake		R	**2681E**	●	○						S	276	44	9	**7.3**	67	5
A190	W168 [168032 & 168132]	09/1999-04/2005	F	**558**								V	276	35.5	22	**19**	67	5
			R	**559**								S	258	55.2	8	**7**	67	5
A200	W169 [169008 & 169334]	2005-06/2010	F	**2692E**	●	○	○					V	288	44.4	25	**22.4**	67	5
			R	**2693E**	●			●	○			S	258	57	8	**7**	67	5
	W169 [169033 & 169333]	05/2005-06/2010	F	**2689E**	●	○		○	○			V	276	44.5	22	**19.4**	67	5
			R	**2693E**	●			●	○			S	258	57	8	**7**	67	5
A200	W176 [176043] SPORT PACK	06/2012-on	F	**2684E**	●	○						V	295	51	28	**26**	67	5
	With Electric Handbrake		R	**2681E**	●	○						S	276	44	9	**7.3**	67	5
A200CDi	W176 [176001] SPORT PACK	06/2012-on	F	**2684E**	●	○						V	295	51	28	**26**	67	5
	With Electric Handbrake		R	**2681E**	●	○						S	276	44	9	**7.3**	67	5
A200CDi	W176 [176008] SPORT PACK	02/2014-on	F	**2684E**	●	○						V	295	51	28	**26**	67	5
	With Electric Handbrake		R	**2681E**	●	○						S	276	44	9	**7.3**	67	5
A250	W176 [176044]	06/2012-on	F	**2686E**	●	●						V	320	51	30	**28**	67	5
			R	**2685E**	●	○						S	295	44	10	**8.3**	67	5
	W176 [176051]	12/2014-2017	F	**2684E**	●	○						V	295	51	28	**26**	67	5
	SPORT PACK		F	**2686E**	●	●						V	320	51	30	**28**	67	5
			R	**2685E**	●	○						S	295	44	10	**8.3**	67	5
	SPORT PACK		R	**2623E**	●	○						V	295	42.5	22	**19.4**	67	5
A45 AMG	W176 [176052]	07/2013-2016	F	**2684E**	●	○						V	295	51	28	**26**	67	5
			F	**2698E**	●	○		●	●	●		V	350	51	32	**30**	67	5
			R	**2685E**	●	○						S	295	44	10	**8.3**	67	5
			R	**2699E**	●	●		○	●	●		V	330	41.5	22	**20**	67	5
AMG GT-CLASS																		
	C190 & C190S [190377 & 190378] COUPE	07/2015-on	F	**TBA**														
			R	**3359**								V	360	50.5	26	**24**	67	5
	C190 [190477] ROADSTER	12/2016-on	F	**TBA**														
			R	**3359**								V	360	50.5	26	**24**	67	5
	C190C [190380] COUPE	10/2017-on	F	**TBA**														
			R	**3359**								V	360	50.5	26	**24**	67	5
	C190C [190480] ROADSTER		F	**TBA**														
			R	**3359**								V	360	50.5	26	**24**	67	5
	C190R [190379] COUPE		F	**TBA**														
			R	**3359**								V	360	50.5	26	**24**	67	5

The Kangaroo Paw design is not available on all part numbers, ask your supplier for details. FOR LATEST CATALOGUE LISTINGS REFER TO WWW.DBA.COM.AU

F721 2019 Red Master v45.indd 155 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MERCEDES BENZ

Model		Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
B-CLASS																		
B180	W245 [245232]	03/2010-2011	F	**2689E**	●	○		○	○			V	276	44.5	22	**19.4**	67	5
			R	**2693E**	●			●	○			S	258	57	8	**7**	67	5
	W246 & W242 [246242]	04/2012-on	F	**2682E**	●	○						V	280	51	25	**22.4**	67	5
	SPORT PACK		F	**2684E**	●	○						V	295	51	28	**26**	67	5
	With Electric Handbrake		R	**2681E**	●	○						S	276	44	9	**7.3**	67	5
B180CDI	W245 [245207]	05/2006-2011	F	**2692E**	●	○	○					V	288	44.4	25	**22.4**	67	5
			R	**2693E**	●			●	○			S	258	57	8	**7**	67	5
B200	W245 [245233, 245208 & 245234]	11/2005-2012	F	**2692E**	●	○	○					V	288	44.4	25	**22.4**	67	5
			R	**2693E**	●			●	○			S	258	57	8	**7**	67	5
B200	W246 & W242 [246243] SPORT PACK	04/2012-on	F	**2684E**	●	○						V	295	51	28	**26**	67	5
	With Electric Handbrake		R	**2681E**	●	○						S	276	44	9	**7.3**	67	5
B200CDI	W245 [245208 & 245234]	11/2005-2011	F	**2692E**	●	○	○					V	288	44.4	25	**22.4**	67	5
			R	**2693E**	●			●	○			S	258	57	8	**7**	67	5
B200CDi	W246 & W242 [246201] SPORT PACK	11/2011-on	F	**2684E**	●	○						V	295	51	28	**26**	67	5
	With Electric Handbrake		R	**2681E**	●	○						S	276	44	9	**7.3**	67	5
	W246 & W242 [246208]	02/2015-2017	F	**2684E**	●	○						V	295	51	28	**26**	67	5
			R	**2681E**	●	○						S	276	44	9	**7.3**	67	5
B200T	W245 [245234]	11/2005-2011	F	**2692E**	●	○	○					V	288	44.4	25	**22.4**	67	5
			R	**2693E**	●			●	○			S	258	57	8	**7**	67	5
B250	W246 & W242 [246244 & 246246]	05/2012-on	F	**2686E**	●	●						V	320	51	30	**28**	67	5
			R	**2685E**	●	○						S	295	44	10	**8.3**	67	5
C-CLASS																		
C180	CL203 [203746]	10/2002-01/2008	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	CL203 [203735]	12/2001-09/2002	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	S203 [203235]	2000-2002	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			F	**2694E**	●	●	○	●	○	○		V	330	46.5	28	**26**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	S203 [203246]	2002-2005	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
	SPORT PACK		F	**2694E**	●	●	○	●	○	○		V	330	46.5	28	**26**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	SPORT PACK		R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	W203 [203046]	10/2002-06/2007	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
	SPORT PACK		F	**2694E**	●	●	○	●	○	○		V	330	46.5	28	**26**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	SPORT PACK		R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	W203 [203035]	11/2000-09/2002	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**267**								S	278	56	9	**7.3**	67	5
	W204 [204046] Sedan	01/2007-01/2014	F	**2264**								V	288	64.5	25	**22**	67	5
	SPORT PACK		F	**TBA**								V	295	64.5	28	**26**	67	5
			R	**2261**								S	278	57.5	9	**7.3**	67	5
	SPORT PACK		R	**2263**	●	●	○					S	300	57	10	**8.3**	67	5
	W204 [204349] Coupe	07/2011-01/2013	F	**2264**								V	288	64.5	25	**22**	67	5
	SPORT PACK		F	**TBA**								V	295	64.5	28	**26**	67	5
			R	**2261**								S	278	57.5	9	**7.3**	67	5
	SPORT PACK		R	**2263**	●	●	○					S	300	57	10	**8.3**	67	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 156 17/9/19 7:16 pm



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MERCEDES BENZ

C-CLASS – Continued

Model		Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
C180	W204 / C204 [204331] COUPE	2013-on	F	**2264**								V	288	64.5	25	**22**	67	5
	China & South Korea		F	**2262E**	●	●	○					V	295	64.5	28	**25.4**	67	5
			R	**2261**								S	278	57.5	9	**7.3**	67	5
	SPORT PACK		R	**2263**	●	●	○					S	300	57	10	**8.3**	67	5
	W205 [205040] SEDAN		F	**TBA**														
			R	**3351E**								S	300	48.5	12	**10.3**	69	5
C200	CL203 [203745]	2001-2002	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	SPORT PACK		R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	CL203 [203742]	2002-2007	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	W202 [202020]	1994-2000	F	**264**								V	284	43	22	**19.4**	67	5
			R	**261**	●	○						S	258	55	9	**7.3**	67	5
	W202 [202080]	1996-2000	F	**264**								V	284	43	22	**19.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	W202 [202087]	2000-2001	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	W203 [203042]	2002-2007	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
	SPORT PACK		F	**2694E**	●	●	○	●	○	○		V	330	46.5	28	**26**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	SPORT PACK		R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	W203 [203045]	2000-2002	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	S203 [203245]	2001-2002	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	S203 [203242]	2002-2007	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
	SPORT PACK		F	**2694E**	●	●	○	●	○	○		V	330	46.5	28	**26**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	SPORT PACK		R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	W204 [204041, 204048 & 204248]	07/2007-2016	F	**2262E**	●	●	○					V	295	64.5	28	**25.4**	67	5
			R	**2263**	●	●	○					S	300	57	10	**8.3**	67	5
	A205 [205442]	08/2016-on	F	**3350E**								V	305	62.8	28	**25.4**	69	5
			R	**3351E**								S	300	48.5	12	**10.3**	69	5
	C205 [205342]	01/2016-on	F	**3350E**								V	305	62.8	28	**25.4**	69	5
			R	**3351E**								S	300	48.5	12	**10.3**	69	5
	W205 [205042]	08/2014-on	F	**3350E**								V	305	62.8	28	**25.4**	69	5
			R	**3351E**								S	300	48.5	12	**10.3**	69	5
	S205 [205242]	08/2014-on	F	**3350E**								V	305	62.8	28	**25.4**	69	5
			R	**3351E**								S	300	48.5	12	**10.3**	69	5
	S205 [205237]	04/2015-on	F	**TBA**														
			R	**3351E**								S	300	48.5	12	**10.3**	69	5
	A205 EQ [205477] *South Africa*	07/2018-on	F	**3350E**								V	305	62.8	28	**25.4**	69	5
			R	**3351E**								S	300	48.5	12	**10.3**	69	5
	C205 EQ [205377] *South Africa*	07/2018-on	F	**3350E**								V	305	62.8	28	**25.4**	69	5
			R	**3351E**								S	300	48.5	12	**10.3**	69	5
	S205 EQ [205277] *South Africa*	07/2018-on	F	**3350E**								V	305	62.8	28	**25.4**	69	5
			R	**3351E**								S	300	48.5	12	**10.3**	69	5
	W205 EQ [205077] *South Africa*	07/2018-on	F	**3350E**								V	305	62.8	28	**25.4**	69	5
			R	**3351E**								S	300	48.5	12	**10.3**	69	5
C200CDI	W204 [204001 & 204201]	06/2011-2016	F	**2264**								V	288	64.5	25	**22**	67	5
	SPORT PACK		F	**TBA**								V	295	64.5	28	**26**	67	5
			R	**2261**								S	278	57.5	9	**7.3**	67	5
	SPORT PACK		R	**2263**	●	●	○					S	300	57	10	**8.3**	67	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MERCEDES BENZ

C-CLASS – Continued

Model		Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
C200D	W205 [205037]	11/2015-on	F	**TBA**														
			R	**3351E**								S	300	48.5	12	**10.3**	69	5
	S205 [205237]	11/2015-on	F	**TBA**														
			R	**3351E**								S	300	48.5	12	**10.3**	69	5
C200T	W202 [202080]	1996-2000	F	**264**								V	284	43	22	**19.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
C220	W202 [202022]	03/1994-11/1996	F	**264**								V	284	43	22	**19.4**	67	5
			R	**261**	●	○						S	258	55	9	**7.3**	67	5
C220D	S205 [205204]	07/2017-on	F	**3350E**								V	305	62.8	28	**25.4**	69	5
			R	**3351E**								S	300	48.5	12	**10.3**	69	5
C220D	W205 [205004]	07/2017-on	F	**3350E**								V	305	62.8	28	**25.4**	69	5
			R	**3351E**								S	300	48.5	12	**10.3**	69	5
C220CDI	W203 [203006 & 203008]	03/2001-06/2007	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
	SPORT PACK		F	**2694E**	●	●	○	●	○	○		V	330	46.5	28	**26**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	SPORT PACK		R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	W204 [204008 & 204208]	07/2007-02/2010	F	**2262E**	●	●	○					V	295	64.5	28	**25.4**	67	5
			R	**2263**	●	●	○					S	300	57	10	**8.3**	67	5
	W204 [204002 & 204202]	03/2010-05/2011	F	**2262E**	●	●	○					V	295	64.5	28	**25.4**	67	5
			R	**2263**	●	●	○					S	300	57	10	**8.3**	67	5
C230	CL203 [203752]	2005-2006	F	**288**	●	○						V	300	47	28	**25.4**	67	5
			R	**289**								S	290	54	10	**8.3**	67	5
	W202 [202023]	1996-1997	F	**264**								V	284	43	22	**19.4**	67	5
			R	**261**	●	○						S	258	55	9	**7.3**	67	5
	W203 [203052]	2005-2008	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
	SPORT PACK		F	**2694E**	●	●	○	●	○	○		V	330	46.5	28	**26**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	SPORT PACK		R	**289**								S	290	54	10	**8.3**	67	5
C230K	S202 [202083]	1996-1997	F	**264**								V	284	43	22	**19.4**	67	5
			R	**267**								S	278	56	9	**7.3**	67	5
	W202 [202024]	1996-1997	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	CL203 [203740]	2002-2006	F	**288**	●	○						V	300	47	28	**25.4**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
C230T	S203 [203252]	2005-2007	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
	SPORT PACK		F	**2694E**	●	●	○	●	○	○		V	330	46.5	28	**26**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
C240	S203 [203261]	2000-2005	F	**288**	●	○						V	300	47	28	**25.4**	67	5
			F	**2694E**	●	●	○	●	○	○		V	330	46.5	28	**26**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	W202 [202026]	09/1997-10/2000	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	W203 [203061]	11/2000-08/2005	F	**288**	●	○						V	300	47	28	**25.4**	67	5
	SPORT PACK		F	**2694E**	●	●	○	●	○	○		V	330	46.5	28	**26**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	SPORT PACK		R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
C240T	S202 [202086]	09/1997-10/2000	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
C250	W204 [204052]	01/2007-01/2014	F	**2262E**	●	●	○					V	295	64.5	28	**25.4**	67	5
			R	**2263**	●	●	○					S	300	55.5	10	**8.3**	67	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 158 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MERCEDES BENZ

C-CLASS – Continued

Model		Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
C250	W204 [204047, 204247 & 204347]	01/2010-2016	F	**2262E**	●	●	○					V	295	64.5	28	**25.4**	67	5
			R	**2263**	●	●	○					S	300	55.5	10	**8.3**	67	5
	S205 [205208 & 205245]	08/2014-on	F	**3352E**								V	318		30			
			R	**3351E**								S	300	48.5	12	**10.3**	69	5
	W205 [205008 & 205045]	08/2014-on	F	**3352E**								V	318		30			
			R	**3351E**								S	300	48.5	12	**10.3**	69	5
C250CDI	W204 [204303, 204003 & 204203]	06/2011-2016	F	**2262E**	●	●	○					V	295	64.5	28	**25.4**	67	5
			R	**2683E**	●	○						V	300	57.5	22	**19.4**	67	5
C250D	W202 [202125]	1993-1999	F	**265**								S	284	43.4	12	**10**	67	5
			R	**261**	●	○						S	258	55	9	**7.3**	67	5
	W202 [202128]	1996-2000	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
C250D	C205 [205308]	01/2016-on	F	**3358**								V	330		32			
			R	**3351E**								S	300	48.5	12	**10.3**	69	5
	S205 [205208]		F	**3352E**								V	318		30			
			R	**3351E**								S	300	48.5	12	**10.3**	69	5
	W205 [205008]	11/2015-on	F	**3352E**								V	318		30			
			R	**3351E**								S	300	48.5	12	**10.3**	69	5
C270CDI	W203 [203016]	2001-2005	F	**288**	●	○						V	300	47	28	**25.4**	67	5
	SPORT PACK		F	**2694E**	●	●	○	●	○	○		V	330	46.5	28	**26**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	S203 [203216]	2001-2005	F	**288**	●	○						V	300	47	28	**25.4**	67	5
	SPORT PACK		F	**2694E**	●	●	○	●	○	○		V	330	46.5	28	**26**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
C280	W202 [202028 & 202029]	02/1994-10/2000	F	**264**								V	284	43	22	**19.4**	67	5
	From Chassis A344661 / F331441		F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**261**	●	○						S	258	55	9	**7.3**	67	5
	From Chassis A344661 / F331441		R	**287**								S	278	55	9	**7.3**	67	5
C280	W203 [203054]	01/2005-02/2007	F	**288**	●	○						V	300	47	28	**25.4**	67	5
	SPORT PACK		F	**2694E**	●	●	○	●	○	○		V	330	46.5	28	**26**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	W204 [204054 & 204254]	07/2007-2010	F	**2262E**	●	●	○					V	295	64.5	28	**25.4**	67	5
	SPORT PACK		F	**TBA**								V	322	64.5	32	**30**	67	5
			R	**2263**	●	●	○					S	300	55.5	10	**8.3**	67	5
C300	W204 [204054]	11/2009-05/2011	F	**2262E**	●	●	○					V	295	64.5	28	**25.4**	67	5
			R	**2263**	●	●	○					S	300	55.5	10	**8.3**	67	5
	W204 [204055]	06/2011-07/2014	F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
			R	**2683E**	●	○						V	300	57.5	22	**19.4**	67	5
	C32 AMG S203 & W203 [203265 & 203065]	2001-2005	F	**2696**	●	○	○	●	○	●		V	345	46.5	30	**28**	67	5
			R	**2697**	●	○	○	●	○	○		V	300	55.3	22	**19.4**	67	5
	A205 [205448]	08/2016-on	F	**3358**								V	330		32			
			R	**3351E**								S	300	48.5	12	**10.3**	69	5
	C205 [205348]	01/2016-on	F	**3358**								V	330		32			
			R	**3351E**								S	300	48.5	12	**10.3**	69	5
	W205 [205012] HYBRID	08/2014-on	F	**3352E**								V	318		30			
			R	**3357**								V	300		22			
	S205 [205248]	06/2017-on	F	**3358**								V	330		32			
			R	**3357**								V	300		22			
	W205 [205048]	06/2017-on	F	**3358**								V	330		32			
			R	**3357**								V	300		22			

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MERCEDES BENZ

Model		Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
C-CLASS – Continued																		
C300H	W205 [205012]	11/2015-on	F	**3352E**								V	318		30			
			R	**3357**								V	300		22			
C320	W203 [203064]	11/2000-08/2005	F	**288**	●	○						V	300	47	28	**25.4**	67	5
	SPORT PACK		F	**2694E**	●	●	○	●	○	○		V	330	46.5	28	**26**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	W203 [203020]	2005-2007	F	**TBA**								V	330	46.5	28	**26**	67	5
	SPORT PACK		F	**2696**	●	○	○	●	○	●		V	345	46.5	30	**28**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	S203 [203264]	2001-2005	F	**288**	●	○						V	300	47	28	**25.4**	67	5
	SPORT PACK		F	**2694E**	●	●	○	●	○	○		V	330	46.5	28	**26**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	CL203 [203764]	09/2004-08/2005	F	**288**	●	○						V	300	47	28	**25.4**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
C320 CDI	S204 [204222]	2008-2009	F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
			R	**2683E**	●	○						V	300	57.5	22	**19.4**	67	5
	W204 [204022]	11/2007-02/2010	F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
			R	**2683E**	●	○						V	300	57.5	22	**19.4**	67	5
C350	W203 [203056]	2005-2006	F	**TBA**								V	330	46.5	28	**26**	67	5
	SPORT PACK		F	**2696**	●	○	○	●	○	●		V	345	46.5	30	**28**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	W204 [204357]	07/2011-2016	F	**TBA**								V	322	64.5	32	**29.4**	67	5
			R	**2683E**	●	○						V	300	57.5	22	**19.4**	67	5
	W204 [204025]	10/2009-01/2014	F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
			R	**2683E**	●	○						V	300	57.5	22	**19.4**	67	5
	W204 [204056]	01/2007-01/2014	F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
			R	**2683E**	●	○						V	300	57.5	22	**19.4**	67	5
C350 CDI	W204 [204022 & 204023]	03/2010-05/2011	F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
			R	**2683E**	●	○						V	300	57.5	22	**19.4**	67	5
C350E	S205 [205247]	07/2016-on	F	**TBA**														
			R	**3357**								V	300		22			
	W205 [205047]	07/2016-on	F	**TBA**														
			R	**3357**								V	300		22			
C36 AMG	W202 [202028] *From Chassis A344661*		F	**TBA**								V	316	46.5	28	**25.4**	67	5
	To Chassis A344660 / F331440		R	**TBA**								V	278	55.5	24	**21.4**	67	5
	From Chassis A344661 / F331441		R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
C43 AMG	W202 [202033]	1998-2000	F	**TBA**								V	334	48	32	**30.4**	67	5
			R	**2697**	●	○	○	●	○	○		V	300	55.3	22	**19.4**	67	5
	A205 [205464]	10/2016-on	F	**3354E**								V	360		36			
			R	**3355E**														
	C205 [205364]		F	**3354E**								V	360		36			
			R	**3355E**														
	S205 [205264]		F	**3354E**								V	360		36			
			R	**3355E**														
	W205 [205064]		F	**3354E**								V	360		36			
			R	**3355E**														
C43T AMG	S202 [202093]	1998-2000	F	**TBA**								V	334	48	32	**30.4**	67	5
			R	**2697**	●	○	○	●	○	○		V	300	55.3	22	**19.4**	67	5
C63 AMG	W204 [204077, 204277 & 204377]	02/2008-02/2015	F	**42690**				●	●	●	●	V	360	64.5	36	**34**	67	5
	W204 [204077, 204277 & 204377]	02/2008-02/2015	F	**52690**							●	V	360	64.5	36	**34**	67	5
			R	**2691E**				○	●	○		V	330	57.3	26	**24**	67	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 160 17/9/19 7:16 pm



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MERCEDES BENZ

C-CLASS – Continued

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
C63S AMG W205 [205086] SEDAN	11/2015-on	F	**TBA**														
		R	**3359**								V	360	50.5	26	**24**	67	5
W205 [205087] SEDAN	11/2015-on	F	**52690**							●	V	360	64.5	36	**34**	67	5
		R	**3359**								V	360	50.5	26	**24**	67	5
C63S AMG S205 [205287] WAGON	11/2015-on	F	**52690**							●	V	360	64.5	36	**34**	67	5
		R	**3359**								V	360	50.5	26	**24**	67	5
C63S AMG A205 [205487] CONVERTIBLE	08/2016-on	F	**52690**							●	V	360	64.5	36	**34**	67	5
		R	**3359**								V	360	50.5	26	**24**	67	5
C63S AMG C205 [205387] COUPE	1/2016-on	F	**52690**							●	V	360	64.5	36	**34**	67	5
		R	**3359**								V	360	50.5	26	**24**	67	5
CL500 C140 [140070]	1993-07/1998	F	**284**								V	320	82	30	**27.4**	67	5
		R	**285**								V	300	60	22	**19.4**	67	5
C215 [215375]	03/2000-03/2007	F	**TBA**								V	330	76	32	**30**	67	5
		R	**2265**								V	300	58	22	**19.4**	67	5
C216 [216373]	2/2011-on	F	**42690**				●	●	●	●	V	360	64.5	36	**34**	67	5
C216 [216373]	2/2011-on	F	**52690**							●	V	360	64.5	36	**34**	67	5
		R	**TBA**								V	320	58.2	24	**21.4**	67	5
CL55 AMG C215 [215373]	07/2001-02/2003	F	**2696**	●	○	○	●	○	●		V	345	46.5	30	**28**	67	5
		R	**TBA**								V	315	59.3	22	**19.4**	67	5
CL600 C140 [140076]	1993-1999	F	**284**								V	320	82	30	**27.4**	67	5
		R	**285**								V	300	60	22	**19.4**	67	5
C215 [215376]	03/2003-07/2007	F	**2696**	●	○	○	●	○	●		V	345	46.5	30	**28**	67	5
C216 [216376]	05/2006-on	F	**42690**				●	●	●	●	V	360	64.5	36	**34**	67	5
C216 [216376]	05/2006-on	F	**52690**							●	V	360	64.5	36	**34**	67	5
		R	**TBA**								V	330	58.2	26	**23.4**	67	5
CLA200 C117 [117343] SPORT PACK	01/2013-2016	F	**2684E**	●	○						V	295	51	28	**26**	67	5
		R	**2685E**	●	○						S	295	44	10	**8.3**	67	5
CLA200 C117 [117943] SHOOTING BRAKE SPORT PACK	01/2015-2017	F	**2684E**	●	○						V	295	51	28	**26**	67	5
		R	**2685E**	●	○						S	295	44	10	**8.3**	67	5
CLA200 CDi C117 [117301] SPORT PACK	06/2013-01/2016	F	**2684E**	●	○						V	295	51	28	**26**	67	5
		R	**2685E**	●	○						S	295	44	10	**8.3**	67	5
CLA200 CDi C117 [117308] SPORT PACK	07/2014-01/2016	F	**2684E**	●	○						V	295	51	28	**26**	67	5
		R	**2685E**	●	○						S	295	44	10	**8.3**	67	5
CLA200 CDi & D C117 [117908] SHOOTING BRAKE SPORT PACK	01/2015-2017	F	**2684E**	●	○						V	295	51	28	**26**	67	5
		R	**2685E**	●	○						S	295	44	10	**8.3**	67	5
CLA250 C117 [117346 & 117351] SPORT PACK	07/2013-on	F	**2684E**	●	○						V	295	51	28	**26**	67	5
AMG SPORT PACK		F	**2686E**	●	●						V	320	51	30	**28**	67	5
		R	**2685E**	●	○						S	295	44	10	**8.3**	67	5
AMG SPORT PACK		R	**2623E**	●	○						V	295	42.5	22	**19.4**	67	5
C117 [117951] SHOOTING BRAKE		F	**2686E**	●	●						V	320	51	30	**28**	67	5
		R	**2685E**	●	○						S	295	44	10	**8.3**	67	5
C117 [117946]	05/2015-on	F	**2686E**	●	●						V	320	51	30	**28**	67	5
		R	**2685E**	●	○						S	295	44	10	**8.3**	67	5
		R	**2623E**	●	○						V	295	42.5	22	**19.4**	67	5
X117 [117944] SHOOTING BRAKE	01/2015-on	F	**2686E**	●	●						V	320	51	30	**28**	67	5
		R	**2685E**	●	○						S	295	44	10	**8.3**	67	5



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MERCEDES BENZ

Model		Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
C-CLASS – Continued																		
CLA45 AMG	C117 [117352]	07/2013-on	F	**2684E**	●	○						V	295	51	28	**26**	67	5
			F	**2698E**	●	○		●	●	●		V	350	51	32	**30**	67	5
			R	**2699E**	●	●		○	●	●		V	330	41.5	22	**20**	67	5
	C117 & X117 [117952] SHOOTING BRAKE	01/2015-01/2016	F	**2698E**	●	○		●	●	●		V	350	51	32	**30**	67	5
			R	**2699E**	●	●		○	●	●		V	330	41.5	22	**20**	67	5
CLC200	CL203 [203741]	08/2008-2016	F	**288**	●	○						V	300	47	28	**25.4**	67	5
			R	**289**								S	290	54	10	**8.3**	67	5
CLK200	C208 / A208 [208335 & 208435]	10/1997-10/2000	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
CLK 200K	A208 [208444]	10/2000-01/2004	F	**288**	●	○						V	300	47	28	**25.4**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	C208 [208344]	10/2000-07/2002	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	A209 [209441 & 209442]	04/2005-02/2010	F	**288**	●	○						V	300	47	28	**25.4**	67	5
	SPORT PACKAGE		F	**2694E**	●	●	○	●	○	○		V	330	46.5	28	**26**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	C209 [209342]	10/2004-07/2007	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
	[SPORT PACKAGE]		F	**2694E**	●	●	○	●	○	○		V	330	46.5	28	**26**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	SPORT PACKAGE		R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	C209 [209341]	08/2007-06/2010	F	**288**	●	○						V	300	47	28	**25.4**	67	5
	SPORT PACKAGE		F	**2694E**	●	●	○	●	○	○		V	330	46.5	28	**26**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
CLK230K	C208 [208347]	10/1997-10/2000	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	A208 [208447]	10/1998-10/2000	F	**288**	●	○						V	300	47	28	**25.4**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	C208 [208348]	10/2000-17/2002	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	A208 [208448]	10/2000-03/2004	F	**288**	●	○						V	300	47	28	**25.4**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
CLK240	C209 / A209 [209361 & 209461]	11/2002-08/2005	F	**288**	●	○						V	300	47	28	**25.4**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
CLK270 CDI	C209 [209316]	2002-2005	F	**288**	●	○						V	300	47	28	**25.4**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
CLK280	A209 / C209 [209354 & 209454]	09/2005-06/2010	F	**288**	●	○						V	300	47	28	**25.4**	67	5
	SPORT PACK		F	**2694E**	●	●	○	●	○	○		V	330	46.5	28	**26**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
CLK320	A208 / A209 / C209 [208465, 209465 & 209365]	10/1998-08/2005	F	**288**	●	○						V	300	47	28	**25.4**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
CLK350	A209 / C209 [209456 & 209356]	09/2005-06/2009	F	**288**	●	○						V	300	47	28	**25.4**	67	5
	SPORT PACK		F	**2696**	●	○	○	●	○	●		V	345	46.5	30	**28**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
CLK430	A208 / C208 [208470 & 208370]	1999-05/2003	F	**TBA**								V	330	46.5	32	**29.4**	67	5
			R	**2697**	●	○	○	●	○	○		V	300	55.3	22	**19.4**	67	5
CLK500	C209 / A209 [209375 & 209475]	06/2002-08/2006	F	**2696**	●	○	○	●	○	●		V	345	46.5	30	**28**	67	5
			R	**2697**	●	○	○	●	○	○		V	300	55.3	22	**19.4**	67	5
	C209 [209372]	09/2006-06/2009	F	**2696**	●	○	○	●	○	●		V	345	46.5	30	**28**	67	5
			R	**2697**	●	○	○	●	○	○		V	300	55.3	22	**19.4**	67	5
	A209 [209472]	09/2006-02/2010	F	**2696**	●	○	○	●	○	●		V	345	46.5	30	**28**	67	5
			R	**2697**	●	○	○	●	○	○		V	300	55.3	22	**19.4**	67	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 162 17/9/19 7:16 pm



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MERCEDES BENZ

Model		Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
C-CLASS – Continued																		
CLK55 AMG	C208 [208374]	11/1999-07/2002	F	**TBA**								V	334	48	32	**30.4**	67	5
			R	**2697**	●	○	○	●	○	○		V	300	55.3	22	**19.4**	67	5
	C209 [209376]	11/2002-08/2006	F	**2696**	●	○	○	●	○	●		V	345	46.5	30	**28**	67	5
			R	**2697**	●	○	○	●	○	○		V	300	55.3	22	**19.4**	67	5
	A209 [209476]	08/2003-08/2006	F	**2696**	●	○	○	●	○	●		V	345	46.5	30	**28**	67	5
			R	**2697**	●	○	○	●	○	○		V	300	55.3	22	**19.4**	67	5
CLS320 CDI	C219 [219322]	2005-2009	F	**TBA**								V	312	64.5	28	**25.4**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
CLS350 & CDI	C218 [218359 & 218323]	11/2011-2016	F	**TBA**								V	322	51.5	32	**30**	67	5
	SPORT PACK		F	**TBA**								V	344	51.5	32	**30**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
	C219 [219356]	06/2005-05/2011	F	**TBA**								V	330	64.5	32	**29.4**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
CLS500	C219 [219375]	06/2005-05/2008	F	**TBA**								V	330	64.5	32	**29.4**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
CLS55 AMG	C219 [219376]	01/2005-12/2010	F	**42690**				●	●	●	●	V	360	64.5	36	**34**	67	5
			R	**2687E**	●	○		○	●			V	330	68.25	26	**24**	67	5
CLS63 AMG	C219 [219377]	04/2006-5/2011	F	**TBA**														
			R	**2687E**	●	○		○	●			V	330	68.25	26	**24**	67	5
E-CLASS																		
E200	A207 [207434]	06/2013-on	F	**TBA**								V	322	64.5	32	**29.4**	67	5
			R	**2263**	●	●	○					S	300	55.5	10	**8.3**	67	5
	C207 [207334]	06/2013-on	F	**TBA**								V	322	64.5	32	**29.4**	67	5
			R	**2263**	●	●	○					S	300	55.5	10	**8.3**	67	5
	W124 [124019]	1993-1996	F	**269**								V	284	43	22	**19.4**	67	5
			R	**261**	●	○						S	258	55	9	**7.3**	67	5
	W210 [210035]	1995-2000	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**287**								S	278	55.5	9	**7.3**	67	5
	W212 [212048]	06/2012-05/2013	F	**2262E**	●	●	○					V	295	64.5	28	**25.4**	67	5
	SPORT PACK		F	**2688E**	●	○	○	●	●			V	322	64.5	32	**30**	67	5
			R	**2251E**	●	○	○					S	300	68.3	10	**8.3**	67	5
	W212 [212034 & 212234]	06/2013-on	F	**2262E**	●	●	○					V	295	64.5	28	**25.4**	67	5
	SPORT PACK		F	**TBA**								V	322	64.5	32	**30**	67	5
			R	**2263**	●	●	○					S	300	55.5	10	**8.3**	67	5
	C238 [238342]	04/2017-on	F	**3350E**								V	305	62.8	28	**25.4**	69	5
			R	**3357**								V	300		22			
	W213 [213042]	07/2016-on	F	**3350E**								V	305	62.8	28	**25.4**	69	5
			R	**3357**								V	300		22			
E200K	W210 [210048]	08/2000-08/2002	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	W211	09/2004-09/2009	F	**2258**	●	○						V	295	55	28	**25.4**	67	5
	SPORT PACK		F	**TBA**								V	330	64.5	32	**30**	67	5
	[211042 & 211041]		R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
			R	**2251E**	●	○	○					S	300	68.3	10	**8.3**	67	5
E220	W124 [124022]	09/1993-02/1996	F	**269**								V	284	43	22	**19.4**	67	5
	Without ETS		R	**261**	●	○						S	258	55	9	**7.3**	67	5
E220D	C238 [238314]	04/2017-on	F	**3350E**								V	305	62.8	28	**25.4**	69	5
			R	**3357**								V	300		22			
	S213 [213217]	04/2017-on	F	**3358**								V	330		32			
	ALL TERRAIN		R	**3357**								V	300		22			
	W213 [213004]	07/2017-on	F	**3350E**								V	305	62.8	28	**25.4**	69	5
			R	**3357**								V	300		22			

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MERCEDES BENZ

E-CLASS – Continued

Model		Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
E220CDI	W212 [212002]	10/2009-on	F	**2262E**	●	●	○					V	295	64.5	28	**25.4**	67	5
	SPORT PACK		F	**TBA**								V	322	64.5	32	**30**	67	5
			R	**2251E**	●	○	○					S	300	68.3	10	**8.3**	67	5
	A207 [207302]	2011-2012	F	**2262E**	●	●	○					V	295	64.5	28	**25.4**	67	5
	SPORT PACK		F	**TBA**								V	322	64.5	32	**30**	67	5
			R	**2263**	●	●	○					S	300	55.5	10	**8.3**	67	5
E220C	W124 [124042]	09/1994-07/1997	F	**269**								V	284	43	22	**19.4**	67	5
			R	**261**	●	○						S	258	55	9	**7.3**	67	5
E220CA	W124 [124062]	09/1994-07/1997	F	**269**								V	284	43	22	**19.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
E220T	S124 [124082]	09/1994-11/1996	F	**269**								V	284	43	22	**19.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
E230	W210 [210037]	1995-05/1999	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
E230	W211 [211052]	09/2007-03/2009	F	**2258**	●	○						V	296	55	28	**25.4**	67	5
			R	**2251E**	●	○	○					S	300	68.3	10	**8.3**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
E230T	S210 [210237]	10/1996-05/1998	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**TBA**								S	290	56	12	**10.3**	67	5
E240	S210 [210262]	11/1999-08/2002	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**TBA**								S	290	56	12	**10.3**	67	5
	S211 [211261]	10/2003-08/2005	F	**2258**	●	○						V	296	55	28	**25.4**	67	5
	SPORT PACK		R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
			R	**2251E**	●	○	○					S	300	68.3	10	**8.3**	67	5
	W210 [210061] Without EDS	01/1998-2001	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
	With EDS		F	**288**	●	○						V	300	47	28	**25.4**	67	5
	Without EDS		R	**287**								S	278	55	9	**7.3**	67	5
	With EDS		R	**289**								S	290	54	10	**8.3**	67	5
	W210 [210062]	2000-08/2002	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	W211 [211061] Without ESP	08/2002-08/2005	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
	With ESP		F	**288**	●	○						V	300	47	28	**25.4**	67	5
			R	**267**								S	278	55.5	9	**7.3**	67	5
E240T	S210 [210261] Without ESP	01/1998-12/1999	F	**2258**	●	○						V	296	55	28	**25.4**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
			R	**2251E**	●	○	○					S	300	68.3	10	**8.3**	67	5
E250 & CGI	A207 [207447 & 207436]	05/2010-on	F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
			R	**2263**	●	●	○					S	300	55.5	10	**8.3**	67	5
	C207 [207347]	10/2009-05/2013	F	**2262E**	●	●	○					V	295	64.5	28	**25.4**	67	5
			R	**2263**	●	●	○					S	300	55.5	10	**8.3**	67	5
E250 CDI	A207 [207403]	06/2010-on	F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
			R	**2263**	●	●	○					S	300	55.5	10	**8.3**	67	5
	C207 [207303]	10/2009-on	F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
			R	**2263**	●	●	○					S	300	55.5	10	**8.3**	67	5
	W212 [212003] *To Chassis A001284*	10/2009-on	F	**2262E**	●	●	○					V	295	64.5	28	**25.4**	67	5
	From Chassis A001285		F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
			R	**2251E**	●	○	○					S	300	68.3	10	**8.3**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
	S212 [212203]	10/2009-on	F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 164 17/9/19 7:16 pm



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MERCEDES BENZ

Model		Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
E-CLASS – Continued																		
E250 CGi	W212 [212047]	10/2009-05/2013	F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
			R	**2251E**	●	○	○					S	300	68.3	10	**8.3**	67	5
E270 CDI	W210 [210016]	11/1999-08/2002	F	**288**	●	○						V	300	47	28	**25.4**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	W211 [211016]	08/2002-08/2005	F	**2258**	●	○						V	296	55	28	**25.4**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
			R	**2251E**	●	○	○					S	300	68.3	10	**8.3**	67	5
E280	W124 [124028]	09/1993-02/1996	F	**269**								V	284	43	22	**19.4**	67	5
	Without ARS & EST		R	**261**	●	○						S	258	55	9	**7.3**	67	5
	W210 [210053 & 210063]	1996-03/2001	F	**288**	●	○						V	300	47	28	**25.4**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	S211 [211254]	09/2005-09/2009	F	**TBA**								V	312	64.5	28	**25.4**	67	5
	SPORT PACK		F	**TBA**								V	330	64.5	23	**30**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
	W211 [211054]	09/2005-09/2009	F	**2258**	●	○						V	296	55	28	**25.4**	67	5
	SPORT PACK		F	**TBA**								V	330	64.5	32	**30**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
E280 CDI	S211 [211220]	10/2006-09/2009	F	**2258**	●	○						V	296	55	28	**25.4**	67	5
	SPORT PACK		F	**TBA**								V	330	64.5	32	**30**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
	W211 [211020]	09/2005-09/2009	F	**2258**	●	○						V	296	55	28	**25.4**	67	5
	SPORT PACK		F	**TBA**								V	330	64.5	32	**30**	67	5
	SPORT PACK		R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
			R	**2251E**	●	○	○					S	300	68.3	10	**8.3**	67	5
E280T	S124 [124088]	09/1993-10/1994	F	**269**								V	284	43	22	**19.4**	67	5
			R	**267**								S	278	55.5	9	**7.3**	67	5
E300 HYBRID	S212 / W212 [212098 & 212298]	05/2013-on	F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
E300	W213 [213048]	08/2016-on	F	**3356E**								V	342		32			
	AMG SPORT PACK		F	**3354E**								V	360		36			
			R	**3357**								V	300		22			
	A238 [238448]	10/2017-on	F	**3356E**								V	342		32			
	AMG SPORT PACK		F	**3354E**								V	360		36			
			R	**3357**								V	300		22			
	C238 [238348]	04/2017-on	F	**3356E**								V	342		32			
			F	**3354E**								V	360		36			
			R	**3357**								V	300		22			
E300D	W124 [124131]	09/1993-10/1994	F	**263**								V	284	46	12	**10**	67	5
			R	**261**	●	○						S	258	55	9	**7.3**	67	5
E300D TURBO	S210 / W212 [210225]	1997-1999	F	**288**	●	○						V	300	47	28	**25.4**	67	5
			R	**TBA**								S	290	56	12	**10.3**	67	5
E320	S210 [210265]	06/1997-08/2002	F	**288**	●	○						V	300	47	28	**25.4**	67	5
			R	**TBA**								S	290	56	12	**10.3**	67	5
	S211 [211265]	10/2003-01/2005	F	**TBA**								V	312	64.5	28	**25.4**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
	W124 [124092 & 124032] *From Chassis F242722*	1992-1996	F	**268**								V	294	49.5	25	**22.4**	67	5
	To Chassis F242721		F	**266**								V	295	49.5	22	**19.4**	67	5
			R	**267**								S	278	55.5	9	**7.3**	67	5
	W210 [210055 & 210065]	1995-08/2002	F	**288**	●	○						V	300	47	28	**25.4**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	W211 [211065]	08/2002-02/2005	F	**288**	●	○						V	300	47	28	**25.4**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MERCEDES BENZ

Model		Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
E-CLASS – Continued																		
E320 CDI	S210 [210226]	1999-2003	F	**288**	●	○						V	300	47	28	**25.4**	67	5
			R	**TBA**								S	290	56	12	**10.3**	67	5
	S211 [211222]	03/2005-12/2008	F	**2258**	●	○						V	296	55	28	**25.4**	67	5
			R	**2251E**	●	○	○					S	300	68.3	10	**8.3**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
	W210 [210026]	1999-2003	F	**288**	●	○						V	300	47	28	**25.4**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	W211 [211022]	2005-2007	F	**2258**	●	○						V	296	55	28	**25.4**	67	5
	SPORT PACK		F	**TBA**								V	330	64.5	32	**30**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
			R	**2251E**	●	○	○					S	300	68.3	10	**8.3**	67	5
	W211 [211026 & 211226] *To Chassis A400547*	2003-2005	F	**TBA**								V	312	64.5	28	**25.4**	67	5
	From Chassis A400548		F	**2258**	●	○						V	296	55	28	**25.4**	67	5
	From Chassis A400548		R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
	To Chassis A400547		R	**2251E**	●	○	○					S	300	68.3	10	**8.3**	67	5
E320C / E320CA	W124 [124052 & 124066]	09/1993-10/1994	F	**268**								V	294	50	24	**22.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
E350	A207 [207456]	04/2010-02/2011	F	**TBA**														
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
	A207 [207459]	02/2011-05/2013	F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
			R	**2683E**	●	○						V	300	57.5	22	**19.4**	67	5
	C207 [207356]	07/2009-02/2011	F	**TBA**								V	322	64.5	32	**29.4**	67	5
			R	**2683E**	●	○						V	300	57.5	22	**19.4**	67	5
	C207 [207359]	02/2011-05/2013	F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
			R	**2683E**	●	○						V	300	57.5	22	**19.4**	67	5
	S211 [211256]	03/2005-09/2009	F	**TBA**								V	312	64.5	28	**25.4**	67	5
	SPORT PACK		F	**TBA**								V	330	64.5	32	**30**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
	W211 [211056]	2004-09/2009	F	**TBA**								V	312	64.5	28	**25.4**	67	5
	SPORT PACK		F	**TBA**								V	330	64.5	32	**30**	67	5
			R	**2251E**	●	○	○					S	300	68.3	10	**8.3**	67	5
	SPORT PACK		R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
	S212 [212256]	08/2009-on	F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
	W212 [212056 & 212059]	07/2009-05/2012	F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
	S212 [212259]	09/2011-on	F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
	W213 [213050] HYBRID	11/2016-on	F	**3356E**								V	342		32			
	SPORT PACK		F	**3354E**								V	360		36			
			R	**3355E**														

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 166 17/9/19 7:16 pm

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MERCEDES BENZ

E-CLASS – Continued

Model		Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
E350 CDI	A207 [207422 & 207423]	2011-2013	F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
			R	**2683E**	●	○						V	300	57.5	22	**19.4**	67	5
	C207 [207322]	2011-2013	F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
			R	**2683E**	●	○						V	300	57.5	22	**19.4**	67	5
	S212 [212223 & 212226]	06/2011-on	F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
	W212 [212025 & 212023]	10/2009-05/2013	F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
	W212 [212026]	03/2014-on	F	**TBA**								V	322	64.5	32	**29.4**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
	S213 [213233]	10/2016-on	F	**3356E**								V	342		32			
			F	**3354E**								V	360		36			
			R	**3355E**														
E350D	W213 [213033]	07/2016-on	F	**3356E**								V	342		32			
	SPORT PACK		F	**3354E**								V	360		36			
			R	**3355E**														
E400	A207 [207465]	06/2013-on	F	**TBA**								V	344	64.5	32	**30**	67	5
			R	**2683E**	●	○						V	300	57.5	22	**19.4**	67	5
	C207 [207365]	06/2013-on	F	**TBA**								V	344	64.5	32	**30**	67	5
			R	**2683E**	●	○						V	300	57.5	22	**19.4**	67	5
	W212 [212065]	06/2013-on	F	**TBA**								V	344	64.5	32	**30**	67	5
	A238 [238456]	10/2017-on	F	**3354E**								V	360		36			
			R	**TBA**														
	C238 [238366]	04/2017-on	F	**3354E**								V	360		36			
			R	**TBA**														
	W213 [213066]	08/2016-on	F	**3354E**								V	360		36			
			R	**TBA**														
E43 AMG	W213 [213064]	11/2016-on	F	**3354E**								V	360		36			
			R	**TBA**														
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
E430	W210 [210070]	01/1998-08/2002	F	**TBA**								V	316	46.5	28	**25.4**	67	5
To Chassis A962231 / X027613																		
From Chassis A962232 / X027614			F	**TBA**								V	330	46.5	32	**29.4**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
E500	A207 [207472]	04/2010-01/2011	F	**TBA**								V	344	64.5	32	**30**	67	5
			R	**2683E**	●	○						V	300	57.5	22	**19.4**	67	5
	A207 [207473]	02/2011-on	F	**42690**				●	●	●	●	V	360	64.5	36	**34**	67	5
	A207 [207473]		F	**52690**							●	V	360	64.5	36	**34**	67	5
			R	**2683E**	●	○						V	300	57.5	22	**19.4**	67	5
	C207 [207373]		F	**42690**				●	●	●	●	V	360	64.5	36	**34**	67	5
	C207 [207373]		F	**52690**							●	V	360	64.5	36	**34**	67	5
			R	**2683E**	●	○						V	300	57.5	22	**19.4**	67	5
	C207 [207372]	07/2009-01/2011	F	**TBA**								V	344	64.5	32	**30**	67	5
			R	**2683E**	●	○						V	300	57.5	22	**19.4**	67	5
	S211 [211270]	06/2004-09/2006	F	**TBA**								V	330	64.5	32	**29.4**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
	S211 [211272]	10/2006-09/2009	F	**TBA**								V	330	64.5	32	**29.4**	67	5
	SPORT PACK		F	**TBA**								V	350	64.5	32	**30**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MERCEDES BENZ

Model		Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
E-CLASS – Continued																		
E500	W211 [211070]	08/2002-09/2006	F	**TBA**								V	330	64.5	32	**29.4**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
	W211 [211072]	10/2006-09/2009	F	**TBA**								V	330	64.5	32	**29.4**	67	5
	SPORT PACK		F	**TBA**								V	350	64.5	32	**30**	67	5
			R	**2259**	●	○						V	300	68.5	22	**19.4**	67	5
	SPORT PACK		R	**TBA**								V	320	68.3	24	**21.4**	67	5
	W212 [212073]	02/2011-on	F	**42690**				●	●	●	●	V	360	64.5	36	**34**	67	5
	W212 [212073]	02/2011-on	F	**52690**							●	V	360	64.5	36	**34**	67	5
			R	**TBA**								V	320	68.3	24	**21.4**	67	5
E55 AMG	S211 [211276]	06/2004-09/2006	F	**42690**				●	●	●	●	V	360	64.5	36	**34**	67	5
	S211 [211276]	06/2004-09/2006	F	**52690**							●	V	360	64.5	36	**34**	67	5
			R	**2687E**	●	○		○	●			V	330	68.25	26	**24**	67	5
	W210 [210074]	04/1998-08/2002	F	**TBA**														
			R	**2697**	●	○	○	●	○	○		V	300	55.3	22	**19.4**	67	5
	W211 [211076]	11/2002-09/2006	F	**42690**				●	●	●	●	V	360	64.5	36	**34**	67	5
	W211 [211076]	11/2002-09/2006	F	**52690**							●	V	360	64.5	36	**34**	67	5
			R	**2687E**	●	○		○	●			V	330	68.25	26	**24**	67	5
E63 AMG	W211 [211077 & 211177]	03/2006-10/2009	F	**TBA**								V	360	64.5	36	**33**	67	5
			R	**2687E**	●	○		○	●			V	330	68.25	26	**24**	67	5
G-CLASS																		
G300	W461 [461333]	2010-2016	F	**2250**				●	○	○		V	315	83	30	**27.4**	85	5
			R	**567**	●	○						S	272	97	16	**14**	85	5
	W461 [461343]	2010-2016	F	**2250**				●	○	○		V	315	83	30	**27.4**	85	5
			R	**567**	●	○						S	272	97	16	**14**	85	5
G350	W463 [463346]	02/2011-on	F	**2250**				●	○	○		V	315	83	30	**27.4**	85	5
			R	**567**	●	○						S	272	97	16	**14**	85	5
G500	W463 [463236]	06/2013-on	F	**2250**				●	○	○		V	315	83	30	**27.4**	85	5
			R	**567**	●	○						S	272	97	16	**14**	85	5
G55 AMG	W463 [463270]	02/2011-05/2013	F	**2250**				●	○	○		V	315	83	30	**27.4**	85	5
			R	**TBA**														
GL320 CDI	X164 [164822]	11/2006-01/2010	F	**2254**	●	○						V	350	55	32	**29.4**	67	5
			R	**2255**	●	○						V	330	63	22	**19.4**	67	5
GL350	X166 [166824]	04/2013-on	F	**TBA**								V	350	54.5	32	**29.4**	67	5
			R	**TBA**								V	345	54	22	**19.4**	67	5
GL350 CDI	X164 [164823]	01/2010-04/2013	F	**2254**	●	○						V	350	55	32	**29.4**	67	5
	SPORT PACK		F	**TBA**								V	375	54.5	32	**29.4**	67	5
			R	**2255**	●	○						V	330	63	22	**19.4**	67	5
GL450 CDI	X164 [164828]		F	**TBA**								V	375	54.5	32	**29.4**	67	5
			R	**2255**	●	○						V	330	63	22	**19.4**	67	5
GL500	X164 [164886]	11/2006-04/2013	F	**2254**	●	○						V	350	55	32	**29.4**	67	5
			R	**2255**	●	○						V	330	63	22	**19.4**	67	5
	X166 [166873]	04/2013-on	F	**TBA**								V	375	54.5	36	**33.4**	67	5
			R	**TBA**								V	345	54	22	**19.4**	67	5
GL63 AMG	X166 [166874]	04/2013-on	F	**3360**								V	390	54.5	36	**34**	67	5
			R	**TBA**								V	345	54	26	**24**	67	5
GLA180	X156 [156942]	02/2015-2017	F	**2684E**	●	○						V	295	51	28	**26**	67	5
	SPORT PACK		R	**2685E**	●	○						S	295	44	10	**8.3**	67	5
GLA200 CDi & D	X156 [156908]	12/2013-on	F	**2684E**	●	○						V	295	51	28	**26**	67	5
	SPORT PACK		R	**2685E**	●	○						S	295	44	10	**8.3**	67	5
GLA250	X156 [156946]	12/2013-on	F	**2686E**	●	●						V	320	51	30	**28**	67	5
	SOLID		R	**2685E**	●	○						S	295	44	10	**8.3**	67	5
	VENTED *Australian*		R	**2623E**	●	○						V	295	42.5	22	**19.4**	67	5
GLA45 AMG	X156 [156952]	04/2014-on	F	**2698E**	●	○		●	●	●		V	350	51	32	**30**	67	5
			R	**2699E**	●	●		○	●	●		V	330	41.5	22	**20**	67	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 168 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MERCEDES BENZ

Model		Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
G-CLASS																		
GLC200	X253 SUV [253942]	04/2018-on	F	**3358**								V	330		32			
	SPORTS PACK		F	**3354E**								V	360		36			
			R	**3357**								V	300		22			
	SPORTS PACK		R	**3355E**														
GLC 220D	C253 [253305]	09/2016-on	F	**3356E**								V	342		32			
	SPORT PACK		F	**3354E**								V	360		36			
			R	**3355E**														
	X253 [253905]	11/2015-on	F	**3356E**								V	342		32			
	SPORT PACK		F	**3354E**								V	360		36			
			R	**3355E**														
GLC250	C253 [253346]	09/2016-on	F	**3356E**								V	342		32			
	SPORT PACK		F	**3354E**								V	360		36			
			R	**3355E**														
	X253 [253946]	11/2015-on	F	**3356E**								V	342		32			
	SPORT PACK		F	**3354E**								V	360		36			
			R	**3355E**														
GLC 250D	C253 [253309]	09/2016-on	F	**3356E**								V	342		32			
	SPORT PACK		F	**3354E**								V	360		36			
			R	**3355E**														
	X253 [253909]	11/2015-on	F	**3356E**								V	342		32			
	SPORT PACK		F	**3354E**								V	360		36			
			R	**3355E**														
GLC 350D	C253 [253325]	06/2017-on	F	**3356E**								V	342		32			
	SPORT PACK		F	**3354E**								V	360		36			
			R	**3355E**														
	X253 [253925]	06/2017-on	F	**3356E**								V	342		32			
	SPORT PACK		F	**3354E**								V	360		36			
			R	**3355E**														
GLC43 AMG	C253 [253364]	09/2016-on	F	**3354E**								V	360		36			
			R	**3355E**														
	X253 [253964]		F	**3354E**								V	360		36			
			R	**3355E**														
GLE 250D	W166 [166004]	04/2015-2017	F	**2648E**	●	○						V	330	54.5	32	**29.4**	67	5
			R	**2649E**	●	○						S	325	54	14	**11.4**	67	5
GLE 350D	C292 [292323 & 292324]	03/2015-2017	F	**2648E**	●	○						V	330	54.5	32	**29.4**	67	5
			R	**2649E**	●	○						S	325	54	14	**11.4**	67	5
	W166 [166024]	04/2015-2017	F	**2648E**	●	○						V	330	54.5	32	**29.4**	67	5
			R	**2649E**	●	○						S	325	54	14	**11.4**	67	5
GLE400	W166 [166056]	04/2015-2017	F	**TBA**								V	350	54.5	32	**29.4**	67	5
	SPORT PACK		F	**TBA**								V	375	54.5	36	**33.4**	67	5
			R	**TBA**								V	330	54	22	**19.4**	67	5
	SPORT PACK		R	**TBA**								V	345	54	22	**19.4**	67	5
GLE63 AMG	AMG C292 [292375] 5.5L COUP	10/2015-on	F	**3360EXDS**								V	390	54.5	36	**34**	67	5
			R	**TBA**														
	AMG X166 5.5L SUV [166874 & 166075]	04/2013-on	F	**3360EXDS**								V	390	54.5	36	**34**	67	5
			R	**3361EXDS**								V	345	54	26	**24**	67	5
GLS63 AMG	AMG W166 [166875] 5.5L SUV	04/2016-on	F	**3360EXDS**								V	390	54.5	36	**34**	67	5
			R	**3361EXDS**								V	345	54	26	**24**	67	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MERCEDES BENZ

Model		Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
M-CLASS																		
MB100 & D	661 [661260, 661210 & 661215]	11/1999-01/2005	F	**2266**	●	○						V	294	68.5	24	**22**	85	5
			R	**TBA**														
MB140 & D	661 [661270, 661227 & 661225]	11/1999-2003	F	**2266**	●	○						V	294	68.5	24	**22**	85	5
			R	**TBA**														
ML250 CDI	W166 [166004]	04/2012-on	F	**2648E**	●	○						V	330	54.5	32	**29.4**	67	5
	SPORT PACK		F	**TBA**								V	350	54.5	32	**29.4**	67	5
			R	**2649E**	●	○						S	325	54	14	**11.4**	67	5
	To Chassis L000768		R	**TBA**								V	330	54	22	**19.4**	67	5
	From Chassis L000769		R	**TBA**								V	330	54	22	**19.4**	67	5
ML270 CDI	W163 [163113] *To Chassis A289558/X754619*	02/2000-2001	F	**550**								V	303	51	26	**23**	67	5
	From Chassis A289559/X754620		F	**552**	●	○	○					V	345	51	32	**30**	67	5
	To Chassis A289558/X754619		R	**551**	●							S	285	53	15	**12**	67	5
	From Chassis A289559/X754620		R	**553**		○	○					S	331	55.5	14	**12**	67	5
ML280 CDI	W164 [164120]	10/2006-11/2009	F	**2252**	●	●	○					V	330	55	32	**29.4**	67	5
	18 inch Wheels		F	**2254**	●	○						V	350	55	32	**29.4**	67	5
			R	**2253**	●	○	○					S	330	63	14	**11.4**	67	5
	18 inch Wheels		R	**2255**	●	○						V	330	63	22	**19.4**	67	5
ML300 CDI	W164 [164120 & 164121]	12/2009-03/2012	F	**2252**	●	●	○					V	330	55	32	**29.4**	67	5
	18 inch Wheels		F	**2254**	●	○						V	350	55	32	**29.4**	67	5
			R	**2253**	●	○	○					S	330	63	14	**11.4**	67	5
	18 inch Wheels		R	**2255**	●	○						V	330	63	22	**19.4**	67	5
ML320	W163 [163154]	09/1998-2001	F	**550**								V	303	51	26	**23**	67	5
		2001-04/2003	F	**552**	●	○	○					V	345	51	32	**30**	67	5
			R	**551**	●							S	285	53	15	**12**	67	5
			R	**553**		○	○					S	331	55.5	14	**12**	67	5
ML320 CDI	W164 [164122]	09/2005-11/2009	F	**2252**	●	●	○					V	330	55	32	**29.4**	67	5
	18 inch Wheels		F	**2254**	●	○						V	350	55	32	**29.4**	67	5
	18 inch Wheels		R	**2253**	●	○	○					S	330	63	14	**11.4**	67	5
	18 inch Wheels		R	**2255**	●	○						V	330	63	22	**19.4**	67	5
ML350	W163 [163157]	05/2003-08/2005	F	**552**	●	○	○					V	345	51	32	**30**	67	5
			R	**553**		○	○					S	331	55.5	14	**12**	67	5
	W164 [164186]	09/2005-03/2012	F	**2252**	●	●	○					V	330	55	32	**29.4**	67	5
	18 inch Wheels		F	**2254**	●	○						V	350	55	32	**29.4**	67	5
			R	**2253**	●	○	○					S	330	63	14	**11.4**	67	5
	18 inch Wheels		R	**2255**	●	○						V	330	63	22	**19.4**	67	5
	W166 [166057]	2012-on	F	**2648E**	●	○						V	330	54.5	32	**29.4**	67	5
			R	**2649E**	●	○						S	325	54	14	**11.4**	67	5
ML350 CDI	W164 [164122 & 164125]	12/2009-03/2012	F	**2252**	●	●	○					V	330	55	32	**29.4**	67	5
			F	**2254**	●	○						V	350	55	32	**29.4**	67	5
			R	**2253**	●	○	○					S	330	63	14	**11.4**	67	5
			R	**2255**	●	○						V	330	63	22	**19.4**	67	5
	W166 [166024]	06/2011-09/2015	F	**2648E**	●	○						V	330	54.5	32	**29.4**	67	5
	SPORT PACK		F	**TBA**								V	350	54.5	32	**29.4**	67	5
			R	**2649E**	●	○						S	325	54	14	**11.4**	67	5
	SPORT PACK	06/2011-12/2015	R	**TBA**								V	330	54	22	**19.4**	67	5
ML400	W166 [166056]	08/2013-2016	F	**TBA**								V	350	54.5	32	**29.4**	67	5
	SPORT PACK		F	**TBA**								V	375	54.5	36	**33.4**	67	5
			R	**TBA**								V	330	54	22	**19.4**	67	5
	SPORT PACK		R	**TBA**								V	345	54	22	**19.4**	67	5
ML430	W163 [163172]	03/1999-10/2001	F	**552**	●	○	○					V	345	51	32	**30**	67	5
			R	**553**		○	○					S	331	55.5	14	**12**	67	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 170 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MERCEDES BENZ

Model		Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
M-CLASS																		
ML500	W163 [163175]	11/2001-08/2005	F	**552**	●	○	○					V	345	51	32	**30**	67	5
			R	**553**		○	○					S	331	55.5	14	**12**	67	5
	W164 [164175]	09/2005-10/2007	F	**2252**	●	●	○					V	330	55	32	**29.4**	67	5
			F	**2254**	●	○						V	350	55	32	**29.4**	67	5
			R	**2253**	●	○	○					S	330	63	14	**11.4**	67	5
			R	**2255**	●	○						V	330	63	22	**19.4**	67	5
	W164 [164172]	11/2007-03/2012	F	**2254**	●	○						V	350	55	32	**29.4**	67	5
			F	**TBA**								V	375	54.5	32	**29.4**	67	5
			R	**2255**	●	○						V	330	63	22	**19.4**	67	5
	W166 [166073]	03/2012-on	F	**TBA**								V	375	54.5	36	**33.4**	67	5
		03/2012-12/2012	R	**TBA**								V	345	54	22	**19.4**	67	5
		01/2013-on	R	**TBA**								V	330	54	22	**19.4**	67	5
ML55 AMG	W163 [163174]	01/2001-08/2005	F	**552**	●	○	○					V	345	51	32	**30**	67	5
			R	**553**		○	○					S	331	55.5	14	**12**	67	5
ML63 AMG	W164 [164177]	10/2006-03/2012	F	**TBA**														
			R	**TBA**														
	W166 [166074]	11/2011-on	F	**3360EXDS**								V	390	54.5	36	**34**	67	5
			R	**3361EXDS**								V	345	54	26	**24**	67	5
R-CLASS																		
R280 CDI	W251 [251020 & 251026] 18 inch Wheels	10/2007-01/2010	F	**2252**	●	●	○					V	330	55	32	**29.4**	67	5
			F	**2254**	●	○						V	350	55	32	**29.4**	67	5
			R	**2253**	●	○	○					S	330	63	14	**11.4**	67	5
	18 inch Wheels		R	**2255**	●	○						V	330	63	22	**19.4**	67	5
R300 CDI	W251 [251020 & 251026] 18 inch Wheels	01/2010-on	F	**2252**	●	●	○					V	330	55	32	**29.4**	67	5
			F	**2254**	●	○						V	350	55	32	**29.4**	67	5
			R	**2253**	●	○	○					S	330	63	14	**11.4**	67	5
	18 inch Wheels		R	**2255**	●	○						V	330	63	22	**19.4**	67	5
R320 CDI	W251 [251022 & 251122]	04/2006-01/2008	F	**2252**	●	●	○					V	330	55	32	**29.4**	67	5
			R	**2253**	●	○	○					S	330	63	14	**11.4**	67	5
			R	**2255**	●	○						V	330	63	22	**19.4**	67	5
R350 & CDI	W251 [251165, 251023 & 251123]	01/2006-2011	F	**2252**	●	●	○					V	330	55	32	**29.4**	67	5
			F	**2254**	●	○						V	350	55	32	**29.4**	67	5
			R	**2253**	●	○	○					S	330	63	14	**11.4**	67	5
			R	**2255**	●	○						V	330	63	22	**19.4**	67	5
R500	W251 [251075 & 251175]	04/2006-10/2007	F	**2252**	●	●	○					V	330	55	32	**29.4**	67	5
			F	**2254**	●	○						V	350	55	32	**29.4**	67	5
			R	**2253**	●	○	○					S	330	63	14	**11.4**	67	5
			R	**2255**	●	○						V	330	63	22	**19.4**	67	5
R500	W251 [251172]	10/2007-06/2010	F	**2254**	●	○						V	350	55	32	**29.4**	67	5
			R	**2255**	●	○						V	330	63	22	**19.4**	67	5
S-CLASS																		
S280	W140 [140028]	1993-04/1999	F	**284**								V	320	82	30	**27.4**	67	5
			R	**283**								S	290	60	12	**9.8**	67	5
S320	W140 [140032]	09/1993-04/1999	F	**284**								V	320	82	30	**27.4**	67	5
			R	**283**								S	290	60	12	**9.8**	67	5
S320CDI	W220 [220026]	2000-2002	F	**TBA**								V	330	76	32	**30**	67	5
			R	**TBA**								S	300	58.5	11	**9.3**	67	5
S320L	W140 [140033]	09/1993-04/1999	F	**284**								V	320	82	30	**27.4**	67	5
			R	**283**								S	290	60	12	**9.8**	67	5

The Kangaroo Paw design is not available on all part numbers, ask your supplier for details. FOR LATEST CATALOGUE LISTINGS REFER TO WWW.DBA.COM.AU

F721 2019 Red Master v45.indd 171 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MERCEDES BENZ

Model		Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
S-CLASS – Continued																		
S350	W221 [221056]	2006-01/2011	F	TBA														
			R	TBA														
	W220 [220067]	2003-2006	F	TBA								V	312	76	28	26	67	5
			R	TBA								S	300	58.5	11	9.3	67	5
	W221 [221057]	2011-on	F	TBA								V	335	64.5	32	30	67	5
	SPORT PACK		F	TBA								V	350	64.5	32	30	67	5
			R	TBA								V	300	58.3	22	19.4	67	5
	SPORT PACK		R	TBA								V	320	58.2	24	21.4	67	5
S350CDI	W221 [221022]	10/2009-01/2011	F	TBA								V	350	64.5	32	30	67	5
			R	TBA								V	320	58.2	24	21.4	67	5
	W221 [221026]	02/2011-10/2013	F	TBA								V	350	64.5	32	30	67	5
			R	TBA								V	320	58.2	24	21.4	67	5
S420 & 420L	W140 [140042 & 140043]	09/1993-04/1999	F	284								V	320	82	30	27.4	67	5
			R	285								V	300	60	22	19.4	67	5
S430	W220 [220070 & 220170]	04/1999-02/2006	F	TBA								V	312	76	28	26	67	5
			F	TBA								V	330	76	32	30	67	5
			R	TBA								S	300	58.5	11	9.3	67	5
			R	2265								V	300	58.5	22	19.4	67	5
S450	W221 [221170]	2005-2007	F	TBA								V	335	64.5	32	30	67	5
			F	TBA								V	350	64.5	32	30	67	5
			R	TBA								S	300	58.3	12	10	67	5
			R	TBA								V	320	58.2	24	21.4	67	5
S500	W140 [140050]	09/1993-04/1999	F	284								V	320	82	30	27.4	67	5
			R	285								V	300	60	22	19.4	67	5
	W221 [221073]	02/2011-10/2013	F	42690				●	●	●	●	V	360	64.5	36	34	67	5
	W221 [221073]	02/2011-10/2013	F	52690							●	V	360	64.5	36	34	67	5
			R	TBA								V	320	58.2	24	21.4	67	5
S500L	W140 [140051]	09/1993-04/1999	F	284								V	320	82	30	27.4	67	5
			R	285								V	300	60	22	19.4	67	5
	W220 [220175]	04/1999-02/2006	F	TBA								V	312	76	28	26	67	5
			F	TBA								V	330	76	32	30	67	5
			R	TBA								S	300	58.3	11	9.3	67	5
			R	2265								V	300	58.5	22	19.4	67	5
	W221 [221173]	02/2011-10/2013	F	42690				●	●	●	●	V	360	64.5	36	34	67	5
	W221 [221173]	02/2011-10/2013	F	52690							●	V	360	64.5	36	34	67	5
			R	TBA								V	320	58.2	24	21.4	67	5
S600L	W140 [140057]	09/1993-04/1999	F	284								V	320	82	30	27.4	67	5
			R	285								V	300	60	22	19.4	67	5
	W221 [221176]	05/2006-10/2013	F	42690				●	●	●	●	V	360	64.5	36	34	67	5
	W221 [221176]	05/2006-10/2013	F	52690							●	V	360	64.5	36	34	67	5
			R	TBA								V	330	58.2	26	24	67	5
	W221 [221074]	02/2011-10/2013	F	52690							●	V	360	64.5	36	34	67	5
			R	TBA														
	R129 [129059]	1998-2000	F	280								V	300	45.5	28	25.4	67	5
SL55 AMG	R230 [230474]	09/2002-04/2006	F	42690				●	●	●	●	V	360	64.5	36	34	67	5
	R230 [230474]	09/2002-04/2006	F	52690							●	V	360	64.5	36	34	67	5
			R	TBA														
SL600	R230 [230476]	09/2003-04/2006	F	42690				●	●	●	●	V	360	64.5	36	34	67	5
	R230 [230476]	09/2003-04/2006	F	52690							●	V	360	64.5	36	34	67	5
			R	TBA								V	330	58.2	26	23.4	67	5
	R230 [230477]	05/2006-07/2012	F	42690				●	●	●	●	V	360	64.5	36	34	67	5
	R230 [230477]	05/2006-07/2012	F	52690							●	V	360	64.5	36	34	67	5
			R	TBA								V	330	58.2	26	24	67	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 172 17/9/19 7:16 pm



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MERCEDES BENZ

S-CLASS – Continued

Model		Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
SL63	R231 [231474]	08/2012-on	F	**TBA**														
			R	**3359**								V	360	50.5	26	**24**	67	5
SL65	R231 [231479]		F	**TBA**														
			R	**3359**								V	360	50.5	26	**24**	67	5
SLK200	R170 [170435 & 170444]	11/1997-07/2004	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	R171 [171442]	08/2004-05/2008	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
	SPORT PACK		F	**2694E**	●	●	○	●	○	○		V	330	46.5	28	**26**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	SPORT PACK		R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	R171 [171445]	06/2008-06/2011	F	**288**	●	○						V	300	47	28	**25.4**	67	5
	SPORT PACK		F	**2694E**	●	●	○	●	○	○		V	330	46.5	28	**26**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	SPORT PACK		R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
	R172 [172448]	02/2011-on	F	**2262E**	●	●	○					V	295	64.5	28	**25.4**	67	5
	SPORT PACK		F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
			R	**TBA**								S	300	43	10	**8.3**	67	5
SLK230	R170 [170447 & 170449]	02/1997-06/2004	F	**286**	●	○	○					V	288	47	25	**22.4**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
SLK250	R172 [172447]	02/2011-on	F	**2262E**	●	●	○					V	295	64.5	28	**25.4**	67	5
	SPORT PACK		F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
			R	**TBA**								S	300	43	10	**8.3**	67	5
	R172 [172403]	1/2012-on	F	**2688E**	●	○	○	●	●			V	322	64.5	32	**29.4**	67	5
	SPORT PACK		F	**TBA**								V	344	64	32	**30**	67	5
			R	**TBA**									300	43	10	**8.3**	67	5
SLK280 & SLK300	R171 [171454]	08/2005-06/2011	F	**288**	●	○						V	300	47	28	**25.4**	67	5
	SPORT PACK		F	**2694E**	●	●	○	●	○	○		V	330	46.5	28	**26**	67	5
			R	**287**								S	278	55	9	**7.3**	67	5
	SPORT PACK		R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
SLK32 AMG	R170 [170466]	09/2001-07/2004	F	**TBA**								V	330	46.5	32	**29.4**	67	5
			R	**2697**	●	○	○	●	○	○		V	300	55.3	22	**19.4**	67	5
SLK320	R170 [170465]	07/2000-07/2004	F	**288**	●	○						V	300	47	28	**25.4**	67	5
			R	**267**								S	278	55.5	9	**7.3**	67	5
SLK350	R171 [171456 & 171458]	08/2004-06/2011	F	**2694E**	●	●	○	●	○	○		V	330	46.5	28	**26**	67	5
			R	**2695**	●	○						S	290	55.5	10	**8.3**	67	5
SLK55 AMG	R171 [171473]	04/2005-06/2011	F	**2696**	●	○	○	●	○	●		V	345	46.5	30	**28**	67	5
			R	**2697**	●	○	○	●	○	○		V	300	55.3	22	**19.4**	67	5
	R172 [172475]	02/2012-on	F	**42690**				●	●	●	●	V	360	64.5	36	**34**	67	5
	R172 [172475]	02/2012-on	F	**52690**							●	V	360	64.5	36	**34**	67	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MERCEDES BENZ

Model		Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
SPRINTER																		
	W902, W903 & W904	2000-2006	F	**566**	●							V	276	77	22	**19.5**	85	5
			R	**2267**	●							S	258	96.5	12	**10**	85	5
			R	**567**	●	○						S	272	97	16	**14**	85	5
			R	**2268**	●							V	285	93	22	**19**	120	6
	W906	2006-2018	F	**2270E**	●	○		●	○	○		V	300	68.5	28	**25**	85	6
	3T & 3.5T		R	**2269E**	●	●						S	298	71.5	16	**14**	85	6
	5T 509, 51, 515 & 518		R	**2271**	●			●	●			V	303	93	28	**25**	120	6
V-CLASS																		
VALENTE	113CDi – 639 2.2 TD [639703]	04/2012-06/2015	F	**2256E**	●	●	○					V	300	58.6	28	**25**	67	5
			R	**2257**	●	●	○					S	296	57.8	10	**8**	67	5
	116 – 447 2.2L TD [447703]	07/2015-on	F	**2256E**	●	●	○					V	300	58.6	28	**25**	67	5
			R	**3601E**								S	300	57.8	12	**9**	67	5
VIANO	639 Series	2005-2015	F	**2256E**	●	●	○					V	300	58.6	28	**25**	67	5
			R	**2257**	●	●	○					S	296	57.8	10	**8**	67	5
VITO	1108D, 110D, 112CDI & 113D	1999-2003	F	**564**	●	○						V	276	60	22	**19.5**	67	5
			R	**565**	●	○						S	280	63	10	**8.5**	67	5
	ALL	2004-2015	F	**2256E**	●	●	○					V	300	58.6	28	**25**	67	5
			R	**2257**	●	●	○					S	296	57.8	10	**8**	67	5
	Chassis Type 447 111CDI, 114, 116 & 119 – To E82499	07/2015-on	F	**2256E**	●	●	○					V	300	58.6	28	**25**	67	5
	BLUETEC SWB, LWB & CREW CAB		F	**3362E**								V	330	58.5	32	**28**	67	5
			R	**3601E**								S	300	57.8	12	**9**	67	5
V250	447 2.2L TD [447813]	07/2015-on	F	**2256E**	●	●	○					V	300	58.6	28	**25**	67	5
			R	**3601E**								S	300	57.8	12	**9**	67	5
220D & 250D WELLSIDE UTE																		
X220D & 250D	470 Series 2WD & 4WD [470210, 470211 & 470231]	12/2017-on	F	**TBA**									320		28			
			R	**TBA**									308		18			

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 174 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MG

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
MG																	
MG MIDGET MK I-II	1963-1967	F	**061**								S	209.8	60	7.7	**7**	63	4
MG MIDGET MK III	1967-1972																
DISC WHEELS																	
MG B, GT	1962-1966	F	**062**								S	273.4	44.5	8.7	**7.6**	73	4
MG B MK II, GT MK II	1967-1972																

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MINI COOPER

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
MINI – COOPER																	
MINI COOPER S	1964-1967	F	**081**								S	190	77.5	9.5	**8.5**	73.5	4
MINI CLUBMAN, GT	1970-1973																
MINI COOPER – R50																	
COUPE W10 Engine	9/2000-2006	F	**542**	●	●	○					V	276	44	22	**19**	64	4
COUPE ONE 1.4D W17 Engine	6/2002-on																
COUPE ONE 1.4l W10 Engine	2/2002-on																
COUPE ONE 1.6l W10 Engine	9/2000-on																
16.1mm STUD	08/2006-on	F	**3296E**								V	276	44	22	**20.4**	64	4
14.6mm STUD		R	**543E**	●	●	○					S	259	44	10	**8.4**	64	4
16.1mm STUD	08/2006-on	R	**3293E**								S	259	44	10	**8.4**	64	4
MINI COOPER – R52 CONVERTIBLE																	
COOPER S W11 Engine 16.1mm STUD	2005-2006	F	**542**	●	●	○					V	276	44	22	**19**	64	4
16.1mm STUD	08/2006-02/2009	F	**3296E**								V	276	44	22	**20.4**	64	4
COOPER S JCW 155kW	2005-2009	F	**2524**	●	●	○	●	●	●		V	294	44	22	**20.4**	64	4
COOPER W10 Engine	11/2002-on																
CONVERTIBLE ONE 1.4L	2/2002-on																
ALL – 14.6mm STUD	to 07/2006	R	**543E**	●	●	○					S	259	44	10	**8.4**	64	4
16.1mm STUD	08/2006-02/2009	R	**3293E**								S	259	44	10	**8.4**	64	4
MINI COOPER – R53 HATCHBACK																	
COUPE COOPER S W11 Engine 16.1mm STUD	2002-2006	F	**542**	●	●	○					V	276	44	22	**19**	64	4
16.1mm STUD	08/2006-02/2007	F	**3296E**								V	276	44	22	**20.4**	64	4
14.6mm STUD	to 07/2006	R	**543E**	●	●	○					S	259	44	10	**8.4**	64	4
16.1mm STUD	08/2006-02/2007	R	**3293E**								S	259	44	10	**8.4**	64	4
MINI COOPER-R55 WAGON																	
CLUBMAN	2008-10/2015	F	**2526**	●	●	○	●	●	●		V	280	44	22	**20.4**	64	4
16.1mm STUD		R	**3293E**								S	259	44	10	**8.4**	64	4
COOPER S		F	**2524**	●	●	○	●	●	●		V	294	44	22	**20.4**	64	4
16.1mm STUD		R	**3293E**								S	259	44	10	**8.4**	64	4
CLUBMAN JCW 155kW		F	**2528**	●	●	○	●	●			V	316	45	22	**20.4**	64	4
		R	**2529**	●	○	○					S	280	44	10	**8.4**	64	4
MINI COOPER – R56 HATCHBACK																	
JOHN COOPER WORKS COUPE & CLUBMAN	2007-2013	F	**2528**	●	●	○	●	●			V	316	45	22	**20.4**	64	4
		R	**2529**	●	○	○					S	280	44	10	**8.4**	64	4
COUPE & CLUBMAN N12 Engine *Except* JCW 14.6mm STUD	2007-03/2014	F	**2526**	●	●	○	●	●	●		V	280	44	22	**20.4**	64	4
		R	**543E**	●	●	○					S	259	44	10	**8.4**	64	4
16.1mm STUD		R	**3293E**								S	259	44	10	**8.4**	64	4
COOPER S Inc CLUBMAN N14 Engine *Except* JCW 14.6mm STUD	2007-2014	F	**2524**	●	●	○	●	●	●		V	294	44	22	**20.4**	64	4
		R	**543E**	●	●	○					S	259	44	10	**8.4**	64	4
16.1mm STUD		R	**3293E**								S	259	44	10	**8.4**	64	4

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 176 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MINI COOPER

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
MINI COOPER – R56 HATCHBACK – Continued																	
MINI COOPER – 2 Piece Upgrade COOPER, COOPER S REPLACEMENT FOR Brembo GRAN TURISMO BIG BRAKE SYSTEM 5000 SERIES 2-PIECE ASSEMBLED	2003-on	F	**52525**							○	V	320	48.5	28	**27**	64	4
R56 / F56 / F57 JCW PACKAGE 1.6L & 2.0L MINI COOPER-R57 CONVERTIBLE	2015-on	F	**52288**							●	V	335	45.2	30	**28**	67	5
MINI COOPER-R57 CONVERTIBLE																	
1.6L CONVERTIBLE *Check All Specs*	2008-on	F	**2526**	●	●	○	●	●	●		V	280	44	22	**20.4**	64	4
Check All Specs		F	**2524**	●	●	○	●	●	●		V	294	44	22	**20.4**	64	4
16.1mm STUD		R	**3293E**								S	259	44	10	**8.4**	64	4
JOHN COOPER WORKS	2008-on	F	**2528**	●	●	○	●	●			V	316	45	22	**20.4**	64	4
		R	**2529**	●	○	○					S	280	44	10	**8.4**	64	4
MINI COOPER-R58 COUPE																	
1.6L COUPE – *Check All Specs*	2012-on	F	**2526**	●	●	○	●	●	●		V	280	44	22	**20.4**	64	4
Check All Specs		F	**2524**	●	●	○	●	●	●		V	294	44	22	**20.4**	64	4
16.1mm STUD		R	**3293E**								S	259	44	10	**8.4**	64	4
JOHN COOPER WORKS	2012-on	F	**2528**	●	●	○	●	●			V	316	45	22	**20.4**	64	4
		R	**2529**	●	○	○					S	280	44	10	**8.4**	64	4
MINI COOPER-R59 ROADSTER																	
1.6L ROADSTER – *Check Specs*	2012-on	F	**2526**	●	●	○	●	●	●		V	280	44	22	**20.4**	64	4
Check All Specs		F	**2524**	●	●	○	●	●	●		V	294	44	22	**20.4**	64	4
16.1mm STUD		R	**3293E**								S	259	44	10	**8.4**	64	4
JOHN COOPER WORKS	2012-on	F	**2528**	●	●	○	●	●			V	316	45	22	**20.4**	64	4
		R	**2529**	●	○	○					S	280	44	10	**8.4**	64	4
MINI COUNTRYMAN-R60 WAGON																	
1.6L & 2.0L WAGON	2010-on	F	**TBA**								V	294	45.2	22	**20.4**	79	5
		F	**TBA**								V	307	45	24	**22.4**	79	5
		R	**3285**								S	280	50.2	10	**8.4**	79	5
MINI COOPER PACEMAN-R61 HATCHBACK																	
1.6L PETROL Non TURBO	2013-on	F	**TBA**								V	294	45.2	22	**20.4**	79	5
		R	**3285**								S	280	50.2	10	**8.4**	79	5
1.6L PETROL TURBO		F	**TBA**								V	307	45	24	**22.4**	79	5
		R	**3285**								S	280	50.2	10	**8.4**	79	5
1.6L PETROL TURBO JOHN COOPER WORKS ALL4		F	**TBA**								V	307	45	24	**22.4**	79	5
		R	**TBA**								S	296	50	10	**8.4**	79	5
MINI COOPER CLUBMAN																	
F54 Series 1.5L TURBO & 2.0L TD WAGON	11/2015-on	F	**3280E**	●	○						V	294	45.2	22	**20.4**	67	5
		R	**3281E**	●	○						S	280	50.6	10	**8**	67	5
F54 Series 2.0L x 141kW PETROL TURBO	11/2015-on	F	**3294E**								V	307	45.2	24	**22.4**	67	5
		R	**3281E**	●	○						S	280	50.6	10	**8**	67	5
F54 2.0L x 170kW JCW ALL 4 – TURBO WAGON		F	**52288**							●	V	335	45.2	30	**28**	67	5
		R	**TBA**								V	300	50.6	20	**18.4**	67	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MINI COOPER

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
MINI COOPER & COOPER D																	
F55, F56 & F57 Series 1.2L & 1.5L TURBO	11/2014-on	F	**3284E**	●	○						V	280	45.1	22	**20.4**	67	5
		R	**3283E**	●	○						S	259	50.8	10	**8.4**	67	5
MINI COOPER S																	
F55 Series 2.0L x 141kW TURBO HATCH	04/2014-on	F	**3280E**	●	○						V	294	45.2	22	**20.4**	67	5
		R	**3283E**	●	○						S	259	50.8	10	**8.4**	67	5
F56 & F57 Series 2.0L x 141kW TURBO HATCH		F	**3280E**	●	○						V	294	45.2	22	**20.4**	67	5
JCW PACKAGE		F	**52288**							●	V	335	45.2	30	**28**	67	5
		R	**3283E**	●	○						S	259	50.8	10	**8.4**	67	5
MINI COUNTRYMAN																	
F60 Series 1.5L x 100kW TURBO COOPER	02/2017-on	F	**3294E**								V	307	45.2	24	**22.4**	67	5
		R	**3281E**	●	○						S	280	50.6	10	**8**	67	5
F60 Series 1.5L HYBRID COOPER SE ALL 4		F	**3286E**	●							V	330	45.1	24	**22.4**	67	5
		R	**TBA**														
F60 Series 2.0L x 140kW TD SD ALL 4		F	**3286E**	●							V	330	45.1	24	**22.4**	67	5
		R	**3281E**	●	○						S	280	50.6	10	**8**	67	5
F60 Series 2.0L TD COOPER D		F	**3294E**								V	307	45.2	24	**22.4**	67	5
		R	**3281E**	●	○						S	280	50.6	10	**8**	67	5
F60 Series JCW ALL 4		F	**52288**							●	V	335	45.2	30	**28**	67	5
		R	**TBA**								V	300	50.6	20	**18.4**	67	5
F60 Series 2.0L COOPER S		F	**3286E**	●							V	330	45.1	24	**22.4**	67	5
		R	**3281E**	●	○						S	280	50.6	10	**8**	67	5
MINI ONE																	
F55 & F56 Series 1.2L TURBO	0/2014-on	F	**3284E**	●	○						V	280	45.1	22	**20.4**	67	5
		R	**3283E**	●	○						S	259	50.8	10	**8.4**	67	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 178 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MITSUBISHI

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
3000 GT																	
JF	10/1992-5/1994	F	**213**								V	296	45.2	30	**28.4**	69	5
		R	**214**								V	284	52.8	20	**18.4**	90	5
3000 GT	5/1994-1996	F	**216**								V	314	45.5	30	**28.4**	69	5
		R	**217**								V	297	50.5	20	**18.4**	90	5
3000 GT, GT-SL, GT-VR4, USA																	
GT & GT-SL	4/1990-1995	F	**425**	●	●	●	●	●	○		V	276	45	24	**22.4**	69	5
		R	**423**		○	○					V	266	65.5	18	**16.4**	90	5
GT-VR4 & GTO	1990-5/1993	F	**213**								V	296	45.2	30	**28.4**	69	5
		R	**214**								V	284	52.8	20	**18.4**	90	5
GT-VR4	6/1993-1999	F	**216**								V	314	45.5	30	**28.4**	69	5
		R	**217**								V	297	50.5	20	**18.4**	90	5
380																	
ES, SX, VRX, LX, GT	2005-2008	F	**2206**	●	●	○					V	294	46	28	**26.4**	69	5
		R	**2207**	●	○	○					V	302	59.2	18	**16.4**	69	5
AIRTREK ***New Zealand***																	
CU5W Chassis 2.4L WAGON	06/2001-01/2006	F	**417**	●	●	●	●	●	●	○	V	294	46	24	**22.4**	69	5
		R	**2203**	●	●	○	○	○	○		S	262	60	10	**8.4**	90	5
DRUM *if Fitted – Check All Specs*		R	**1728**								Dr	229	59.5		**230.6**	90	5
ASX																	
XA, XB & XC Series 2.0L – 2WD	07/2010-on	F	**2422**	●	●	○					V	294	45.5	26	**24.4**	69	5
XA	07/2010-2012	R	**2425**	●	●	○					S	302	60.3	10	**8.4**	80	5
XB & XC	2012-on	R	**2237E**	●	○						S	302	36.2	10	**8.4**	69	5
XB & XC Series 2.3L TD – 4WD	07/2013-on	F	**2422**	●	●	○					V	294	45.5	26	**24.4**	69	5
		R	**2237E**	●	○						S	302	36.2	10	**8.4**	69	5
COLT																	
RA, RB, RC, RD, RE 1.5L Z2, SPORTS & 1.5L D	1980-6/1990	F	**215**	●							S	228	40	13	**11.4**	86	4
69mm CENTRE HOLE	2004-2013	F	**2226**	●	●						V	256	45.5	24	**21.5**	69	4
RG Series 1.5L *Mainly Suits VIN – JMFXSZ23A* 64mm CENTRE HOLE	2005-2013	F	**2232**	●	○	○					V	256	45	20	**18.4**	64	4
VR-X – *Check*		F	**3400E**	●							V	270	45.2	24	**22.4**	64	4
RG Series 1.5L – DRUM		R	**1910**								Dr						
RALLIART 1.5L	2004-2008	F	**2228**	●	●						V	280	46.5	26	**23.5**	69	4
		R	**2227**	●	●						S	250	38.5	10	**8**	69	4
COLT ***New Zealand***																	
Z25A & Z27A Chassis 1.4L & 1.5L *Check Specs*	11/2002-2005	F	**2226**	●	●						V	256	45.5	24	**21.5**	69	4
		F	**2232**	●	○	○					V	256	45	20	**18.4**	64	4
		R	**2227**	●	●						S	250	38.5	10	**8**	69	4
CORDIA																	
AC Non TURBO	12/1985-7/1989	F	**219**								V	242	34.5	18	**16.4**	86	4
AA, AB TURBO FTO / ECLIPSE 1.8L, 2.0L	5/1984-11/1985																
1.8GS & 2.0L – 14 inch Wheels	9/1994-9/1997	F	**411B**								V	256	45	24	**22.4**	69	5
2.0L MIVEC V6 – 15 inch Wheels	9/1994-9/1997	F	**425**	●	●	●	●	●	○		V	276	45	24	**22.4**	69	5
1.8GS & 2.0L – 14 inch Wheels	10/1997-8/2000	F	**421**	●	○	○					V	256	45.2	24	**22.4**	69	5
ECLIPSE TURBO – 2WD	1/1994-1998	R	**2203**	●	●	○					S	262	60	10	**8.4**	90	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MITSUBISHI

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
CHALLENGER																	
CHALLENGER PA 3.0L V6 *Same as DBA234*	12/1997-2007	F	**663**	●	●	○					V	276	45.3	24	**22.4**	87	6
XS, LS 5 DOOR WAGON PB & PC Series 2.5L TURBO DIESEL 4WD & RWD		R	**233**	●	●	○					S	315	84	18	**16.4**	108	6
	12/2009-2015	F	**2208E**	●	●	●	●	●	●		V	295	46.5	28	**26.4**	94	6
2.5L TURBO DIESEL RWD	10/2011-on																
		R	**2215E**	●	●		●	●	●		V	315	84.2	18	**16.4**	94	6
ECLIPSE CROSS																	
YA Series 1.5L TURBO PETROL	12/2017-on	F	**2422**	●	●	○					V	294	45.5	26	**24.4**	69	5
		R	**2237E**	●	○						S	302	36.2	10	**8.4**	69	5
GALANT																	
HG	5/1989-8/1990	F	**221**								V	265	45.5	24	**22.4**	69	4
HH – *Except* VR4 TURBO	9/1990-1993	F	**411**								V	256	45	24	**22.4**	69	4
HH5 VR4 TURBO		F	**4402**				●	●	○		V	276	45	24	**22.4**	69	4
HG, HH	5/1989-1993	R	**403**								S	265	49	10	**8.4**	90	4
HJ	1992-1994	F	**411**								V	256	45	24	**22.4**	69	4
		R	**404**								S	262	60	10	**8.4**	90	4
GALANT FORTIS ***New Zealand***																	
CY4A Chassis 2.0L	08/2007-04/2015	F	**2201E**	●	●						V	276	45.5	26	**24.4**	69	5
		F	**417**	●	●	●	●	●	●	○	V	294	46	24	**22.4**	69	5
		R	**2209**	●	●	●					S	262	60	10	**8.4**	80	5
EXPRESS																	
SJ 2.4 L	12/1994-2003	F	**229**	●	○						V	276	45.5	22	**20.4**	87	6
SJ 2.0L, 2.5L	12/1994-2006	F	**230**	●	○						V	258	33.5	22	**20.4**	84	5
GRANDIS																	
2.4L FWD	2004-2010	F	**2422**	●	●	○					V	294	46	26	**24.4**	69	5
LANCER																	
CA	1988-8/1990	F	**219**								V	242	34.5	18	**16.4**	86	4
CC GSR TURBO SEDAN	10/1992-1996	F	**411**								V	256	45	24	**22.4**	69	4
		R	**406**								S	260	41	10	**8.4**	90	4
CC & CE 1.5L & 1.8L	10/1992-2003	F	**413**	●	●	○					V	235	45	18	**16.4**	64	4
DRUM		R	**1727**	○							Dr	180	66		**181**	64	4
CS & CH – 15 inch Wheels 4 STUD	7/2003-2008	F	**2214E**	●	○						V	276	45.5	26	**24.4**	69	4
		R	**404**								S	262	60	10	**8.4**	90	4
CG & CH 2.0L – 14 inch Wheels	06/2002-04/2006	F	**2200**	●	○						V	256	45	24	**22.4**	64	4
DRUM		R	**1922**								Dr	203	60.1		**205**	64	4
CJ RALLIART	2007-3/2009	F	**417**	●	●	●	●	●	●	○	V	294	46	24	**22.4**	69	5
		R	**2213**	●	●						S	302	58.5	10	**8.4**	80	5
CJ ASPIRE 2.4L	2009-2014	F	**2422**	●	●	○					V	294	45.5	26	**24.4**	69	5
		R	**2425**	●	●	○					S	302	60.3	10	**8.4**	80	5
2.0L SEDAN & HATCH	08/2007-10/2016	F	**2201E**	●	●						V	276	45.5	26	**24.4**	69	5
		R	**2209**	●	●	●					S	262	60	10	**8.4**	80	5
CF Series 2.0L	11/2016-on	F	**2201E**	●	●						V	276	45.5	26	**24.4**	69	5
		R	**2209**	●	●	●					S	262	60	10	**8.4**	80	5
CF Series GSR SPORTBACK 2.4L	10/2016-on	F	**2422**	●	●	○					V	294	45.5	26	**24.4**	69	5
		R	**2425**	●	●	○					S	302	60.3	10	**8.4**	80	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 180 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MITSUBISHI

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
LANCER *New Zealand*																	
C52A Chassis 1.5L *Check Specs*	05/2000-10/2008	F	**2200**	●	○						V	256	45	24	**22.4**	64	4
COUPE																	
CC 1.5L	10/1992-2003	F	**408**								S	235	45	13	**11.4**	64	4
DRUM		R	**1727**	○							Dr	180	66		**181**	64	4
CG 2.0L – 14 inch Wheels	2/2002-2003	F	**2200**	●	○						V	256	45	24	**22.4**	64	4
CH 2.0L – 14 inch Wheels	7/2003-2005																
CH VR-X 2.0L – 15 inch Wheels		F	**2201E**	●	●						V	276	45.5	26	**24.4**	69	5
CH 2.4L ALL MODELS	2006-2008	R	**2203**	●	●	○					S	262	60	10	**8.4**	90	5
CJ SALOON & SPORTBACK	03/2008-2014	F	**2201E**	●	●						V	276	45.5	26	**24.4**	69	5
Non TURBO *Except* VRX/RALLIART		R	**2209**	●	●	●					S	262	60	10	**8.4**	80	5
CJ RALLIART	2008-3/2009	F	**417**	●	●	●	●	●	●	○	V	294	46	24	**22.4**	69	5
EVOLUTION LANCER																	
EVO I, II, III	1993-1995	F	**4402**				●	●	○		V	276	45	24	**22.4**	69	4
Check Dimensions		R	**406**								S	260	41	10	**8.4**	90	4
EVO IV, V, VI – RS MODELS Engine: 4G63 – 15 inch Wheels	1996-on	F	**4428**				●	○	○		V	276	45.5	24	**22.4**	69	5
Suits 2 POT CALIPERS		R	**4429**				●	●	○		V	284	60.2	20	**18.4**	90	5
EVO IV GSR	1996	F	**417**	●	●	●	●	●	●	○	V	294	46	24	**22.4**	69	5
Engine: 4G63 – 16 inch Wheels		R	**419**	●	●	○	●	●	●		V	300	58	22	**20.4**	90	5
EVO V, VI, VII, VIII, IX GSR & RS-2 Engine: 4G63 – 17 inch Wheels	1996-2008	F	**418**	●	●	○	●	●	●	○	V	320	43.5	32	**29.8**	69	5
		F	**52218**							●	V	320	43.5	32	**29.8**	69	5
		R	**419**	●	●	○	●	●	●		V	300	57	22	**20.4**	90	5
EVO X Inc MR MODELS	2008-10/2015	F	**42224**				●	●	●	●	V	350	44	32	**30**	69	5
		R	**42225**				●	●	●		V	330	59	22	**20**	80	5
EVO X Brembo REPLACEMENT		F	**52223.1**							●	V	350	32	32	**30**		8
REPLACE RING – MR MODELS GSR With PERFORMANCE PACK		F	**52224.1**							●	V	350	32	32	**30**		12
EVO Final Edition 2.0L TURBO	11/2015-03/2016	F	**42224**				●	●	●	●	V	350	44	32	**30**	69	5
		R	**42225**				●	●	●		V	330	59	22	**20**	80	5
MAGNA																	
TM, TN, TP	1985-1991	F	**221**								V	266	45.5	24	**22.4**	69	4
		R	**222**								S	251	49	10	**8.4**	HUB	4
TN, TP WAGON Only	7/1987-1992	R	**223**								S	276	84	10	**8.4**	HUB	4
TR, TS – 4 Cyl MODELS Only *Except TR 4 Cyl with an X in the Chassis Manufactured up to 8/92*	4/1991-1996	F	**421**	●	○	○					V	256	45.2	24	**22.4**	69	5
TR 4 Cyl *with an X in the Chassis*	Up to 8/1992	F	**425**	●	●	●	●	●	○		V	276	45	24	**22.4**	69	5
TR, TSV6 Without ABS MODELS	4/1991-1996	F	**425**	●	●	●	●	●	○		V	276	45	24	**22.4**	69	5
TR, TS V6 ABS MODELS Only		F	**425**	●	●	●	●	●	○		V	276	45	24	**22.4**	69	5
TR, TS 4 Cyl & V6 Without ABS		R	**422**	●							S	258	66	10.4	**8.4**	90	5
TS V6 SEDAN ABS	3/1994-1996	R	**423**		○	○					V	266	65.5	18	**16.4**	90	5
TE 4 Cyl, V6 With ABS & Without ABS	1996-1997	F	**425**	●	●	●	●	●	○		V	276	45	24	**22.4**	69	5
		R	**426**	●	●	○					S	258	56.5	10.5	**8.4**	90	5
TF, TH, TJ, VR-X, SPORTS V6 TL ES, LS, VR, VR-X V6	6/1997-2003	F	**425**	●	●	●	●	●	○		V	276	45	24	**22.4**	69	5
		R	**426**	●	●	○					S	258	56.5	10.5	**8.4**	90	5
TJ II V6 AWD	2002-2003	F	**417**	●	●	●	●	●	●	○	V	294	46	24	**22.4**	69	5
TL AWD V6		R	**4429**				●	●	○		V	284	60.2	20	**18.4**	90	5
TJ RALLIART		R	**42429**								V	284	57	20	**18.4**	90	5

The Kangaroo Paw design is not available on all part numbers, ask your supplier for details. FOR LATEST CATALOGUE LISTINGS REFER TO WWW.DBA.COM.AU

F721 2019 Red Master v45.indd 181 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MITSUBISHI

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
L200 – LATER MODELS SEE TRITON																	
MA, MB, MC, MD 2WD	1981-1986	F	**220**								S	255	34	20	**18.4**	84	6
MA, MC, MD 4WD		F	**228**								V	255	45	20	**18.4**	87	6
DRUM Series MC & MD	1982-1986	R	**1781**	○							Dr	254	93.5		**255.4**		6
L200 *New Zealand*																	
K77 CHASSIS 2.9L DIESEL	1997-2006	F	**662**	●	○						V	254	39	24	**22.4**	87	6
		F	**663**	●	●	○					V	276	45.3	24	**22.4**	87	6
		R	**1864**	●							Dr	270	93.8		**272**	108	6
L300																	
SA	1980-1982	F	**225**	○	○						V	232	29.5	20	**18.4**	84	5
SB, SC, SD, SE	1982-9/1986	F	**226**								V	255	34	20	**18.4**	84	5
DRUM		R	**1781**	○							Dr	254	93.5		**255.4**		6
SF, SG, SH, SJ 2WD	1986-2004	F	**230**	●	○						V	258	33.5	22	**20.4**	84	5
SC, SD, SE 4WD	1983-9/1986	F	**228**								V	255	45	20	**18.4**	87	6
SF, SG, SH, SJ 4WD	1986-2004	F	**229**	●	○						V	276	45.5	22	**20.4**	87	6
DRUM Series SJ 4WD	1994-04/2000	R	**1781**	○							Dr	254	93.5		**255.4**		6
WA LWB 2.4L	9/1994-2006	F	**208**	●	○						V	254	39	24	**22.4**	87	5
P04V Chassis 2.4L (NZ) *Check*	1998-2007	F	**208**	●	○						V	254	39	24	**22.4**	87	5
DRUM		R	**1782**	○							Dr	254	70.5		**255.4**	75	5
P15V Chassis 2.5L TD (NZ) *Check*	2000-2007	F	**230**	●	○						V	258	33.5	22	**20.4**	84	5
DRUM		R	**1782**	○							Dr	254	70.5		**255.4**	75	5
MIRAGE																	
LA Series 1.2L HATCHBACK Only	01/2013-on	F	**2212E**	●	○						V	229	41.7	17	**15.4**	64	4
DRUM		R	**1779**	●							Dr	180	74.3		**181**	HUB	4
MIRAGE *New Zealand*																	
CJ1A Chassis 1.3L	10/1995-10/2000	F	**413**	●	●	○					V	235	45	18	**16.4**	64	4
DRUM		R	**1727**	○							Dr	180	66		**181**	64	4
MIRAGE, SPACE STAR																	
CE 1.5L	1996-2004	F	**413**	●	●	○					V	235	45	18	**16.4**	64	4
DRUM		R	**1727**	○							Dr	180	66		**181**	64	4
NIMBUS, SPACEWAGON, CHARIOT GRANDIS																	
UA, UB, UC	1984-1991	F	**219**								V	242	34.5	18	**16.4**	86	4
UF 2.4L	1/1992-1998	F	**411**								V	256	45.3	24	**22.4**	69	4
UG	7/1998-2001	F	**425**	●	●	●	●	●	○		V	276	45.5	24	**22.4**	69	5
		R	**4429**				●	●	○		V	284	60.2	20	**18**	90	5
OUTLANDER, AIRTREK																	
ZE 2S45 AWD	2002-2006	F	**2201E**	●	●						V	276	45.5	26	**24.4**	69	5
ALL MODELS – *Check Dimensions of Front for Correct Fitment*	2006-on	F	**417**	●	●	●	●	●	●	○	V	294	46	24	**22.4**	69	5
		R	**2209**	●	●	●					V	262	60.3	10	**8.4**	80	5
ZE & ZF AWD	2002-2006	F	**2201E**	●	●						V	276	45.5	26	**24.4**	69	5
		R	**2203**	●	●	○					S	262	60	10	**8.4**	90	5
ZG 2.4L	2006-on	F	**2422**	●	●	○					V	294	45.5	26	**24.4**	69	5
169mm INTERNAL HAT		R	**2425**	●	●	○					S	302	60.3	10	**8.4**	80	5
ZG 3.0L	2006-2012	F	**2422**	●	●	○					V	294	45.5	26	**24.4**	69	5
190mm INTERNAL HAT		R	**2213**	●	●						S	302	58.5	10	**8.4**	80	5
ZJ & ZK Series 2.0L & 2.3L 2WD & AWD	2013-on	F	**2422**	●	●	○					V	294	45.5	26	**24.4**	69	5
		R	**2237E**	●	○						S	302	36.2	10	**8.4**	69	5
ZL Series 2.3L TD & 2.4L PETROL	11/2017-on	F	**2422**	●	●	○					V	294	45.5	26	**24.4**	69	5
		R	**2237E**	●	○						S	302	36.2	10	**8.4**	69	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 182 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MITSUBISHI

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
PAJERO, SHOGUN																	
NA, NB, NC & ND Series SWB	1983-9/1987	F	**228**								V	255	45	20	**18.4**	87	6
NA, NB, NC & ND LWB		F	**224**								V	275	45	20	**18.4**	87	6
DRUM		R	**1781**	○							Dr	254	93.5		**255.4**		6
NE, NF, NG & NH Series SWB & LWB	07/1987-06/1993	F	**232**								V	258	45	22	**20.4**	87	6
NF, NG V6 LWB	7/1988-06/1993	F	**229**	●	○						V	276	45.5	22	**20.4**	87	6
NH V6 LWB	1/1991-6/1993	F	**234**	●	○						V	276	45	24	**22.4**	87	6
NF, NG & NH		R	**233**	●	●	○					S	315	84	18	**16.4**	108	6
DRUM		R	**1781**	○							Dr	254	93.5		**255.4**		6
NJ, NK & NL Series	07/1993-06/2000	F	**234**	●	○						V	276	45	24	**22.4**	87	6
NJ, NK & NL GLX 3.5L		F	**236**	●	○						V	276	45.3	27	**25.4**	87	6
NL GLX 3.5L 15 inch Wheels		F	**236**	●	○						V	276	45.3	27	**25.4**	87	6
NK & NL GLS 3.5L 16 & 18 inch Wheels		F	**237**	●	●	○					V	314	45.5	24	**22.4**	87	6
		R	**233**	●	●	○					S	315	84	18	**16.4**	108	6
NK & NL 15 inch Wheels		R	**233**	●	●	○					S	315	84	18	**16.4**	108	6
NM & NP Series	02/2000-09/2006	F	**660**	●	●	●	●	●	○		V	290	46	26	**24.4**	94	6
		R	**661E**	●	●	●	●	●	○		V	300	72	22	**20.4**	94	6
IO Series QA	1999-2002	F	**239**								V	286	39	22	**20**	69	5
NS, NT, NW & NX Series	10/2006-08/2019	F	**2216E**	●	●	●	●	●	○		V	332	56.7	28	**26**	94	6
		R	**2219E**	●	●	●	●	●	○		V	332	74.6	18	**16**	94	6
PAJERO SPORTS, MONTERO																	
QE Series 2.5L TD	12/2015-2018	F	**2234E**	●	●	○	○	●	○		V	320	46	28	**26**	94	6
		R	**2235E**	●	○		○	○	○		V	315	84.2	18	**16.4**	94	6
ROSA BUS																	
NS 3.8L V6 PETROL	2003-2007	F	**2222**	●	○						V	293	54	40	**37.7**	110	5
SIGMA																	
GH, GJ, GK, GN	1980-1987	F	**205**								S	256	32.5	13	**11.5**	80	4
		R	**207**								S	280	73	10.5	**8.8**	68	4
STARWAGON, DELICA, SPACE GEAR																	
WA	9/1994-2003	F	**208**	●	○						V	254	39	24	**22.4**	87	5
SF, SG, SH 2WD	10/1986-8/1994	F	**230**	●	○						V	258	33.5	22	**20.4**	84	5
SF, SG, SH 4WD – *Check, some have a 93mm Centre Hole*		F	**229**	●	○						V	277	45.5	22	**20.4**	87	6
SJ SATELLITE	1994-1997	F	**230**	●	○						V	258	33.5	22	**20.4**	84	5
DELICA, SPACE GEAR 4WD																	
PD6W & PF6W PETROL / PF8W, PD8W & PE8W DIESEL	1994-2006	F	**2217**	●	○						V	276	45.4	24	**22**	93	6
		R	**233**	●	●	○					S	315	84	18	**16.4**	108	6

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

MITSUBISHI

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
TRITON																	
ME, MF, MG, MH, MJ 2WD	1986-1996	F	**231**								V	258	33.5	22	**20.4**	84	6
ME, MF, MG, MH, MJ 4WD		F	**229**	●	○						V	276	45.5	22	**20.4**	87	6
MJ 2WD	12/1994-10/1996	F	**231**								V	258	33.5	22	**20.4**	84	6
MJ 4WD		F	**229**	●	○						V	276	45.5	22	**20.4**	87	6
MK 2WD – 14 inch Wheels ALL *Except* 3.0L V6 MK 2WD – 15 inch Wheels	1996-2006	F	**662**	●	○						V	254	39	24	**22.4**	87	6
Same as DBA234 MK 4WD 3.0L V6 GLX		F	**663**	●	●	○					V	276	45.3	24	**22.4**	87	6
MK 4WD 16 inch GLS	2001-2006	F	**237**	●	●	○					V	314	45.5	24	**22.4**	87	6
ML 2WD & 4WD ALL MODELS	2007-2009	F	**2208E**	●	●	●	●	●	●		V	295	46.5	28	**26.4**	94	6
MN 2WD & 4WD ALL MODELS	2009-2015																
MQ 2WD & 4WD ALL MODELS	2015-2018																
DRUM Series – ME, MF, MG, MH, MJ & MK – *Check*	1986-2006	R	**1781**	○							Dr	254	93.5		**255.4**	83	6
DRUM Series MK 4WD	1996-2006	R	**1864**	●							Dr	270	93.8		**272**	108	6
DRUM Series ML, MN & MQ	2007-2018	R	**1863**	●							Dr	295	91.5		**297**	94	6
DRUM Series MQ	2015-2018	R	**1863**	●							Dr	295	91.5		**297**	94	6
MR Series 2WD & 4WD 2.4L TD	2019-on	F	**2234E**	●	●	○	○	●	○		V	320	46	28	**26**	94	6
DRUM		R	**1863**	●							Dr	295	91.5		**297**	94	6
VERADA / DIAMANTE																	
KR, KS V6 – ABS & Without ABS	1991-1994	F	**425**	●	●	●	●	●	○		V	276	45	24	**22.4**	69	5
KR, KS V6 – Without ABS	8/1991-1996	R	**422**	●							S	258	66	10.4	**8.4**	90	5
KR, KS V6 SEDAN – With ABS		R	**423**		○	○					V	266	65.5	18	**16.4**	90	5
KE	10/1996-6/1997	F	**425**	●	●	●	●	●	○		V	276	45	24	**22.4**	69	5
KF, KJ 2.4L, 3.0L, 3.5L	6/1997-on																
KL, EI, GTVI, XI V6	2003-2004	R	**426**	●	●	○					S	258	56.5	10.5	**8.4**	90	5
KJ II V6 AWD	2002-2003	F	**417**	●	●	●	●	●	●	○	V	294	46	24	**22.4**	69	5
KL V6 AWD	2003-2004	R	**4429**				●	●	○		V	284	60.2	20	**18.4**	90	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 184 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

NISSAN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
180SX																	
RS13 – 180SX, 1.8L TURBO	3/1988-1/1991	F	**918**	●	●						V	250	49	18	**16**	68	4
		R	**904**	●	●	○					S	258	46.5	9	**8**	68	4
RS13 – 180SX, 2.0L TURBO	1/1991-12/1998	F	**919**	●	●	○					V	280	49	22	**20**	68	4
		R	**904**	●	●	○					S	258	46.5	9	**8**	68	4
200SX																	
S14	10/1994-11/2000	F	**909**	●	●	●	●	●	●		V	280	54	30	**28**	68	5
		R	**906**	●	●	○	●	●	○		S	258	47	9	**8**	68	5
S15	11/2000-12/2003	F	**909**	●	●	●	●	●	●		V	280	54	30	**28**	68	5
		R	**906**	●	●	○	●	●	○		S	258	47	9	**8**	68	5
300ZX																	
300ZX – ALL Z31 MODELS	1986-12/1989																
300ZR – Jap Import	3/1988-on																
300ZX – Z32 VG30DETT	1989-1999	F	**909**	●	●	●	●	●	●		V	280	54	30	**28**	68	5
		R	**908**	●	●	○	●	●	●		V	297	63	18	**16**	68	5
350Z																	
350Z 3.5L V6, TOURING MODEL	2003-2005	F	**954**	●	●	●	●	●	●		V	296	49.2	24	**22**	68	5
		R	**574**	●	●	●	○	●	○		V	292	62	16	**14**	68	5
350Z 3.5L V6 – 17 inch Wheels	2005-04/2009	F	**2308**	●	●	●	●	●	●		V	320	49.7	28	**26**	68	5
		R	**2309**	●	●	○					V	308	62.5	16	**14**	68	5
350Z 3.5L V6, TRACK MODEL Brembo 4-POT FRONT BRAKE CALIPER	2003-2009	F	**4600**				●	●	●	○	V	324	49	30	**28**	68	5
Brembo 2 POT REAR BRAKE CALIPER		R	**4601**				●	●	●		V	322	62.5	22	**20.2**	68	5
370Z																	
Z34 3.7L V6	2008-2015	F	**2308**	●	●	●	●	●	●		V	320	49.7	28	**26**	68	
		R	**2309**	●	●	○					V	308	62.5	16	**14**	68	5
Brembo		F	**2314**	●	●	○	●	●	●	●	V	354.6	49.5	32	**30**	68	5
		R	**2315**	●	●	○	●	●	○		V	350	62	20	**18**	68	5
ALMERA																	
N17 Series 1.5L ST & STi	08/2012-on	F	**2345E**	●	●						V	259.7	44	22	**20**	61	4
DRUM		R	**1909**								Dr	203.2	75		**204.2**	HUB	4
ALTIMA																	
ALL – *USA Application*	2002-2006	F	**954**	●	●	●	●	●	●		V	296	49.2	24	**22**	68	5
ALL – *USA Application*	2007-2012	F	**2180E**	●	●	○	●	●			V	296	49.2	26	**24**	68	5
ALL – *USA Application*	2002-2012	R	**2331**	●	●						S	292	62	9	**8**	68	5
L33 Series 2.5L & V6	11/2013-on	F	**2180E**	●	●	○	●	●			V	296	49.2	26	**24**	68	5
		R	**2331**	●	●						S	292	62	9	**8**	68	5
AVENIR ***New Zealand***																	
W10 SERIES 1.8L & 2.0L *Check All Specs*	01/1993-07/1998	F	**617**	●	○	○					V	258	49	22	**20**	68	4
		R	**614**	●	○	○	●	○			S	258	45	10	**8**	68	4
ARMADA																	
ALL MODELS	2004-2010	F	**2306**	●	○	●					V	319	43.5	26	**24.5**	82	6
		R	**2307**	●	●	●					S	319.5	58.5	14	**12**	82	6
ALL MODELS	2011-on	F	**2348**				●	○			V	350	43.2	30	**28**	90	6
		R	**2307**	●	●	●					S	319.5	58.5	14	**12**	82	6

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

NISSAN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
BLUEBIRD – Also See PINTARA																	
910 ALL MODELS	1981-03/1985	F	**609**								S	250	43	12	**10.5**	HUB	4
		R	**611**								S	280	77	10.5	**9.5**	68	4
BLUEBIRD *New Zealand*																	
U14 Series 1.8 & 2.0L	01/1996-08/2001	F	**617**	●	○	○					V	258	49	22	**20**	68	4
		R	**614**	●	○	○	●	○			S	258	45	10	**8**	68	4
DRUM – *Check All Specs*		R	**1924**								Dr	203	66.7		**204.5**	68	4
BLUEBIRD SYLPHY *New Zealand*																	
G10 Series 1.5 , 1.8 & 2.0L SEDAN	07/2000-11/2005	F	**617**	●	○	○					V	258	49	22	**20**	68	4
G11 Series 2.0L SEDAN	12/2005-12/2012	F	**2345E**	●	●						V	259.7	44	22	**20**	61	4
CUBE																	
Z11	2002-2008	F	**2326**	●	○						V	238	44	22	**20**	61	4
DRUM		R	**1718**	●							Dr	180	75.5		**181**	HUB	4
Z12 Series 1.5L *Check All Specs*	2008-on	F	**2345E**	●	●						V	259.7	44	22	**20**	61	4
DUALIS																	
J10 ST & TI 2WD HATCH & AWD – *Check All Specs* J10, JJ10 1.5, 2.0 DCI	05/2007-01/2016	F	**2316E**	●	●						V	296	44	26	**24**	68	5
7 SEATER – *Check All Specs*		F	**2329**	●	●		○				V	320	44	28	**26**	68	5
Check All Specs		R	**2331**	●	●						S	292	62	9	**8**	68	5
Check All Specs		R	**574**	●	●	●	○	●	○		V	292	62	16	**14**	68	5
ELGRAND																	
E50	1997-2002	F	**626**	●	○						V	283	38	28	**26**	100	6
DRUM		R	**1716**								Dr	260	73		**262**	100	6
E51 3.5L V6	2002-2010	F	**2327**	●	●	●					V	290	49	28	**26**	68	5
190mm Handbrake		R	**2313E**	●	●	○	●	●	○		V	308	62.8	16	**14**	68	5
EXA – TWIN CAM – KN13																	
KN13 EXA 1.6L	2/1987-1991	F	**603**	●	○						V	240	45.5	18	**16**	61	4
KN13 EXA 1.8L	1988-10/1991	F	**628**	●	○	○					V	250	45	18	**16**	61	4
ALL REARS	5/1987-10/1991	R	**606**	●	○	○					S	234	481	10	**9**	HUB	4
FAIRLADY																	
FAIRLADY 311 2000 SPORT	1966-1971	F	**610**		○	○					S	284	44.5	10.4	**9.4**	76	4
Z33 Series 3.5L *New Zealand*	2002-2008	F	**954**	●	●	●	●	●	●		V	296	49.2	24	**22**	68	5
		F	**4600**				●	●	●	○	V	324	49	30	**28**	68	5
		R	**574**	●	●	●	○	●	○		V	292	62	16	**14**	68	5
		R	**4601**				●	●	●		V	322	62.5	22	**20.2**	68	5
FRONTIER																	
6 Cyl – 2WD	4/1999-2002	F	**624**	●	○	○					V	277	39	26	**24**	100	6
4WD	1998-2002																
ALL MODELS – V6	2003-2004	F	**626**	●	○						V	283	38	28	**26**	100	6
FUGA *New Zealand*																	
Y50 SERIES 3.5L V6 & 4.5L V8 SEDAN	10/2004-11/2009	F	**2308**	●	●	●	●	●	●		V	320	49.7	28	**26**	68	5
		R	**2309**	●	●	○					V	308	62.5	16	**14**	68	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 186 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

NISSAN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
JUKE																	
F15 Series 1.6L Non TURBO	2012-11/2015	F	**2335E**	●	○						V	280	44	24	**22**	68	5
F15 Series TURBO	2012-2015	F	**2316E**	●	●						V	296	44	26	**24**	68	
		R	**2331**	●	●						S	292	62	9	**8**	68	5
F15 Series 1.2L TURBO PETROL	2015-on	F	**2335E**	●	○						V	280	44	24	**22**	68	5
		R	**2331**	●	●						S	292	62	9	**8**	68	5
MAXIMA, CEFIRO																	
J30 ALL MODELS	1990-11/1994	F	**910**	●	○		●	○	●		V	280	49.3	22	**20**	68	5
	2/1990-10/1992	R	**912**	○							S	258	45	10	**9**	68	5
A32 ALL MODELS	11/1994-10/1999	F	**914**	●	●						V	280	50	26	**24**	68	5
		R	**915**	●	○		●	○	●		S	278	45	9	**8**	68	5
A33 V6 3.0L	12/1999-11/2003	F	**914**	●	●						V	280	50	26	**24**	68	5
		R	**915**	●	○		●	○	●		S	278	45	9	**8**	68	5
J31 Series	12/2003-03/2009	F	**954**	●	●	●	●	●	●		V	296	49.2	24	**22**	68	5
		R	**2331**	●	●						S	292	62	9	**8**	68	5
J32 Series	04/2009-09/2014	F	**2180E**	●	●	○	●	●			V	296	49.2	26	**24**	68	5
ALL		R	**2331**	●	●						S	292	62	9	**8**	68	5
MICRA, MARCH K11																	
K11E ALL MODELS	5/1995-1998	F	**920**								S	234	45.5	12	**10**	59	4
K12 1.4L 72kW	9/2004-09/2010	F	**2326**	●	○						V	238	45	22	**20**	61	4
DRUM Series K12		R	**1718**	●							Dr	180	75.5		**181**	HUB	4
K13 1.2L & 1.4L – With 100 PCD	10/2010-2015	F	**2345E**	●	●						V	259.7	44	22	**20**	61	4
DRUM		R	**1909**								Dr	203.2	75		**204.2**	HUB	4
MARCH *New Zealand*																	
K12 Series – *Check Specs*	03/2002-01/2010	F	**2326**	●	○						V	238	45	22	**20**	61	4
		F	**2345E**	●	●						V	259.7	44	22	**20**	61	4
DRUM – *Check Specs*		R	**1718**	●							Dr	180	75.5		**181**	HUB	4
MURANO																	
Z50 & Z51 ST, TI 3.5L V6	2005-01/2016	F	**2308**	●	●	●	●	●	●		V	320	49.7	28	**26**	68	5
		R	**2313E**	●	●	○	●	●	○		V	308	62.8	16	**14**	68	5
NAVARA D21 & D22 4X2																	
D21 2WD ALL *Except* KA24E	9/1985-1992	F	**620**	●	○						V	250	37.5	22	**20**	81	6
D22 2WD TD27	2/1997-10/2001																
D21 2WD KA24E	3/1992-1997	F	**618**	●	○						V	260	37.5	26	**24**	81	6
D22 2WD Except TD27	2/1997-10/2001																
D22 2WD 2.4L 4 Cyl DOHC	12/2001-on																
D22 2WD 3.0L V6 SOHC																	
D22 2WD – *Odd Centre Hole 92mm*	2008-2015	F	**2305E**	●	○		●	●			V	260	40	26	**24**	92	6
NAVARA D21 & D22 4X4																	
D21 4WD	9/1985-3/1992	F	**621**	●	●						V	266	39.5	22	**20**	100	6
D21 4WD	3/1992-1997	F	**618**	●	○						V	260	37.5	26	**24**	81	6
D22 4WD – ALL MODELS	1/1997-4/2001	F	**624**	●	○	○					V	277	39	26	**24**	100	6
D22 3.0L V6 SOHC 4WD	10/2001-2003	F	**629**	●	●						V	300	38	28	**26**	100	6
D22 3.0L 4 Cyl TURBO DIESEL																	
D22 3.3L V6 SOHC 4WD	2/2003-on																
DRUM D21 & D22 Series	1986-2015	R	**1704**	●							Dr	295	88.5		**296.5**	100	6
D22 2WD – *Odd Centre Hole 92mm*	2008-2015	F	**2305E**	●	○		●	●			V	260	40	26	**24**	92	6

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

NISSAN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
NAVARA D40 4X2, 4X4																	
2WD & 4WD – 16 inch Wheels	05/2005-2014	F	**2310E**	●	●	●	●	●	●		V	295.6	38.3	28	**26**	68	6
2WD & 4WD – 17 inch Wheels	05/2005-2014	F	**2312E**	●	●	●	○	●	○		V	320	38.5	28	**26**	68	6
DRUM D40 Series	05/2005-05/2007	R	**1704**	●							Dr	295	88.5		**296.5**	100	6
DRUM D40 Series	06/2007-2015	R	**1874**	●							Dr	295	88		**296.5**	68	6
THAI SPECS	2007-2016	F	**2332E**	●	●		●	●	○		V	295.6	53	28	**26**	68	6
ST-X 550 BADGED MODEL V6 Spain	01/2011-2015	F	**2312E**	●	●	●	○	●	○		V	320	38.5	28	**26**	68	6
NAVARA NP300																	
NP300 Series CAB CHASSIS 4WD R / NARROW & NO BED	11/2015-2017	F	**2182E**	●	○	●	○	●			V	275	53	28	**26**	68	6
NP300 Series DUAL & KING CAB		F	**2332E**	●	●		●	●	○		V	295.6	53	28	**26**	68	6
NOMAD																	
GC 22 VAN	1986-1993	F	**627**								V	250	30	22	**20**	73	4
E11 Series 1.5L *New Zealand – Check All Specs*	2005-on	F	**2328E**	●	●						V	260	44	22	**20**	68	4
NOTE *New Zealand*																	
E11 Series 1.5L – *Check All Specs*	2005-on	F	**2328E**	●	●						V	260	44	22	**20**	68	4
OUTLANDER / GAZELLE																	
S12 ALL MODELS	1984-1988	F	**612**	●	●						V	250	22	18	**16**	73	4
NX COUPE																	
B13 2L DOHC – ABS & W/O ABS	10/1991-12/1995	F	**901**	●	●	●	●	●	○		V	257	45	26	**24**	61	4
Check Disc Diameter Dimensions		R	**917**	●	●						S	234	40	7	**6**	68	4
PATHFINDER / TERRANO																	
WD21 4 Cyl	8/1986-7/1992	F	**621**	●	●						V	266	39.5	22	**20**	100	6
WD21 V6	1992-1995	F	**624**	●	○	○					V	277	39	26	**24**	100	6
R50 ALL MODELS	9/1995-11/1998	F	**626**	●	○						V	283	38	28	**26**	100	6
R50 ALL MODELS R50 Series III 3.3L V6	11/1998-2004	F	**629**	●	●						V	300	38	28	**26**	100	6
DRUM		R	**1703**	○							Dr	295	88.5		**296.5**	100	6
R51 2.5L TD – 16 inch Wheels	2005-2013	F	**2310E**	●	●	●	●	●	●		V	295.6	38.3	28	**26**	68	6
R51 4.0L V6 PETROL 17 inch Wheels		R	**2311E**	●	●	●	●	●	●		V	308	62.8	18	**16**	68	6
R51 2.5L TD – 17 inch Wheels		F	**2312E**	●	●	●	○	●	○		V	320	38.5	28	**26**	68	6
R51 4.0L V6 PETROL 17 inch Wheels		R	**2311E**	●	●	●	●	●	●		V	308	62.8	18	**16**	68	6
R52 3.5L 190kW PETROL	06/2013-01/2017	F	**2184E**	●	○		●	●			V	320	49.3	28	**26**	68	5
		R	**2313E**	●	●	○	●	●	○		V	308	62.8	16	**14**	68	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 188 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

NISSAN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
PATROL, SAFARI																	
MQ 160, CLASSIC 160	1/1981-12/1987	F	**329**	●	●	○	●	●	○		V	295	30	20	**18**	104	6
GQ Y60 Non EFI Single Piston	1988-on																
PATROL Y60 / SAFARI X60																	
GQ Y60 EFI TB42E Twin Piston	2/1992-1997	F	**623**	●	●						V	306	35.5	26	**24**	104	6
GQ Y60 ALL	1988-2000	R	**622**	●	●	●	●	●	○		V	315	80	18	**16**	111	6
DRUM GQ Series		R	**1709**	●							Dr	295	85		**296.5**	111	6
PATROL / SAFARI Y61																	
GU II Y61 DX, ST WAGON	10/1997-2017	F	**625**	●	●	●	●	●	○		V	306	47	32	**30**	109	6
Does Not Fit The 4.8L Model		R	**622**	●	●	●	●	●	○		V	315	80	18	**16**	111	6
DRUM GU Series – Leaf Spring	2007-2017	R	**1711**	●							Dr	295	110		**296.5**	111	6
GU II 4.8L Y61 TI – WAGON	9/2001-2012	F	**698**	●	●	○	●	●	○		V	316	47	34	**32**	109	6
Only FITS 4.8L MODEL		R	**699**	●	●	○	○	●	○		V	330	89	18	**16**	111	6
PATROL / SAFARI Y62																	
5.6L Y62	2012-on	F	**2340**	●	○	○	●	●	○		V	357.7	58.3	34	**32**	82	6
		R	**2341**	●	○	○	●	●	○		V	350	64.5	20	**18**	82	6
PINTARA, BLUEBIRD																	
R31 ALL MODELS	1986-12/1990	F	**615**	●	●	○					V	250	48	22	**20**	HUB	4
		R	**616**	●	●	●					S	260	60	10.4	**9.4**	68	4
U12 ALL MODELS	1989-10/1992	F	**617**	●	○	○					V	258	49	22	**20**	68	4
		R	**614**	●	○	○	●	○			S	258	45	10	**8**	68	4
PRESAGE *New Zealand*																	
U31 Series 2.5L WAGON *Check All Specs*	06/2003-09/2009	F	**2327**	●	●	●					V	290	49	28	**26**	68	5
Check All Specs		R	**2313E**	●	●	○	●	●	○		V	308	62.8	16	**14**	68	5
PRIMERA *New Zealand*																	
P10 Series 2.0L *Check All Specs*	1990-1995	F	**617**	●	○	○					V	258	49	22	**20**	68	4
		R	**614**	●	○	○	●	○			S	258	45	10	**8**	68	4
P11 Series – *Check All Specs*	1995-2001	F	**617**	●	○	○					V	258	49	22	**20**	68	4
		F	**919**	●	●	○					V	280	49	22	**20**	68	4
		R	**614**	●	○	○	●	○			S	258	45	10	**8**	68	4
P12 Series – *Check All Specs*	2001-2008	F	**573**	●	●	○	●	●			V	280	49	28	**26**	68	5
		R	**2301**	○							S	278	45	10	**9**	68	4
PULSAR N12 & EXA – SINGLE CAM																	
LOCAL & ET PULSAR N13	1983-5/1987	R	**304**	○							S	235	36.5	10	**9**	HUB	4
1.6L & 1.8L	1987-1991	F	**603**	●	○						V	240	45.5	18	**16**	61	4
VECTOR SEDAN MODEL & HATCH		R	**606**	●	○	○					S	235	42	10	**9**	HUB	4
PULSAR N14, IMPORT & LOCAL																	
1.6L	8/1991-8/1995	F	**628**	●	○	○					V	250	45	18	**16**	61	4
		R	**917**	●	●						S	234	40	7	**6**	68	4
DRUM		R	**1701**	●							Dr	180	57.5		**181**	68	4
2.0L	10/1991-8/1995	F	**900**	●	●						V	252	45	20	**18**	61	4
		R	**917**	●	●						S	234	40	7	**6**	68	4
DRUM		R	**1701**	●							Dr	180	57.5		**181**	68	4
GTI-R 2.0L TURBO	10/1990-1994	F	**901**	●	●	●	●	●	○		V	257	45	26	**24**	61	4
DRUM		R	**1701**	●							Dr	180	57.5		**181**	68	4

The Kangaroo Paw design is not available on all part numbers, ask your supplier for details. FOR LATEST CATALOGUE LISTINGS REFER TO WWW.DBA.COM.AU

F721 2019 Red Master v45.indd 189 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

NISSAN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
PULSAR N15, ALMERA UK																	
1.6L	8/1995-2000	F	**899**	●	●						V	247	45	18	**16**	61	4
ALMERA 2.0D *UK*	1992-2000	R	**917**	●	●						S	234	40	7	**6**	68	4
DRUM	8/1995-2000	R	**1701**	●							Dr	180	57.5		**181**	68	4
2.0L	8/1995-2000	F	**901**	●	●	●	●	●	○		V	257	45	26	**24**	61	4
		R	**902**	●	●		●	●	○		S	258	45	9	**8**	68	4
DRUM		R	**1701**	●							Dr	180	57.5		**181**	68	4
PULSAR N16, ALMERA UK																	
N16 SEDAN 1.6L, 1.8L	6/2000-2006	F	**617**	●	○	○					V	257	49	22	**20**	68	4
N16E HATCHBACK 1.8L *Same as DBA614*	2001-2006	F	**919**	●	●	○					V	280	49	22	**20**	68	4
		R	**2303**	●	○	○					S	258	45	10	**8**	68	4
ALMERA TINO *UK* 1.8L, 2.2L 112 &136	2002-on	R	**2301**	○							S	278	45	10	**9**	68	4
DRUM		R	**1924**								Dr	203	66.7		**204.5**	68	4
PULSAR B17 & C12																	
B17 & C12 PETROL Non TURBO 1.8L ST, ST-L & TI	02/2013-2016	F	**2335E**	●	○						V	280	44	24	**22**	68	5
B17 & C12 1.6L SSS & ST-L PETROL TURBO	06/2013-2016	F	**2333E**	●	○						V	296	44	26	**24**	68	5
	02/2013-2016	R	**2331**	●	●						S	292	62	9	**8**	68	5
QASHQAI																	
J10 Series 2.0L *New Zealand*	2009-2014	F	**2316E**	●	●						V	296	44	26	**24**	68	5
		F	**2329**	●	●		○				V	320	44	28	**26**	68	5
		R	**2331**	●	●						S	292	62	9	**8**	68	5
		R	**574**	●	●	●	○	●	○		V	292	62	16	**14**	68	5
J11 Series 1.6L TD & 2.0L PETROL	07/2014-on	F	**2186E**	●	○						V	296	44	26	**24**	68	5
		R	**2185E**	●	○						S	289.5	47	13	**11**	68	5
SERENA *New Zealand*																	
C25 Series 2.0L VAN	05/2005-11/2010	R	**2331**	●	●						S	292	62	9	**8**	68	5
SILVIA																	
S13 Engine: CA 18 DE	5/1988-1990	F	**918**	●	●						V	250	49	18	**16**	68	4
S13 Engine: CA 18 DT TURBO		R	**904**	●	●	○					S	258	46.5	9	**8**	68	4
S13 Engine: SR 20 DE, DT,1.8L	1991-1993	F	**2338**	○							V	252	49	20	**18**	68	4
		F	**919**	●	●	○					V	280	49	22	**20**	68	4
2.0L 2 WHEEL STEER Only		R	**904**	●	●	○					S	258	46.5	9	**8**	68	4
S13 Engine: SR 20 DE, DT 4 WHEEL STEER Only		R	**904**	●	●	○					S	258	46.5	9	**8**	68	4
S15 2.0L TURBO	1999-2002	F	**909**	●	●	●	●	●	●		V	280	54	30	**28**	68	5
S15 REAR – ALL MODELS		R	**906**	●	●	○	●	●	○		S	258	47	9	**8**	68	5
SKYLINE																	
R31 *Except* GTS	1986-1990	F	**615**	●	●	○					V	250	48	22	**20**	HUB	4
		R	**616**	●	●	●					S	260	60	10.4	**9.4**	68	4
R32 GTST 2.0L Engine: RB20DET	5/1989-7/1993	F	**909**	●	●	●	●	●	●		V	280	54	30	**28**	68	5
		R	**908**	●	●	○	●	●	●		V	297	63	18	**16**	68	5
R32 GT-R Engine: RB26DET 2.6L DOHC TWIN TURBO	6/1989-8/1993	F	**4926**				●	●	●		V	296	54	32	**30**	68	5
		R	**908**	●	●	○	●	●	●		V	297	63	18	**16**	68	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 190 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

NISSAN

Model	Years	F/R	DBA No.	STREET OEM	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
SKYLINE – Continued																	
R32 GT-R Engine: RB26DETT	8/1993-12/1994	F	**4928**				●	●	●	●	V	324	53.75	30	**28**	68	5
R33 & R34 GT-R Eng: RB26DETT TWIN TURBO 2.6L V-SPEC	1/1995-on	R	**4929**				●	●	●		V	300	63	22	**20**	68	5
FITTED With Brembo CALIPERS – OPTION REAR		R	**4601**				●	●	●		V	322	62.5	22	**20.2**	68	5
R33 GTST Engine: RB25DET	8/1993-7/1998	F	**4963**				●	●	●		V	296	53.75	30	**28**	68	5
R34 Non TURBO – *Check Specs*	1998-2001	F	**914**	●	●						V	280	50	26	**24**	68	5
R34 GT Engine: RB25DE	8/1998-2001	R	**908**	●	●	○	●	●	●		V	297	63	18	**16**	68	5
R34 GTT Engine: RB25DET 2.5L TURBO	8/1998-2002	F	**42304**				●	●	●		V	310	53.75	30	**28**	68	5
		R	**908**	●	●	○	●	●	●		V	297	63	18	**16**	68	5
V35 Non Brembo BRAKES	2001-2006	F	**954**	●	●	●	●	●	●		V	296	49.2	24	**22**	68	5
		R	**574**	●	●	●	○	●	○		V	292	62	16	**14**	68	5
V35 Brembo BRAKES		F	**4600**				●	●	●	○	V	324	49	30	**28**	68	5
		R	**4601**				●	●	●		V	322	62.5	22	**20.2**	68	5
V36 – *CKV36 Chassis* 370 GT V6	2007-on	F	**2314**	●	●	○	●	●	●	●	V	355	49.5	32	**30**	68	5
		R	**2339E**	●	○						V	350	62	20	**18**	68	5
GT-R R35																	
3.8L TWIN TURBO	2009-2011	F	**52320**							●	V	380	49.3	34	**32**	68	5
		R	**52321**							●	V	380	62	30	**28**	68	5
REPLACEMENT RING FOR OE ROTOR ASSEMBLY		F	**52322.1**							●	V	380	34	34	**32**	240	10
HAT Not Included		R	**52323.1**							●	V	380	30	30	**28**		
REPLACEMENT RING for Brembo	2011-on	F	**52370.1**							○	V	388	34	34	**32**	250	10
		F	**52371.1**							●	V	390	35	35	**33**		
			52379.1							○	V	390	34	34	**33**		
OE ROTOR ASSEMBLY		R	**52323.1**							●	V	380	30	30	**28**		
HAT Not Included – ALCON	2015-on	F	**52372.1**							○	V	396	34	34	**32**		
STAGEA																	
C34	1996-2001	F	**2327**	●	●	●					V	290	49	28	**26**	68	5
M35	2001-2007	F	**954**	●	●	●	●	●	●		V	296	49.2	24	**22**	68	5
		R	**574**	●	●	●	○	●	○		V	292	62	16	**14**	68	5
STANZA																	
A10 LOCAL	Up to 6/1979	F	**315**								S	253	48	12.7	**10.5**	73	4
SUNNY B310																	
2.0L GTI	10/1990-1994	F	**901**	●	●	●	●	●	○		V	257	45	26	**24**	61	4
TEANA ***New Zealand***																	
J31 SERIES 2.3L V6	02/2003-05/2008	F	**TBA**														
		R	**2331**	●	●						S	292	62	9	**8**	68	5
TERANO																	
R20	11/1996-10/1999	F	**624**	●	○	○					V	277	39	26	**24**	100	6
TIIDA																	
C11 4 DOOR HATCH / SEDAN	2006-2014	F	**2328E**	●	○						V	260	44	22	**20**	68	4
DRUM		R	**1717**	●							Dr	203	66		**204.5**	68	4
TIIDA LATIO ***New Zealand***																	
SC11 SERIES 1.5L	10/2004-06/2012	F	**2328E**	●	●						V	260	44	22	**20**	68	4
1.8L	01/2005-08/2010	F	**2326**	●	○						V	238	45	22	**20**	61	4
		F	**2345E**	●	●						V	259.7	44	22	**20**	61	4
		R	**1717**	●							Dr	203	66		**204.5**	68	4

The Kangaroo Paw design is not available on all part numbers, ask your supplier for details. FOR LATEST CATALOGUE LISTINGS REFER TO WWW.DBA.COM.AU

F721 2019 Red Master v45.indd 191 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

NISSAN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
TINO ***New Zealand***																	
V10 Series WAGON	1998-2003	F	**914**	●	●						V	280	50	26	**24**	68	5
Check All Specs		R	**915**	●	○		●	○	●		S	278	45	9	**8**	68	5
URVAN																	
E24	3/1987-1993	F	**618**	●	○						V	260	37.5	26	**24**	81	6
VANETTE																	
C120, GC22	1983-1992	F	**627**								V	250	30	22	**20**	73	4
Check Disc Diameter																	
WINGROAD ***New Zealand***																	
Y11 Series WAGON	1999-2005	F	**617**	●	○	○					V	257	49	22	**20**	68	4
Check All Specs																	
Y12 Series 1.5L WAGON 2WD	11/2005-2018	F	**2345E**	●	●						V	259.7	44	22	**20**	61	4
Check All Specs																	
X-TRAIL																	
T30 Series – ST & TI – 2.5L	10/2001-2007	F	**573**	●	●	○	●	●			V	280	49	28	**26**	68	5
		R	**574**	●	●	●	○	●	○		V	292	62	16	**14**	68	5
T31 Series 2.0L FWD	3/2007-2/2014	F	**2316E**	●	●						V	296	44	26	**24**	68	5
		R	**574**	●	●	●	○	●	○		V	292	62	16	**14**	68	5
T32 Series 1.6L T, 2.0L & 2.4L 5 SEATER	03/2014-on	F	**2620E**	●	○		○	●			V	296	44	26	**24**	68	5
7 SEATER		F	**2622E**	●	○		○	●			V	320	44	28	**26**	68	5
PETROL		R	**574**	●	●	●	○	●	○		V	292	62	16	**14**	68	5
DIESEL		R	**2621E**	●	●		○	○			V	292	47	16	**14**	68	5
XTERRA																	
ALL MODELS	2000-2004	F	**626**	●	○						V	283	38	28	**26**	100	6

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 192 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

OPEL

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
ASTRA																	
TR 1.8 & 2.0 – *Same as DBA891*	8/1996-1998	F	**023**								V	256	41.1	24	**21**	60	4
		R	**819**	○							S	260	69	10	**8**	57	4
TS CITY With ABS	9/1998-2005	F	**815**	●	●	●					V	280	42	25	**22**	70	5
TS Series II		R	**816**	●	●	○					S	264	42	10	**8**	65	5
TS CITY Without ABS		F	**817**	●	○	○					V	256	41	24	**21**	60	4
TS Series II		R	**818**	●	●	○					S	240	42	10	**8**	57	4
TS SRI TURBO	2002-2004	F	**2815**	●	●		●	●	○		V	308	42.3	25.1	**22**	70	5
AH CD, CDX, CDXI	2004-2008	F	**815**	●	●	●					V	280	42	25	**22**	70	5
COUPE, HATCH, WAGON		R	**816**	●	●	○					S	264	42	10	**8**	65	5
AH07 – SRI, TWIN TOP, CDTI	2007-2010	F	**2815**	●	●		●	●	○		V	308	42.3	25.1	**22**	70	5
2.2L PETROL, 1.9L DIESEL		R	**816**	●	●	○					S	264	42	10	**8**	65	5
AH07 – SRI TURBO		F	**2815**	●	●		●	●	○		V	308	42.3	25.1	**22**	70	5
2.0L TURBO		R	**2035**	●	●	○					S	278	42.2	10	**8**	65	5
PJ Series – 15 inch Wheels	2010-2014	F	**2012E**	●	●	○					V	276	45.7	26	**23**	60	5
		R	**2013E**	●	●	○					S	268	45.3	12	**10**	60	5
PJ Series – 16 inch Wheels	2009-2011	F	**2014E**	●	●	○					V	300	45.7	26	**23**	71	5
		R	**2015E**	●	●	○					S	292	45.3	12	**10**	71	5
PJ GTC – 17 & 18 inch Wheels		F	**2497E**	●	○						V	321	45.5	30	**27**	71	5
		R	**2013E**	●	●	○					S	268	45.3	12	**10**	60	5
		R	**2015E**	●	●	○					S	292	45.3	12	**10**	71	5
ASTRA ***New Zealand***																	
ASTRA TGF48 Chassis	1999-2003	F	**817**	●	○	○					V	256	41	24	**21**	60	4
1.8L HATCH – *Without ABS*																	
ASTRA – With ABS		F	**815**	●	●	●					V	280	42	25	**22**	70	5
ASTRA – *Without ABS*		R	**818**	●	●	○					S	240	42	10	**8**	57	4
ASTRA – With ABS		R	**816**	●	●	○					S	264	42	10	**8**	65	5
ASTRA OPC																	
PJ Series	2013-on	F	**52073**							●	V	355	32	32	**30**		
Brembo ROTOR Only		R	**2204E**								V	314	45	23	**20**	70.7	5
CORSA																	
SL Series OPC 1.6L TURBO	02/2013-00/2016	F	**2815**	●	●		●	●	○		V	308	42.3	25.1	**22**	70	5
INSIGNIA																	
GA Series TURBO 296mm – 16 inch Wheels	09/2012-00/2016	F	**2984E**	●	○						V	296	51	30	**27**	67.5	5
GA Series TURBO 321mm – 17 inch Wheels		F	**42602**				●	●			V	321	51	30	**27**	67.5	5
GA Series TURBO 292mm – 16 inch Wheels		R	**2983E**	●	○						S	292	48	12	**10.5**	67.5	5
GA Series TURBO 315mm – 17 & 18 inch Wheels		R	**2985E**								S	315	48	23	**21.5**	67.5	5
ZAFIRA																	
ZJ Series TOURER	11/2013-00/2016	F	**2014E**	●	●	○					V	300	45.7	26	**23**	71	5
1.6 & 2.0L TURBO		R	**2015E**	●	●	○					S	292	45.3	12	**10**	71	5
VECTRA																	
JR, JS, JSII – 2.0L, 2.2L, 2.5L	6/1997-2/2003	F	**825**	●	○						V	288	44	25	**22**	70	5
VIVARO																	
F7 2.0L TD VAN	2008-on	F	**2412E**	●	○						V	305	50	28	**24**	72	5
ABS Ring & Bearing Not Included		R	**2413**	●							S	280	102.2	12	**10**	HUB	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

PEUGEOT

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
205																	
GTI 1.9L, 1.8L TDI	1987-1994	F	**273**	●	○						V	247	35	20.5	**18.6**	66	4
206																	
1.6I 16V	2000-2001	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
2.0 HDI TURBO DIESEL	1999-2001																
CC 1.6I, 2.0I																	
1.6I 16V	2002-2007	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
2.0I 16V GT/GTI/S16																	
2.0 HDI TURBO-DIESEL	2002-on																
All from Chassis 09079																	
SW 1.6I 16V, 2.0I 16V, 2.0 HDI																	
ALL MODELS ABOVE	2002-2007	R	**276**	●	○						S	246.5	25	8	**6**	71	4
2.0I 16V GT/GTI/S16	2002-2007	F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
207																	
207 – Check Diameter of Rotors																	
CC GT TURBO 1.6L 2 DOOR CONVERTIBLE	07/2007-06/2010	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
CC TURBO 1.6L	07/2010-on																
GTI 1.6L 2 DOOR HATCH	08/2007-04/2012																
LE MANS LIMITED EDITION	09/2008-08/2009																
TOURING OUTDOOR	12/2009-06/2010																
XT HDI, SPORTIUM HDI	07/2010-on																
XT TOURING HDI	11/2007-11/2009																
		F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
		F	**2276**	●	○						V	302	34.2	26	**24**	66	4
HUB TYPE *Complete With Bearing 62mm*	2007-on	R	**2181**	●	●						S	249	69.2	9	**7**	HUB	4
208																	
1.2L & 1.6L BOSCH SYSTEM	2012-on	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
CONTINENTAL SYSTEM		F	**2276**	●	○						V	302	34.2	26	**24**	66	4
HUB TYPE *Complete With Bearing 62mm*		R	**2181**	●	●						S	249	69.2	9	**7**	HUB	4
2008																	
Series 3C 1.2L & 1.6L PETROL & 1.6L TD	2013-on	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
		F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
HUB TYPE *Complete With Bearing 62mm*		R	**2181**	●	●						S	249	69.2	9	**7**	HUB	4
3008																	
1.6L TD	06/2010-03/2012	F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
1.6L PETROL TURBO & 2.0L TD	06/2010-00/2016	F	**2276**	●	○						V	302	34.2	26	**24**	66	4
		R	**3273E**	●							S	268	74	12	**10**	HUB	4
305																	
GT 1.6L & GTX 1.9L	10/1985-1989	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 194 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

PEUGEOT

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
306																	
N3 1.8L, 2L	1993-1997	F	**273**	●	○						V	247	35	20.5	**18.6**	66	4
2.0I, 2.0I 16V	1993-2003	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
BREAK & ABS, 1.8I 16V	1997-2002																
BREAK 1.9L TURBO DIESEL	1997-1999																
BREAK 2.0L HDI TURBO DIESEL	1999-2003																
CABRIO 2.0I 16V	1994-2003																
CABRIO 1.8I 16V	1997-2003																
N5 Series I GTI-6	1997-1999	F	**275**								V	283	27.5	22	**20**	66	4
		R	**276**	●	○						S	246.5	25	8	**6**	71	4
307 HATCHBACK																	
Series 3C	2001-2008	F	**2274E**	●	○						V	266	34.2	22	**20**	66	4
		F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
		F	**2276**	●	○						V	302	34.2	26	**24**	66	4
HAT TYPE		R	**2273**	●	○						S	247	35	9	**8**	71	4
HUB TYPE *Inner Diameter 60mm No Bearing*		R	**2277**	●	○	○					S	249	69	9	**8**	HUB	4
HUB TYPE *Complete With 62mm Bearing*		R	**2181**	●	●						S	249	69.2	9	**7**	HUB	4
307 WAGON																	
Series 3E	2001-2008	F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
		F	**2276**	●	○						V	302	34.2	26	**24**	66	4
HAT TYPE		R	**2273**	●	○						S	247	35	9	**8**	71	4
HUB TYPE *Inner Diameter 60mm No Bearing*		R	**2277**	●	○	○					S	249	69	9	**8**	HUB	4
HUB TYPE *Complete With 62mm Bearing*		R	**2181**	●	●						S	249	69.2	9	**7**	HUB	4
307 CONVERTIBLE																	
Series 3B 2.0L	2003-2009	F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
		F	**2276**	●	○						V	302	34.2	26	**24**	66	4
HAT TYPE		R	**2273**	●	○						S	247	35	9	**8**	71	4
HUB TYPE *Inner Diameter 60mm No Bearing*		R	**2277**	●	○	○					S	249	69	9	**8**	HUB	4
HUB TYPE *Complete With 62mm Bearing*		R	**2181**	●	●						S	249	69.2	9	**7**	HUB	4
308																	
4C, 4B & 4H	2007-2014	F	**2275E**	●	○						V	283	34.2	26	**24**	66	4
		F	**2276**	●	○						V	302	34.2	26	**24**	66	4
Complete With Bearing & ABS Ring		R	**3271**	●	○						S	249	73.2	9	**8**	HUB	4
		R	**3273E**	●							S	268	73.2	12	**10**	HUB	4
405																	
1.6/I	1991-1996	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
1.8I	1992-1996																
1.9I	1990-1992																
1.9I GRI / SRI	1987-1992																
1.8L TURBO DIESEL	8/1992-1996																
1.9L DIESEL, 2.0L																	
MI 16 1.9I 16V	1987-1992																
MI 16 2.0I 16V	8/92-1996																

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

PEUGEOT

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
406																	
ALL MODELS – *Except* COUPE	1997-2004	F	**277**	●	○						V	283	28.2	26	**24**	66	4
407																	
2 DOOR COUPE & HDI	2006-2009	F	**2278**	●	○						V	330	48	30	**28**	71	5
4D SEDAN / WAGON-ST																	
Check All Specs	2004-on	F	**2410E**	●	○						V	283	48.3	26	**24.7**	71	5
	2004-2011	R	**2411**	●							S	290	35	12	**10**	71	5
4007																	
2.2L 4 DOOR WAGON AWD	10/2009-2015	F	**417**	●	●	●	●	●	●	○	V	294	46	24	**22.4**	69	5
		R	**2227**	●	●						S	302	58.5	10	**8**	80	5
4008																	
2.0L	2012-on	F	**2422**	●	●	○					V	294	45.5	26	**24.4**	69	5
		R	**2237E**	●	○						S	302	36.2	10	**8.4**	69	5
5008																	
1.6L TURBO & 2.0L TD	05/2013-on	F	**TBA**								V						
		R	**3273E**	●							S	268	73.2	12	**10**	HUB	4
508																	
1.6L, 2.0L & 2.2L	2011-2015	F	**2410E**	●	○						V	283	48	26	**24.7**	71	5
		F	**3166**								V	304	48	28	**26**	71	5
		F	**TBA**								V	340	48	30	**28**	71	5
Without Electric Handbrake		R	**TBA**								S	290	44	12	**10**	71	5
With Electric Handbrake		R	**2411**	●							S	290	35	12	**10**	71	5
EXPERT																	
2.0L TD	08/2008-on	F	**3168**								V	303.7	48.2	28	**26**	71	5
		R	**TBA**														
RCZ																	
COUPE 1.6L & 2.0L TD 18 inch Wheels		F	**TBA**								V	302	34.2	26	**24**	66	5
19 inch Wheels		F	**TBA**								V	340	34.2	30	**28**	66	5
		R	**2411**	●							S	290	35	12	**10**	71	5
PARTNER / RANCH / LIGHT COMMERCIAL																	
PARTNER 1.4I, 1.8I, 1.9 DIESEL	1996-on	F	**274**	●	○						V	266	27.5	20.5	**18.6**	66	4
RANCH, LIGHT COMMERCIAL																	
306 LIGHT COMMERCIAL	1993-on																
VAN & ABS																	
PARTNER LIGHT COMMERCIAL	1996-on																
1.6L	2008-2014	F	**2275E**	●	○						V	283	34.2	26	**24**	66	4

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 196 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

PONTIAC

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
G8																	
GXP 6.2L V8 LS3	2009	F	**2604**	●	●	●	●	●	●	●	V	355	50	32	**30**	67.4	5
		R	**2029E**	●	●	●	●	●	●		V	324	56.1	22	**20**	67.4	5
GT 6.0L – 321mm FRONT DISC	2009	F	**2028E**	●	●	●	●	●	●		V	321	52.2	30	**28**	67.5	5
		R	**2029E**	●	●	●	●	●	●		V	324	56.1	22	**20**	67.4	5
GTO																	
ALL	2004	F	**040E**	●	●	●	●	●	●	●	V	296	83	28	**25**	71.5	5
		R	**041E**	●	●	●	●	●	●		S	286	78.6	16	**14**	70	5
ALL	2005	F	**2020**	●	●	●	●	●	●		V	320	83	32	**30**	71.6	5
		R	**2021**	●	●	●	●	●	●		V	286	80	18	**16**	70	5
VIBE																	
2WD & 4WD – With REAR DRUM	2003-2006	F	**562**								V	275	49.5	25	**23**	55	5
2WD GT – With REAR DISC	2003-2006	F	**562**								V	275	49.5	25	**23**	55	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

PORSCHE

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
911, 912																	
356C	1963-1965	F	**396**								S	282	35	12.5	**11**	107	5
911, 911T	1965-1969																
912 1.6L	1965-1969																
911 (991)																	
3.4L & 3.8L CARRERA	02/2012-on	F	**2393E**	●	○		●	●			V	330	69	28	**26**	98	5
		R	**42397**				●	○	○		V	330	75.5	28	**26**	98	5
911 (993)																	
911 3.6 TURBO 4, GT2	03/1995-9/1997	F	**52390**							○	V	322	72.2	32	**30**	103	5
911 (996)																	
911 3.4 CARRERA	06/1997-9/2001	F	**42394**				●	●	●		V	318	67	28	**26**	98	5
CARRERA 4																	
911 3.6 CARRERA 4	10/2001-on																
911 TURBO, C4S	1999-2006	F	**42386**				●	○	○		V	330	69.5	34	**32**	98	5
911 TURBO		F	**52388**							○	V	350	69.5	34	**32**	98	5
		R	**42397**				●	○	○		V	330	75.5	28	**26**	98	5
911 GT2, GT3, GT3RS	2003-2005	F	**42396E**				●	○	○	○	V	350	67.5	34	**32**	98	5
		R	**42397**				●	○	○		V	330	75.5	28	**26**	98	5
911 (997)																	
911 3.6 CARRERA 4	07/2004-on	F	**42394**				●	●	●		V	318	67	28	**26**	98	5
911 3.6L, 3.8L & 3.9L C2S C4S	2004-2012	F	**42386**				●	○	○		V	330	69.5	34	**32**	98	5
		R	**42397**				●	○	○		V	330	75.5	28	**26**	98	5
911 GT3, GT3RS	2005-2008	F	**42396E**				●	○	○	○	V	350	67.5	34	**32**	98	5
3614cc x 254kW	2008-on	F	**2393E**	●	○		●	●			V	330	69	28	**26**	98	5
		R	**42397**				●	○	○		V	330	75.5	28	**26**	98	5
911 GT3 Inc PCCB CARS	2006-on	F	**52399.1**							○	V	380	32	32	**30**		
GT2, GT3 CATEGORY RSR ENDURANCE – 72 VANS		F	**52385.1**							○	V	380	35	35	**33**		
CAYMAN																	
Series 987 2.7L x 180kW	2006-2009	F	**42394**				●	●	●		V	318	67	28	**26**	98	5
2.9L x 195kW	2009-2012																
		R	**2389E**	●	○		●	●			V	299	67	20	**18**	98	5
CAYMAN S 3.3L & 3.4L	11/2005-on	F	**42394**				●	●	●		V	318	67	28	**26**	98	5
		R	**2395E**	●	○		●	○			V	299	67	24	**22**	98	5
981 Series S & GTS 3.4L	2013-on	F	**2393E**	●	○		●	●			V	330	69	28	**26**	98	5
		R	**2389E**	●	○		●	●			V	299	67	20	**18**	98	5
718																	
Series 982 2.0L TURBO *Without Ceramic Disc*	06/2016-on	F	**2393E**	●	○		●	●			V	330	69	28	**26**	98	5
2.5L TURBO *Without Ceramic Disc*		F	**42386**				●	○	○		V	330	69.5	34	**32**	98	5
ALL		R	**2389E**	●	○		●	●			V	299	67	20	**18**	98	5
928																	
928 – ALL MODELS	1992-1995	F	**2392**								V	322	77.5	32	**30**	103	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 198 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

PORSCHE

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
BOXSTER																	
2.5, 2.7L (986)	9/1996-2005	F	**42398**				●	●	●		V	298	67	24	**22**	98	5
		R	**2387E**	●	○		●	●			V	292	67	20	**18**	98	5
BOXSTER 3.2L (986)	2000-2010	F	**42394**				●	●	●		V	318	67	28	**26**	98	5
	2000-2004	R	**2395E**	●	○		●	○			V	299	67	24	**22**	98	5
2.6L (987)	2005-2007	F	**42398**				●	●	●		V	298	67	24	**22**	98	5
		R	**2389E**	●	○		●	●			V	299	67	20	**18**	98	5
2.9L (987)	2009-2012	F	**42394**				●	●	●		V	318	67	28	**26**	98	5
		R	**2389E**	●	○		●	●			V	299	67	20	**18**	98	5
BOXSTER 3.2L & 3.4L (987)		F	**42398**				●	●	●		V	298	67	24	**22**	98	5
		F	**42394**				●	●	●		V	318	67	28	**26**	98	5
		R	**2395E**	●	○		●	○			V	299	67	24	**22**	98	5
Series 981 2.7L	2012-on	F	**TBA**								V	315	69	28	**26**	98	5
		R	**2389E**	●	○		●	●			V	299	67	20	**18**	98	5
3.4L PETROL		F	**2393E**	●	○		●	●			V	330	69	28	**26**	98	5
		R	**TBA**														
718																	
Series 982 2.0L TURBO *Without Ceramic Disc*	05/2016-on	F	**2393E**	●	○		●	●			V	330	69	28	**26**	98	5
2.5L TURBO *Without Ceramic Disc*		F	**42386**				●	○	○		V	330	69.5	34	**32**	98	5
ALL		R	**2389E**	●	○		●	●			V	299	67	20	**18**	98	5
CAYENNE SUV																	
V6 TURBO & CAYENNE S	2004-on	F	**2244E**	●	●	○	●	●	○		V	330	69	32	**30**	85	5
		F	**2246E**	●	●	●	●	●	●		V	350	69	34	**32**	85	5
		R	**2245E**	●	●	●	●	●	●		V	330	74	28	**26**	85	5
		R	**2249**	●	●	○	○				V	358	74	28	**26**	85	5
V8 CAYENNE 1LL & 1LM	2007-2010	F	**2246E**	●	●	●	●	●	●		V	350	69	34	**32**	85	5
1LP		F	**42590**				●	●			V	368	68.7	36	**34**	85	5
Start of VIN WP1ZZZ92 Check All Specs	06/2010-on	F	**2246E**	●	●	●	●	●	●		V	350	69	34	**32**	85	5
18 inch Wheels		F	**2596E**	●	○		●	●	○		V	360	68.5	36	**34**	85	5
		R	**2245E**	●	●	●	●	●	●		V	330	74	28	**26**	85	5
		R	**2249**	●	●	○	○				V	358	74	28	**26**	85	5
MACAN																	
3.0L & 3.6L – 1LA BLACK CALIPER 17 inch Wheels	06/2014-on	F	**2832E**	●	●	○	●	●		●	V	345	52	30	**28**	68	5
1LB & 1LF SILVER CALIPER 18 inch Wheels		F	**2597E**	●	○		●	●	○		V	350	52.5	34	**32**	68	5
1LG & 1ZK RED CALIPER 18 inch Wheels		F	**2598E**	●	○		●	●	○		V	360	52.5	36	**34**	68	5
1LH		F	**TBA**								V	390		38			5
1LY		F	**TBA**								V	396		38			5
1KD & 1KE BLACK & SILVER CALIPER 17 inch Wheels		R	**2847E**	●	○		●	○			V	330	36	22	**20**	68	5
2EK RED CALIPER 18 inch Wheels		R	**2599E**	●	○		●	●	○		V	356	36.2	28	**26**	68	5
2EH	06/2014-11/2015	R	**TBA**								V	370		30			5
2EH	12/2015-on	R	**TBA**								V	37		30			5
PR Code 2EK		R	**TBA**								V	356	36	28	**26**	68	5
PANAMERA																	
970 3.0S, 3.0D, 3.6 & 4.8S	2010-on	F	**42592E**				●	○	○	●	V	360	68.6	36	**34**	98	5
		R	**42593E**				●	○	●		V	330	75	28	**26**	98	5

The Kangaroo Paw design is not available on all part numbers, ask your supplier for details. FOR LATEST CATALOGUE LISTINGS REFER TO WWW.DBA.COM.AU

F721 2019 Red Master v45.indd 199 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

PROTON

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
PROTON																	
M21 1.8 L	10/1997-2000	F	**2200**	●	○						V	256	45	24	**22.4**	64	4
PERSONA																	
PERSONA 1.5L	11/1996-2004	F	**413**	●	●	○					V	235	45	18	**16.4**	64	4
1.6L FWD SEDAN FWD	03/2008-2014	F	**2140**	●			●	●	○		V	266	44	22	**20.4**	69	4
Check Front OE Diameter		F	**413**	●	●	○					V	235	45	18	**16.4**	64	4
		R	**2141**								S	280	41	12	**10.4**	90	4
SATRIA GLI																	
1.3L	1999-2002	F	**408**								S	234	45	13	**11.4**	64	4
PERSONA 1.6L	11/1996-2006	F	**2200**	●	○						V	256	45	24	**22.4**	64	4
SATRIA XLI, GTI 1.8L																	
WIRA 1.5L	5/1995-on	F	**413**	●	●	○					V	235	45	18	**16.4**	64	4
WIRA 1.6L	5/1995-1996	F	**2200**	●	○						V	256	45	24	**22.4**	64	4
WIRA 1.5L, 1.6L – REAR		R	**410**								S	260	41	10	**8.4**	64	4
GEN.2 S4PH 1.6L DOHC	2004-2014	F	**2140**	●			●	●	○		V	266	44	22	**20.4**	69	4
		R	**2141**								S	280	41	12	**10.4**	90	4
JUMBUCK	5/2002-on	F	**2200**	●	○						V	256	45	24	**22.4**	64	4
SATRIA GTI – *Race Specifications* 4 X 100 PCD	11/1996-on	F	**402B**								V	276	45	24	**22.4**	69	4
SATRIA GL, GLS 1.3L C90	09/1999-06/2002	F	**408**								S	235	45	13	**11.4**	64	4

RANGE ROVER

PLEASE REFER TO LAND ROVER SECTION

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 200 17/9/19 7:16 pm

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

RENAULT

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
12, 15																	
R12 Gordini	1971-1975	F	**343**								V	228	45.5	20	**19**	83	6
R15 TS	1973-1976																
16																	
R16 R1150	1965-1968	F	**347**								S	250	45	9	**8**	84	3
19																	
R19 GTX / TXE	7/1988-12/1995	F	**351**	●							V	238	41	20.1	**17.7**	61	4
CAPTUR																	
87 Series 1.0L PETROL TURBO	02/2015-on	F	**2357E**	●	○		●	●	○		V	258	44	22	**19.8**	61	4
87 Series 1.2L PETROL TURBO		F	**2353E**	●	●	○		●			V	280	44	24	**21.8**	61	4
DRUM		R	**1918**								Dr	228.6	89.2		**229.5**	HUB	4
CLIO																	
1.4I 16V ABS,1.6I ABS, 1.6I 16V	1998-2008	F	**2352**	●	●						V	259	41	20.6	**17.7**	61	4
2.0I 16V SPORT ABS	2008-2010	F	**2353E**	●	●	○		●			V	280	44	24	**21.8**	61	4
REAR Only FITS Without ABS MODELS		R	**2354**	●	●						S	238	74.6	8	**7**	HUB	4
SPORT 2.0L 16V TURBO Inc RS200 20th Anniversary Limited Edition RS 200 CUP, R27 F1, RS197, Gordini Edition	2006-on	F	**2350**	●	●						V	312	63	28	**26**	61	5
MK4 X98 898cc & 1.2L PETROL TURBO	09/2013-on	F	**2357E**	●	○		●	●	○		V	258	44	22	**19.8**	61	4
DRUM 1.2L		R	**1918**								Dr	228.6	89.2		**229.5**	HUB	4
MK4 RS 220 X98 1.6L x 147kW PETROL TURBO	12/2013-on	F	**42368**				●	●			V	320	44	28	**25.4**	68	5
		R	**TBA**														
FLUENCE																	
2.0L X38 Series	11/2010-on	F	**2365**	●	○						V	280	44	24	**22**	68	5
		R	**2381**	●	○						S	260	86.2	8	**7**	HUB	5
FUEGO																	
KANGOO																	
1.6L INTEGRAL 2 DOOR VAN X76	2004-2006	F	**2352**	●	●						V	259	41	20.6	**17.7**	61	4
1.6L INTEGRAL 2 DOOR VAN X76	02/2006-11/2010	F	**2353E**	●	●	○		●			V	280	44	24	**21.8**	61	4
X61 Series	12/2010-on	F	**3150**												**23.8**		
		R	**3151**												**9.5**		
KOLEOS																	
Series H45 2.0L & 2.4L	2008-2016	F	**2329**	●	●		○				V	320	44	28	**26**	68	5
		R	**574**	●	●	●	○	●	○		V	292	62	16	**14**	68	5
2.5L PETROL FWD & AWD	08/2016-on	F	**2620E**	●	○		○	●			V	296	44	26	**24**	68	5
		R	**2621E**	●	●		○	○			V	292	47	16	**14**	68	5
LAGUNA																	
2.0L HATCH & WAGON	06/2008-2011	F	**TBA**								V	296	44	26	**23.4**	68	5
HATCH		R	**TBA**								S	300	101.7	11	**9.5**	52	5
WAGON		R	**TBA**								S	300	81.7	11	**9.5**	52	5

The Kangaroo Paw design is not available on all part numbers, ask your supplier for details. FOR LATEST CATALOGUE LISTINGS REFER TO WWW.DBA.COM.AU

F721 2019 Red Master v45.indd 201 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

RENAULT

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
LATITUDE																	
2.0L DIESEL & 2.5L PETROL	04/2011-on	F	**TBA**								V	296	44	26	**23.4**	68	5
3.5L PETROL		F	**2329**	●	●		○				V	320	44	28	**26**	68	5
		R	**TBA**								S	300	81.7	11	**9.5**	52	5
MASTER																	
X70	2004-2011	F	**2416E**	●	○						V	305	77.8	28	**25**	90	5
X70	2004-2011	R	**2417**	●							S	305	67	12	**10**	90	5
X62	2011-on	F	**2414E**	●	○						V	302	70	28	**24.5**	90	5
X62 – *Check All Specs*		R	**2415**	●	○						S	305	71.4	12	**10**	90	5
MEGANE																	
BA, EA & LA 1.6L	1996-2003	F	**2353E**	●	●	○		●			V	280	44	24	**21.8**	61	4
		R	**2354**	●	●						S	238	74.6	8	**7**		4
X84 BM & LM 1.6L, 1.9L & 2.0L *With Bearing & ABS Ring*	2003-2010	F	**2353E**	●	●	○		●			V	280	44	24	**21.8**	61	4
		R	**2351**								S	240	80.6	8	**7**	HUB	4
X84 SPORTS 2.0L	2008-2010	F	**2350**	●	●						V	312	63	28	**26**	61	5
		R	**TBA**								S	300	104	11	**9**	52.3	5
X32 BZ 1.5 & 2.0L HATCH	10/2011-05/2013	F	**2365**	●	○						V	280	44	24	**22**	68	5
		R	**2381**	●	○						S	260	86.2	8	**7**	HUB	5
B95 BZ 1.2L,1.5L TD & 2.0L HATCH	07/2013-on	F	**2365**	●	○						V	280	44	24	**22**	68	5
		R	**2381**	●	○						S	260	86.2	8	**7**	HUB	5
K95 KZ 1.5L WAGON		F	**TBA**								V	280	44	24	**22**	68	5
		R	**2381**	●	○						S	260	86.2	8	**7**	HUB	5
X95 RS250, RS265 & RS275	2010-on	F	**2366E**	●	○		●	●	○	●	V	340	63	28	**26**	68	5
RS UPGRADE		F	**52645**							○	V	360	63	28	**26**	68	5
RS275 TROPHY-R	2015-on	F	**52644**							○	V	350	63	28	**26**	68	5
		R	**2367**	●	●						S	290	103.5	11	**8.5**	HUB	5
K95 GT220 2.0L X 162kW TURBO	2014-on	F	**42368**				●	●			V	320	44	28	**25.4**	68	5
With Bearing & ABS Ring		R	**2381**	●	○						S	260	86.2	8	**7**	HUB	5
E95 EZ 2.0L		F	**2365**	●	○						V	280	44	24	**22**	68	5
		R	**2381**	●	○						S	260	86.2	8	**7**	HUB	5
SCENIC																	
1.4I 16V 1.6I 16V, 2.0I 16V JA1B TURBO DIESEL 1.9 DCI	09/1999-05/2003	F	**2353E**	●	●	○		●			V	280	44	24	**21.8**	61	4
ALL MODELS	06/2003-on																
GRAND SCENIC 2.0L	02/2007-10/2010																
2.0L	2004-2010	F	**2362**								V	300	44	24	**21.8**	61	4
Check Rotor Dimensions		R	**TBA**								S	274	82.2	10.9	**9.5**	62	4
TRAFIC																	
FL VAN	2004-2014	F	**2412E**	●	○						V	305	50	28	**24**	72	5
		R	**2413**	●							S	280	102.2	12	**10**	HUB	5
X62 Series	10/2011-on	F	**2414E**	●	○						V	302	70	28	**24.5**	90	5
		R	**2415**	●	○						S	305	71.4	12	**10**	90	5
X82 Series 1.6L SINGLE & DUAL TD	04/2015-on	F	**2408E**	●	○						V	296	44	28	**23.4**	68	5
		R	**3158**								S	280	104.5	12	**10**	HUB	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 202 17/9/19 7:16 pm

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

ROLLS ROYCE

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
ROLLS ROYCE																	
SHADOW & BENTLEY T	1966-1971	F	**RRF**								S	280	35	16	**14**	90	10
Not Available		R	**RRR**								S	275	40	13	**12**	90	10
SHADOW II		F	**2948**								V	281	44	31.5	**29.5**	89	10

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

ROVER

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
ROVER																	
QUINTET SU *12.5mm Diameter Holes*	1983-1986	F	**190**								S	231	50	12	**10**	61	4
416I BA1	5/1986-1990	F	**187**	●	○	○					V	242	44.5	19	**17**	61	4

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 204 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

SAAB

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
SAAB																	
95 V4 STATION WAGON	9/1966-1970	F/R	**386**								S	267	51	9.7	**8**	87.5	5
96 V4 SPORTS																	
SONNET V4 COUPE	1967-1970																
SONNET 97 III	1970-1971																
99 L, EMS, COUPE	1975-1979	F	**385**								S	280	47.5	12.7	**11.7**	86	4
9.3, 9.5 SERIES																	
9.3, 9.5	1998-2009	F	**825**	●	○						V	288	42	25	**22**	70	5
SEDAN / COUPE / CONVERT		R	**826**	●	○						S	286	69	10	**8**	65.5	5
2.0L, 2.3L, 2.0L TURBO																	
9.3 Series	2003-2005	F	**2819**	●	●	○					V	314	46	28	**25**	70	5
2.0L TTI YS3F	09/2002-on																
2.0L T CONVERTIBLE YS3F	08/2003-on																
2.0L T ESTATE	03/2005-on																
9.3 Series	2003-2015	F	**2820**	●	○						V	285	43	25	**22**	70	5
9.3 Series		F	**2817**	●	○						V	302	45	28	**25**	70	5
9.3 Series 15 inch Wheels – *Check*		R	**2629E**	●	○						S	278	41.4	11.9	**10**	65.5	5
9.3 Series 16 & 17 inch Wheels – *Check*		R	**2818**	●	○						V	292	42	20	**18**	66	5
9.5 Series	2003-2009	F	**2815**	●	●		●	●	○		V	308	42.3	25.1	**22**	70	5
2.3L TURBO ESTATE YS3E	7/2003-on																
3.0 TID ESTATE YS3E	7/2001-on																
3.0 V6T ESTATE YS3E	10/1998-on																
9.5 Series	2003-2005	F	**2820**	●	○						V	285	43	25	**22**	70	5
9.5 Series	2008-2011	F	**2817**	●	○						V	302	45	28	**25**	70	5
9.5 Series	2011-2015	F	**42602**				●	●			V	321	51	30	**27**	67.5	5
9.5 Series		R	**2985E**								S	315	48	23	**21.5**	67.5	5
900 SERIES																	
900 COUPE, GL, GLE, GLT	1979-1980	F	**385**								S	280	47.5	12.7	**11.7**	86	4
900	1981-1988	F	**388**	●	○						S	280	65.6	12.8	**11.7**	86	4
900 I	1986-1988	F	**388**	●	○						S	280	65.6	12.8	**11.7**	86	4
900 TURBO 16	1988-9/1993	R	**432**								S	258	43	9	**7.5**	68	4
900 I TURBO 16																	
900S	1996-1999	F	**825**	●	○						V	288	42	25	**22**	70	5
MODEL 93		R	**826**	●	○						S	286	69	10	**8**	65.5	5
9000 SERIES																	
9000 2.3 16V	1990-1993	F	**431**	●	○						V	280	44.5	25	**23**	68	4
9000 TURBO 16V	1987-1997																
9000 TURBO 2.3 16V	1990-1997																
9000 ALL MODELS	1985-1998	R	**432**								S	258	43	9	**7.5**	68	4

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

SCION

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
FR-S																	
2.0L COUPE	06/2012-on	F	**650E**	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
		F	**4650**				●	●	●	●	V	295	57.5	25	**23**	58	5
		F	**5010**							●	V	295	57.5	25	**23**	58	5
		R	**2663-10**	●	●	○	●	●	●	○	V	290	64	18	**16**	58	10

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 206 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

SEAT

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
SEAT																	
CORDOBA, IBIZA, TOLEDO 1.6, 1.8L	1994-2001	F	**240**							○	S	239	35.2	12	**10**	65	4
CORDOBA, IBIZA, TOLEDO 2.0L		F	**446**	●	○						V	256	38.7	20	**18**	65	4
		R	**832**								S	226	71.2	10	**8**	39.8	4
CORDOBA, IBIZA, TOLEDO	1995-on	F	**446**	●	○						V	256	38.7	20	**18**	65	4

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

SKODA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
ATECA																	
XCELLENCE 4DRIVE 2.0L TURBO – 1ZA	2017-on	F	**2806E**	●	●	●	●	●	●		V	312	49.8	25	**22**	65	5
1LD		F	**2830E**	●	●	○	●	●		●	V	340	49.7	30	**27**	65	5
1KE		R	**2814E**	●	●	○	●	○	○		S	272	48.2	9.7	**8**	65	5
1KY		R	**2809E**	●	●	○	●	●	●		V	310	49	22	**20**	65	5
LEON CUPRA																	
5F Series 2.0L TURBO 1LJ, 1LG & 1LD	01/2017-on	F	**2830E**	●	●	○	●	●		●	V	340	49.7	30	**27**	65	5
Brembo UPGRADE 05E & FC1 – *Check All Specs*		F	**52842**							●	V	370	49.7	32	**30**	65	5
1KW		R	**2809E**	●	●	○	●	●	●		V	310	49	22	**20**	65	5
FABIA																	
1.2L & 1.4L 1LQ, 1LR, 1ZE & 1ZG	2010-2015	F	**800**	●	●	●	●	●			V	256	36.5	22	**19**	65	5
1LN, 1LP, 1ZD & 1ZH		F	**802**	●	●	○					V	288	34.2	25	**22**	65	5
1KT, 2EJ, 1KK & 1KV		R	**803**	●	●	○					S	232	39.3	9	**7**	65	5
NJ 1.2L TURBO PR Code 1ZG	07/2015-on	F	**800**	●	●	●	●	●			V	256	36.5	22	**19**	65	5
1ZC		F	**802**	●	●	○					V	288	34.2	25	**22**	65	5
1KT		R	**803**	●	●	○					S	232	39.3	9	**7**	65	5
KODIAQ																	
NS Series 2.0L TD & PETROL – 1LA	05/2017-on	F	**2830E**	●	●	○	●	●		●	V	340	49.7	30	**27**	65	5
1KU		R	**2837E**	●	●	○	●	●			S	300	48.3	12	**10**	65	5
OCTAVIA 1Z																	
PR Code 1ZF & 1ZM	2005-2014	F	**2812E**	●	●	○					V	280	49	22	**19**	65	5
1ZE		F	**2810E**	●	●	○					V	288	49.7	25	**22**	65	5
1LP, 1ZB & 1LL		F	**2806E**	●	●	●	●	●	●		V	312	49.8	25	**22**	65	5
1LG		F	**2830E**	●	●	○	●	●		●	V	340	49.7	30	**27**	65	5
1KD		R	**2811E**	●	●	○					S	253	51.5	10	**8**	65	5
1KF		R	**2813E**	●	●	○					S	259.8	48.5	12	**10**	65	5
1KS & 1KT		R	**2814E**	●	●	○	●	○	○		S	272	48.2	9.7	**8**	65	5
1KP – *Check Diameter*		R	**2816E**	●	●	○	●	●	○		S	282	47.3	12	**10**	65	5
1KP		R	**2807E**	●	●	○	●	●	○		S	285.6	48.4	11.7	**10**	65	5
OCTAVIA NE																	
PR Code 1ZE	2014-on	F	**2810E**	●	●	○					V	288	49.7	25	**22**	65	5
1ZA & 1ZB		F	**2806E**	●	●	●	●	●	●		V	312	49.8	25	**22**	65	5
1LG		F	**2830E**	●	●	○	●	●		●	V	340	49.7	30	**27**	65	5
1KD		R	**2811E**	●	●	○					S	253	51.5	10	**8**	65	5
1KS & 1KT		R	**2814E**	●	●	○	●	○	○		S	272	48.2	9.7	**8**	65	5
RS230 & RS245 WAGON 1LG RED CALIPER	11/2016-2018	F	**2830E**	●	●	○	●	●		●	V	340	49.7	30	**27**	65	5
RS230 1KS & 1KT RED CALIPER		R	**2814E**	●	●	○	●	○	○		S	272	48.2	9.7	**8**	65	5
RS245 1KW RED CALIPER		R	**2809E**	●	●	○	●	●	●		V	310	49	22	**20**	65	5
ROOMSTER																	
5J Series WAGON / With PR Code 1LQ, 1LR & 1ZG	2007-2014	F	**800**	●	●	●	●	●			V	256	36.5	22	**19**	65	5
1LN & 1ZC		F	**802**	●	●	○					V	288	34.2	25	**22**	65	5
1KK & 1KT		R	**803**	●	●	○					S	232	39.3	9	**7**	65	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 208 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

SKODA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
RAPID																	
NH Series SEDAN & SPACEBACK 1ZG, 1ZE, 7ZY & 0CA	2013-on	F	**800**	●	●	●	●	●			V	256	36.5	22	**19**	65	5
1ZC		F	**802**	●	●	○					V	288	34.2	25	**22**	65	5
1KT		R	**803**	●	●	○					S	232	39.3	9	**7**	65	5
SUPERB																	
3T Series HATCH / WAGON With PR Code 1ZE & 1ZL	2008-2015	F	**2810E**	●	●	○					V	288	49.7	25	**22**	65	5
1LJ & 1ZA		F	**2806E**	●	●	●	●	●	●		V	312	50	24.8	**22**	65	5
1LK		F	**2808E**	●	●	○	●	●	●	○	V	345	50	30	**28**	65	5
1LK – WAVE Design of DBA2808		F	**52938**							○	V	345	50	30	**28**	65	5
1KF		R	**2813E**	●	●	○					S	259.8	48.5	12	**10**	65	5
1KS		R	**2814E**	●	●	○	●	○	○		S	272	48.2	9.7	**8**	65	5
1KJ		R	**2816E**	●	●	○	●	●	○		S	282	47.3	12	**10**	65	5
2EA		R	**2809E**	●	●	○	●	●	●		V	310	49	22	**20**	65	5
NP Series TURBO – PR Code 1ZE	09/2015-on	F	**2810E**	●	●	○					V	288	49.7	25	**22**	65	5
1ZA		F	**2806E**	●	●	●	●	●	●		V	312	50	24.8	**22**	65	5
1LA		F	**2830E**	●	●	○	●	●		●	V	340	49.7	30	**27**	65	5
1KS		R	**2814E**	●	●	○	●	○	○		S	272	48.2	9.7	**8**	65	5
1LJ		R	**2816E**	●	●	○	●	●	○		S	282	47.3	12	**10**	65	5
1KU		R	**2837E**	●	●	○	●	●			S	300	48.3	12	**10**	65	5
1KZ		R	**2809E**	●	●	○	●	●	●		V	310	49	22	**20**	65	5
YETI 5L																	
PR Code 1ZF	2010-on	F	**2812E**	●	●	○					V	280	49	22	**19**	65	5
1ZE		F	**2810E**	●	●	○					V	288	49.7	25	**22**	65	5
1ZA		F	**2806E**	●	●	●	●	●	●		V	312	49.8	25	**22**	65	5
1KD		R	**2811E**	●	●	○					S	253	51.5	10	**8**	65	5
1KS		R	**2814E**	●	●	○	●	○	○		S	272	48.2	9.7	**8**	65	5
1KJ		R	**2816E**	●	●	○	●	●	○		S	282	47.3	12	**10**	65	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

SMART

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
CITY COUP																	
C450 Chassis 698cc TURBO	05/2003-01/2004	F	**2976E**								S	280	38	9.6	**8**	58	3
FORFOUR																	
PULSE – W454 Chassis 1.3L HATCH [454031]	2005-2007	F	**2226**	●	●						V	256	45.5	24	**21.5**	69	4
		R	**2227**	●	●						S	250	38.5	10	**8**	69	4
HATCH – W454 Chassis BRABUS 1.4L [454034]	2005-2007	F	**2228**	●	●						V	280	46.5	26	**23.5**	69	4
		R	**2227**	●	●						S	250	38.5	10	**8**	69	4
PULSE – W454 Chassis 1.5L HATCH [454032]		F	**2226**	●	●						V	256	45.5	24	**21.5**	69	4
		R	**2227**	●	●						S	250	38.5	10	**8**	69	4
FORTWO																	
C450, A450 & 451 Chassis 698cc & 1.0L – Inc TURBO	01/2004-02/2016	F	**2976E**								S	280	38	9.6	**8**	58	3

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 210 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

SSANYONG

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
ACTYON																	
C100, Q100 & Q150 Series 2.0L, 2.2L TD & 2.3L PETROL	2007-on	F	**3076E**								V	294	56.7	28	**26**	85	5
If Discs Fitted		R	**3077E**								S	299	67.6	10.4	**8.5**	85	5
C100 & Q100 2.0L "DRUM"		R	**1925**								Dr	254	86.4		**255.5**	85	5
KORANDO																	
2.3L 2 DOOR HARDTOP 4WD	02/1998-07/1998	F	**554**	●	○						V	278	40	24	**22**	88	6
2.9L 2 DOOR HARDTOP 4WD	05/2004-06/2007																
3.2L 2 DOOR SOFTTOP 4WD	1998-2005																
2.9L 2 DOOR SOFTTOP DIESEL	05/2004-06/2007																
		R	**555**	●	○						S	300	67	10.5	**8.5**	105	6
C200 2.0L TD & PETROL *Check All Specs*	02/2011-2015	F	**2292E**	●	○						V	298	45.6	26	**24**	67	5
		R	**3075E**								S	262	62.7	10	**8.4**	67	5
KYRON																	
D100 Series 2.0L & 2.7L TD	02/2006-06/2012	F	**3076E**								V	294	56.7	28	**26**	85	5
		R	**3077E**								S	299	67.6	10.4	**8.5**	85	5
MUSSO																	
	1996-2007	F	**554**	●	○						V	278	41	24	**22**	88	6
	05/2004-09/2007																
		R	**555**	●	○						S	300	67	10.5	**8.5**	105	6
REXTON																	
Y200 Series 2.7 TD & 3.2L PETROL	02/2006-01/2013	F	**3076E**								V	294	56.7	28	**26**	85	5
		R	**TBA**														

The Kangaroo Paw design is not available on all part numbers, ask your supplier for details. FOR LATEST CATALOGUE LISTINGS REFER TO WWW.DBA.COM.AU

F721 2019 Red Master v45.indd 211 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

SUBARU

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
SUBARU																	
1600 4WD, 1800	1980-1984	F	**340**	●							S	229	52	12.5	**10**	70	4
LEONE DL, DLA																	
1600, 1800, LEONE	1984-1985	F	**640**	●	○						V	230	52	18	**15.5**	70	4
LEONE DL, GL, ALL MODELS	1985-1994	F	**641**	●	○						V	242	44	18	**16**	70	4
BRUMBY																	
BRUMBY AU	1985-1993	F	**640**	●	○						V	230	52	18	**15.5**	70	4
BRZ																	
2.0L ACTIVE/LIMITED MODELS	06/2012-2015	F	**648E**	●	●	●	●	●	●		V	277	57	24	**22**	58	5
LIMTED *USA*		R	**2659-10**	●	●	○	○	●	●		S	286	63.5	10	**8.5**	58	10
2.0L COUPE PREMIUM		F	**650E**	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
SPORT MODELS		F	**4650**				●	●	●	●	V	295	57.5	25	**23**	58	5
PREMIUM *USA*		F	**5010**							●	V	295	57.5	25	**23**	58	5
		F	**654-10**	●	●	●	●	●	●	●	V	326	53	30	**28**	58	10
		R	**2663-10**	●	●	○	●	●	●	○	V	290	64	18	**16**	58	10
UPGRADE STI CALIPERS 190mm Handbrake		R	**2656-10**	●	●	○	●	●	●		V	316	63.5	20	**18**	58	10
EXIGA																	
Series YA 2.5L WAGON	10/2009-on	F	**650E**	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
		R	**2659-10**	●	●	○	○	●	●		S	286	63.5	10	**8.5**	58	10
FORESTER																	
SF Series FORESTER WAGON	8/1997-07/2002	F	**648E**	●	●	●	●	●	●		V	277	57	24	**22**	58	5
		R	**644**	●	●	○	●	●	○		S	266	67.5	10	**8.5**	58	5
SG Series X, XS, XT 2.0L & 2.5L	07/2002-2008	F	**650E**	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
Suits 2 POT / PISTON CALIPER		F	**4650**				●	●	●	●	V	295	57.5	25	**23**	58	5
		F	**5010**							●	V	295	57.5	25	**23**	58	5
REAR VENTED – *Check All Specs*		R	**653**	●	●	●	●	●	○		V	290	67.5	18	**16**	58	5
REAR SOLID – *Check All Specs*		R	**644**	●	●	○	●	●	○		S	266	67.5	10	**8.5**		
SH9 Series 2.5L 4 DR WAGON	03/2008-01/2013	F	**650E**	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
SHH 2.0L DIESEL	06/2010-12/2011	F	**4650**				●	●	●	●	V	295	57.5	25	**23**	58	5
SHN 2.0L DIESEL	12/2011-01/2013	F	**5010**							●	V	295	57.5	25	**23**	58	5
SHM X, XS 2.5L	02/2011-01/2013																
SH9 XT 2.5L	03/2008-on																
		R	**2659-10**	●	●	○	○	●	●		S	286	63.5	10	**8.5**	58	10
SJ Series – *Check All Specs*	01/2013-2015	F	**650E**	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
		F	**2650-10**	●	●	●	●	●	○	●	V	316	56.7	30	**28**	58	10
SJ 2.0L TS-STi – UPGRADE		F	**654-10**	●	●	●	●	●	●	●	V	326	53	30	**28**	58	10
SJ 2.0L PETROL & DIESEL TURBO – *Check All Specs*		R	**2669E**	●	○						V	278	61.7	18	**16**	58	5
SJ 2.5L PETROL Non TURBO *Check All Specs*		R	**2667E**	●	○	○					S	273	63.5	10	**8.5**	58	5
SJ 2.0L TS-STi – UPGRADE		R	**2656-10**	●	●	○	●	●	●		V	316	63.5	20	**18**	58	10

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 212 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

SUBARU

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
IMPREZA																	
GC / GF Series 1.5L, 1.8L & 2.0L FWD	11/1992-2000	F	**645**	●	○						V	242	53	18	**16**	58	5
AWD		F	**642**	●	●	○					V	260	57	24	**22**	58	5
ALL		R	**644**	●	●	○	●	●	○		S	266	67.5	10	**8.5**	58	5
GD / GG Series 1.5 L, 2.0L & 2.5L AWD	08/2000-08/2007	F	**648E**	●	●	●	●	●	●		V	277	57	24	**22**	58	5
		R	**644**	●	●	○	●	●	○		S	266	67.5	10	**8.5**	58	5
GE / GH Series G3 2.0L	08/2007-03/2012	F	**648E**	●	●	●	●	●	●		V	277	57	24	**22**	58	5
		R	**2659-10**	●	●	○	○	●	●		S	286	63.5	10	**8.5**	58	10
GJ / GP Series 2.0L AWD	01/2012-10/2016	F	**648E**	●	●	●	●	●	●		V	277	57	24	**22**	58	5
		R	**2667E**	●	○	○					S	273	63.5	10	**8.5**	58	5
GT & GK Series 2.0i & 2.0i-L – 17 inch Wheels	10/2016-on	F	**3052E**														
2.0i-S – 18 inch Wheels		F	**3054E**														
17 & 18 inch Wheels		R	**3053E**														
IMPREZA *New Zealand*																	
GH Series 1.5 & 2.0L	06/2007-11/2011	F	**642**	●	●	○					V	260	57	24	**22**	58	5
		F	**648E**	●	●	●	●	●	●		V	277	57	24	**22**	58	5
		R	**2659-10**	●	●	○	○	●	●		S	286	63.5	10	**8.5**	58	10
IMPREZA-WRX																	
GC / GF Series 2.0L	2/1994-09/1998	F	**648E**	●	●	●	●	●	●		V	277	57	24	**22**	58	5
		R	**644**	●	●	○	●	●	○		S	266	67.5	10	**8.5**	58	5
	09/1998-10/2000	F	**650E**	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
		F	**4650**				●	●	●	●	V	295	57.5	25	**23**	58	5
		F	**5000**							●	V	295	57.5	25	**23**	58	5
		R	**649**	●	●	○	●	●	○		V	266	67.5	18	**16**	58	5
GD / GG Series 2.0L	10/2000-08/2007	F	**650E**	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
With 2 PISTON FRONT CALIPER		F	**4650**				●	●	●	●	V	295	57.5	25	**23**	58	5
With 4 PISTON FRONT CALIPER		F	**5000**							●	V	295	57.5	25	**23**	58	5
USA Spec		F	**5010**							●	V	295	57.5	25	**23**	58	5
USA Spec		R	**644**	●	●	○	●	●	○		S	266	67.5	10	**8.5**	58	5
		R	**649**	●	●	○	●	●	○		V	266	67.5	18	**16**	58	5
JAP Spec		R	**653**	●	●	●	●	●	○		V	290	67.5	18	**16**	58	5
GE / GH Series G3 2.5L	08/2007-02/2014	F	**650E**	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
JAP Spec		F	**4650**				●	●	●	●	V	295	57.5	25	**23**	58	5
		F	**5010**							●	V	295	57.5	25	**23**	58	5
		R	**2659-10**	●	●	○	○	●	●		S	286	63.5	10	**8.5**	58	10
V1 – GK6 Series 2.0L TURBO	03/2014-2018	F	**2650-10**	●	●	●	●	●	○	●	V	316	56.7	30	**28**	58	10
		R	**2659-10**	●	●	○	○	●	●		S	286	63.5	10	**8.5**	58	10
V1 – GK8 Series 2.0L TURBO	03/2014-2018	F	**2650-10**	●	●	●	●	●	○	●	V	316	56.7	30	**28**	58	10
		R	**2662E**	●	●		●	●			V	300	46.4	17	**15**	58	5

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

SUBARU

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
IMPREZA-WRX-STi																	
GC Series 2.0L	10/1999-05/2000	F	**650E**	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
		F	**4650**				●	●	●	●	V	295	57.5	25	**23**	58	5
		F	**5000**							●	V	295	57.5	25	**23**	58	5
		R	**649**	●	●	○	●	●	○		V	266	67.5	18	**16**	58	5
GD / GG Series 2.0L MY01	2000-2007	F	**650E**	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
MY01		F	**4650**				●	●	●	●	V	295	57.5	25	**23**	58	5
With Brembo CALIPERS MY02-on		F	**654-10**	●	●	●	●	●	●	●	V	326	53	30	**28**	58	10
MY01		R	**656-10**	●	●	○	●	●	●		V	290	67.5	18	**16**	58	10
With Brembo CALIPERS MY02-on		R	**655-10**	●	●	○	●	●	●		V	316	67.5	20	**18**	58	10
2.5L Brembo CALIPERS	10/2005-08/2007	F	**654-10**	●	●	●	●	●	●	●	V	326	53	30	**28**	58	10
		R	**655-10**	●	●	○	●	●	●		V	316	67.5	20	**18**	58	10
G3 Series 2.5L TURBO GRB, GRF & GVF	02/2008-02/2014	F	**654-10**	●	●	●	●	●	●	●	V	326	53	30	**28**	58	10
		R	**2656-10**	●	●	○	●	●	●		V	316	63.5	20	**18**	58	10
V1 Series 2.5L TURBO	04/2014-04/2017	F	**654-10**	●	●	●	●	●	●	●	V	326	53	30	**28**	58	10
		R	**2656-10**	●	●	○	●	●	●		V	316	63.5	20	**18**	58	10
V1 Brembo Spec R YELLOW 6 POT CALIPER	04/2017-on	F	**3050-10**				●	●	●	●	V	340	53	30	**28**	58	10
		R	**3051-10**				●	●	○	●	V	326	63.5	20	**18**	58	10

PART SUPERCESSION for SUBARU WRX STi

DBA is now introducing a 10 stud hole pattern disc brake rotor to suit the Subaru WRX STi range of models combining two sets of PCD's together on the one disc:

2002-2004 – disc rotor stud hole PCD (pitch circle diameter) = 100 mm
2005-2009 – disc rotor stud hole PCD (pitch circle diameter) = 114.3 mm

DBA 4654S-10

Part # | Slotted | 10 stud hole pattern

The benefits:

1. **Universal fitting**
2. **Eliminates variations in part numbers**
3. **Reduced stock levels**

Figure 1. (right side of the page) illustrates the combined PCD patterns, including the two smaller extraction holes.

One part fits all.
All other rotor dimensions remain the same.



Figure 1.

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 214 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

SUBARU

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
LEGACY ***New Zealand***																	
BP Series – *Check All Specs*	05/2003-04/2009	F	**648E**	●	●	●	●	●	●		V	277	57	24	**22**	58	5
		F	**650E**	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
		F	**2650-10**	●	●	●	●	●	○	●	V	316	56.7	30	**28**	58	10
		R	**657**	●	●	○	○	○	○		S	290	67.5	10	**8.5**	58	5
		R	**653**	●	●	●	●	●	○		V	290	67.5	18	**16**	58	5
		R	**655-10**	●	●	○	●	●	●		V	316	67.5	20	**18**	58	10
BR Series BR9 Chassis 2.5L *Check All Specs*	02/2009-04/2012	F	**650E**	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
		F	**2650-10**	●	●	●	●	●	○	●	V	316	56.7	30	**28**	58	10
		R	**2659-10**	●	●	○	○	●	●		S	286	63.5	10	**8.5**	58	10
		R	**2663-10**	●	●	○	●	●	●	○	V	290	64	18	**16**	58	10
LEVORG																	
1.6L TURBO JDM *Overseas Model*	2016-on	F	**2660E**	●	○		○	●	○		V	293	56.7	28	**26**	58	5
		R	**2659-10**	●	●	○	○	●	●		S	286	63.5	10	**8.5**	58	10
VM Series 1.6L 125kW TURBO	08/2017-on	F	**2660E**	●	○		○	●	○		V	293	56.7	28	**26**	58	5
		R	**2662E**	●	●		●	●			V	300	46.4	17	**15**	58	5
VM Series GT, GT-S & STi 2.0L x 197kW TURBO	06/2016-on	F	**2650-10**	●	●	●	●	●	○	●	V	316	56.7	30	**28**	58	10
		R	**2662E**	●	●		●	●			V	300	46.4	17	**15**	58	5
LIBERTY																	
BC SERIES																	
2.0L AWD RS TURBO	10/1991-06/1994	F	**648E**	●	●	●	●	●	●		V	277	57	24	**22**	58	5
		R	**649**	●	●	○	●	●	○		V	266	67.5	18	**16**	58	5
2.2L AWD & FWD DX, GX, LX & HERITAGE	10/1989-06/1994	F	**642**	●	●	○					V	260	57	24	**22**	58	5
		R	**644**	●	●	○	●	●	○		S	266	67.5	10	**8.5**	58	5
BF SERIES																	
2.0L RS TURBO AWD	10/1992-06/1994	F	**642**	●	●	○					V	260	57	24	**22**	58	5
		R	**649**	●	●	○	●	●	○		V	266	67.5	18	**16**	58	5
2.2L AWD & FWD Non TURBO X, DX, GX & L	10/1989-06/1994	F	**642**	●	●	○					V	260	57	24	**22**	58	5
		R	**644**	●	●	○	●	●	○		S	266	67.5	10	**8.5**	58	5
BD, BG SERIES																	
2.2L AWD & FWD GL, GX, LX & HERITAGE	06/1994-031999	F	**642**	●	●	○					V	260	57	24	**22**	58	5
		R	**644**	●	●	○	●	●	○		S	266	67.5	10	**8.5**	58	5
2.4L AWD RX & HERITAGE	11/1996-03/1999	F	**648E**	●	●	●	●	●	●		V	277	57	24	**22**	58	5
SOLID		R	**644**	●	●	○	●	●	○		S	266	67.5	10	**8.5**	58	5
VENTED		R	**649**	●	●	○	●	●	○		V	266	67.5	18	**16**	58	5
BE, BH SERIES																	
2.0L GX	03/1999-08/2003	F	**648E**	●	●	●	●	●	●		V	277	57	24	**22**	58	5
		R	**657**	●	●	○	○	○	○		S	290	67.5	10	**8.5**	58	5
2.0L B4 TWIN TURBO	01/2001-06/2003	F	**650E**	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
Suits 2 POT / PISTON		F	**4650**				●	●	●	●	V	295	57.5	25	**23**	58	5
		F	**5010***							●	V	295	57.5	25	**23**	58	5
SOLID		R	**657**	●	●	○	○	○	○		S	290	67.5	10	**8.5**	58	5
VENTED		R	**653**	●	●	●	●	●	○		V	290	67.5	18	**16**	58	5
2.4L RX & HERITAGE	03/1999-082003	F	**648E**	●	●	●	●	●	●		V	277	57	24	**22**	58	5
		R	**657**	●	●	○	○	○	○		S	290	67.5	10	**8.5**	58	5

* NOTE: NOT SUITABLE FOR PRE 2002 MODELS WITH EXTERNAL ABS TONE RING.

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

SUBARU

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
LIBERTY – Continued																	
BL, BP SERIES																	
2.0L	09/2003-06/2005	F	648E	●	●	●	●	●	●		V	277	57	24	**22**	58	5
		R	657	●	●	○	○	○	○		S	290	67.5	10	**8.5**	58	5
2.0L TURBO GT	09/2003-07/2006	F	650E	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
		F	4650				●	●	●	●	V	295	57.5	25	**23**	58	5
		F	5010							●	V	295	57.5	25	**23**	58	5
		F	2650-10	●	●	●	●	●	○	●	V	316	56.7	30	**28**	58	10
		R	657	●	●	○	○	○	○		S	290	67.5	10	**8.5**	58	5
		R	653	●	●	●	●	●	○		V	290	67.5	18	**16**	58	5
2.0L R	01/2006-07/2007	F	648E	●	●	●	●	●	●		V	277	57	24	**22**	58	5
		F	650E	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
		F	4650				●	●	●	●	V	295	57.5	25	**23**	58	5
		F	5010							●	V	295	57.5	25	**23**	58	5
		R	2661E	●	●	○	○	○	○		S	274	67.5	10	**8.5**	58	5
2.0L TURBO GT STi	01/2006-07/2006	F	2650-10	●	●	●	●	●	○	●	V	316	56.7	30	**28**	58	10
		R	653	●	●	●	●	●	○		V	290	67.5	18	**16**	58	5
2.5L i	09/2003-08/2009	F	648E	●	●	●	●	●	●		V	277	57	24	**22**	58	5
		F	650E	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
		F	4650				●	●	●	●	V	295	57.5	25	**23**	58	5
		F	5010							●	V	295	57.5	25	**23**	58	5
		R	2661E	●	●	○	○	○	○		S	274	67.5	10	**8.5**	58	5
		R	657	●	●	○	○	○	○		S	290	67.5	10	**8.5**	58	5
BL, BP SERIES																	
2.5L TURBO GT & GT-B	09/2006-08/2009	F	2650-10	●	●	●	●	●	○	●	V	316	56.7	30	**28**	58	10
		R	653	●	●	●	●	●	○		V	290	67.5	18	**16**	58	5
2.5L TURBO GT-B STi	04/2007-09/2008	F	654-10	●	●	●	●	●	●	●	V	326	53	30	**28**	58	10
		R	655-10	●	●	○	●	●	●		V	316	67.5	20	**18**	58	10
3.0L R & B	08/2004-08/2009	F	2650-10	●	●	●	●	●	○	●	V	316	56.7	30	**28**	58	10
		R	2661E	●	●	○	○	○	○		S	274	67.5	10	**8.5**	58	5
		R	653	●	●	●	●	●	○		V	290	67.5	18	**16**	58	5
BM, BR SERIES																	
2.5i & 2.5X	10/2009-01/2015	F	648E	●	●	●	●	●	●		V	277	57	24	**22**	58	5
		F	650E	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
		F	4650				●	●	●	●	V	295	57.5	25	**23**	58	5
		F	5010							●	V	295	57.5	25	**23**	58	5
		R	2659-10	●	●	○	○	●	●		S	286	63.5	10	**8.5**	58	10
2.5L TURBO GT	10/2009-11/2012	F	2650-10	●	●	●	●	●	○	●	V	316	56.7	30	**28**	58	10
		R	2663-10	●	●	○	●	●	○		V	290	64	18	**16**	58	10
3.6L "R"	09/2009-01/2015	F	2650-10	●	●	●	●	●	○	●	V	316	56.7	30	**28**	58	10
		R	2663-10	●	●	○	●	●	●	○	V	290	64	18	**16**	58	10
YA SERIES																	
2.4L EXIGA	10/2009-12/2014	F	650E	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
		F	4650				●	●	●	●	V	295	57.5	25	**23**	58	5
		F	5010							●	V	295	57.5	25	**23**	58	5
		R	2659-10	●	●	○	○	●	●		S	286	63.5	10	**8.5**	58	10
BN SERIES																	
2.5L i	12/2014-on	F	2660E	●	○		○	●	○		V	293	56.7	28	**26**	58	5
		R	2662E	●	●		●	●			V	300	46.4	17	**15**	58	5
3.6L R		F	2650-10	●	●	●	●	●	○	●	V	316	56.7	30	**28**	58	10
		R	2662E	●	●		●	●			V	300	46.4	17	**15**	58	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 216 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

SUBARU

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
OUTBACK																	
BG Series 2.4L LE WAGON	09/1996-10/1998	F	**648E**	●	●	●	●	●	●		V	277	57	24	**22**	58	5
		R	**644**	●	●	○	●	●	○		S	266	67.5	10	**8.5**	58	5
BH Series 2.4L & 3.0L H6	10/1998-08/2003	F	**648E**	●	●	●	●	●	●		V	277	57	24	**22**	58	5
		F	**650E**	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
		R	**657**	●	●	○	○	○	○		S	290	67.5	10	**8.5**	58	5
		R	**653**	●	●	●	●	●	○		V	290	67.5	18	**16**	58	5
	Not Suitable for Pre-2002	F	**4650**				●	●	●	●	V	295	57.5	25	**23**	58	5
BP Series 2.4L & 3.0L	09/2003-08/2009	F	**650E**	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
	09/2003-2006	R	**653**	●	●	●	●	●	○		V	290	67.5	18	**16**	58	5
	2006-2009	R	**2661E**	●	●	○	○	○	○		S	274	67.5	10	**8.5**	58	5
BR Series 2.0L TD & 2.4L	09/2009-2015	F	**650E**	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
		R	**2659-10**	●	●	○	○	●	●		S	286	63.5	10	**8.5**	58	10
		R	**2661E**	●	●	○	○	○	○		S	274	67.5	10	**8.5**	58	5
BR Series 3.6L		F	**2650-10**	●	●	●	●	●	○	●	V	316	56.7	30	**28**	58	10
		R	**2663-10**	●	●	○	●	●	●	○	V	290	64	18	**16**	58	10
BS Series 2.5L & 3.6L	2015-on	F	**2650-10**	●	●	●	●	●	○	●	V	316	56.7	30	**28**	58	10
		R	**2662E**	●	●		●	●			V	300	46.4	17	**15**	58	5
TRIBECA																	
3.0L & 3.6L	2006-2014	F	**2650-10**	●	●	●	●	●	○	●	V	316	56	30	**28**	58	10
		R	**2653-10**	●	●		●	●			V	320	66	18	**16**	58	10
VORTEX																	
1.8L	1985-1989	F	**641**	●	○						V	242	44	18	**16**	70	4
XV																	
2.0I, 2.0I-L, 2.0I-S	01/2012-05/2017	F	**650E**	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
4 DOOR WAGON AWD		F	**4650**				●	●	●	●	V	295	57.5	25	**23**	58	5
		F	**5010**							●	V	295	57.5	25	**23**	58	5
		R	**2667E**	●	○	○					S	273	63.5	10	**8.5**	58	5
GT7 2.0L	05/2017-on	F	**3054E**														
		R	**3053E**														

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

SUBARU

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
SUBARU REAR UPGRADE																	
316mm STI REAR ROTOR To Suit SUBARU with 170mm HANDBRAKE	3/1992-8/1997	R	**2657**	●	●	○	●	●	○		V	316	67.5	20	**18**	58	5
316mm STI REAR ROTOR To Suit SUBARU with 170mm HANDBRAKE	1998-on	R	**2657**	●	●	○	●	●	○		V	316	67.5	20	**18**	58	5
GRAVEL Spec REAR ROTOR 290mm DISC with 190MM HANDBRAKE MY02-MY07 WRX STI	2002-2007	R	**656-10**	●	●	○	●	●	●		V	290	67.5	18	**16**	58	10
Brembo UPGRADE to BRZ & 86 MODELS		R	**2656-10**	●	●	○	●	●	●		V	316	63.5	20	**18**	58	10

UP TO 2000 WRX : REQUIRES CALIPER ADAPTER BRACKET (BSM) AND STI REAR BREMBO CALIPERS
UP TO 2002 FORESTER : REQUIRES CALIPER ADAPTER BRACKET (BSM) AND STI REAR BREMBO CALIPERS
UP TO 2002 LIBERTY : REQUIRES CALIPER ADAPTER BRACKET (BSM) AND STI REAR BREMBO CALIPERS
FROM 2000 WRX : REQUIRES BACKING PLATE TO BE MODIFIED AND STI REAR BREMBO CALIPERS
FROM 2002 FORESTER : REQUIRES BACKING PLATE TO BE MODIFIED AND STI REAR BREMBO CALIPERS
FROM 2002 LIBERTY : REQUIRES BACKING PLATE TO BE MODIFIED AND STI REAR BREMBO CALIPERS





DBA2657

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 218 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

SUZUKI

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
AERIO *New Zealand*																	
RB21S Chassis 1.5L WAGON	01/200-05/2006	F	**520**	●	○						V	246	50	20	**18**	60	4
		R	**1860**	●							Dr	200	56.5		**202.4**	58	4
ALTO																	
GF Series	2009-2015	F	**2578**	●							V	231	51	20	**18**	60	4
DRUM		R	**1903**								Dr	180	63.2		**182**	HUB	4
APV																	
GC416 Series 1.6L Without ABS	06/2005-on	F	**3750E**								V	249	44.1	18	**16**	64	5
DRUM		R	**1913**								Dr	220	64.5		**222**	64	5
BALENO																	
1.6L, GA, GL, GLX, GS	4/1995-2004	F	**519**								V	235	50	20	**18**	60	4
GTX 1.8L	3/1996-2003	F	**520**	●	○						V	246	50	20	**18**	60	4
DRUM		R	**1860**	●							Dr	200	56.5		**202.4**	58	4
EW Series 1.0L GLX TURBO	07/2016-on	F	**TBA**														
		R	**TBA**														
1.4L GL, GLX & LTD		F	**3752E**								V	252	40.2	20	**18**	60	4
DRUM		R	**1916**								Dr						
CINO, IGNIS																	
SWIFT CINO SF413 1.3L 3/5DR	1994-1999	F	**022**	●	○						V	231	50	17	**15**	64	4
IGNIS 1.3L 3 & 5 DOOR, RG413	10/2000-2005	F	**523**	●	○						V	257	49	17	**15**	60	4
ESCUDO *New Zealand*																	
1.6L 4WD	08/1990-10/1997	F	**514**	●	○						V	287	46	17	**15**	107	5
		F	**513**	●	○						S	290	46.5	10	**8**	107	5
KIZASHI																	
FR Series – Inc SPORT	2010-2016	F	**2579E**	●	○						V	300	49	26	**24**	62	5
		R	**2577E**	●	○						S	278	46	12	**11**	62	5
LIANA																	
RH416 & RH418 Series 1.6 & 1.8L SEDAN & HATCH	11/2001-08.2007	F	**520**	●	○						V	246	50	20	**18**	60	4
DRUM		R	**1860**	●							Dr	200	56.5		**202.4**	58	4
S-CROSS																	
JY Series	01/2014-on	F	**2574E**	●	○						V	280	47	22	**20**	62	5
		R	**2589E**	●	○						S	259	43.2	9	**8**	62	5
SAMURAI																	
1.3L SJ70	1990-1996	F	**513**	●	○						S	290	46.5	10	**8**	107	5
SIERRA / JIMNY																	
1.0 4WD SJ40, SJ410, SJ413	1983-1986	F	**510**	●	○						S	290	46.5	10	**9**	107	5
1.3 4WD SJ50, SJ70, SJ80 *Flange Thickness 7mm*	10/1984-1/1996																
STOCKMAN MG 410 UTE	1990-1999																
413 SJ80	4/1996-10/1998	F	**513**	●	○						S	290	46.5	10	**8**	107	5
JIMNY SWB 1.3 SN413, 513 *107mm Centre Hole*	1998-on	F	**513**	●	○						S	290	46.5	10	**8**	107	5
Note: From Chassis 00203805 108mm Centre Hole Flange Thickness 6mm		F	**587**	●	●						S	290	46	10	**8**	108.3	5
SN413 DRUM	1998-on	R	**1839**	●							Dr	220.6	64.9		**222**	100	5

The Kangaroo Paw design is not available on all part numbers, ask your supplier for details. FOR LATEST CATALOGUE LISTINGS REFER TO WWW.DBA.COM.AU

F721 2019 Red Master v45.indd 219 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

SUZUKI

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
SUZUKI																	
SUPER CARRY SK410	1985-1988	F	**012**								S	215	33.5	10	**8**	86	4
SWIFT																	
SA310. SA413	2/1985-1988	F	**012**								S	215	33.5	10	**8**	86	4
SF310, 413 SF416, SF413, GTI, SEDAN	1989-1994	F	**022**	●	○						V	231	50	17	**15**	64	4
Discontinued	1989-1998	F	**516**								V	250	47	18.5	**16.5**	64	4
1.6L 3 & 5 DOOR	2004-2011	F	**2584E**	●	○	○					V	252	40	20	**18**	60	4
EZ RS415 1.5L 74kW HATCH	11/2004-01/2011	F	**2584E**	●	●	○					V	252	40	20	**18**	60	4
DRUM		R	**1840**	●							Dr	200	81.5		**202**	47	4
ZC11S, ZD11S & ZC71S Chassis (NZ)	11/2004-09/2010	F	**2584E**	●	●	○					V	252	40	20	**18**	60	4
DRUM	11/2004-09/2010	R	**1840**	●							Dr	200	81.5		**202**	47	4
ZC72S Chassis 1.2L (NZ)	09/2010-01/2017	F	**2584E**	●	●	○					V	252	40	20	**18**	60	4
		R	**2585E**	●	○						S	259	43.4	9	**8**	62	4
EZ RS416 1.6L 92kW SPORT	09/2005-01/2011	F	**2588E**	●	○						V	276	40	20	**18**	62	5
ALL		R	**2587**	●	○						S	278	43	9	**8**	62	5
FZ Series 1.4L 70kW	02/2011-on	F	**2583E**	●	○						V	272	39.6	22	**20**	60	4
Note: RE1 & RE2 Without Cruse Control		F	**2584E**	●	●	○					V	252	40	20	**18**	60	4
ALL		R	**2585E**	●	○						S	259	43.4	9	**8**	62	4
FZ Series 1.6L 100kW SPORTS	02/2012-on	F	**2495E**	●	○						V	272	40	22	**20**	62	5
		R	**2496E**	●	○		●	●			S	259	43.2	9	**8**	62	5
AZ Series 1.0L x 82 kW GLX TURBO	04/2017-on	F	**TBA**														
		R	**TBA**														
1.3L x 66kW GL Non TURBO		F	**3754E**								V	231	40.2	17	**15**	60	4
DRUM		R	**1915**								Dr						
1.4L x 103kW SPORT TURBO	01/2018-on	F	**TBA**														
		R	**TBA**														
SWIFT ***New Zealand***																	
HT51S CHASSIS 1.3L *Check Specs*	01/2000-11/2004	F	**523**	●	○						V	257	49	17	**15**	60	4
SX4																	
2.0L	2006-2014	F	**2586**	●	○	○					V	280	47	22	**20**	62	5
		R	**2587**	●	○						S	278	43	9	**8**	62	5
VITARA																	
JX, JLX SWB SE 416	1988-1998	F	**513**	●	○						S	290	46.5	10	**8**	107	5
X90 SZ 416 2 DOOR 1.6L *Flange Thickness 6mm*	1996-1997																
4 DOOR ESTATE LWB	1991-1998	F	**514**	●	○						V	287	46	17	**15**	107	5
LY Series GL & RT-S 1.6L PETROL	09/2015-on	F	**2574E**	●	○						V	280	47	22	**20**	62	5
		R	**2589E**	●	○						S	259	43.2	9	**8**	62	5
GLX & RT-X 1.6L PETROL		F	**2574E**	●	○						V	280	47	22	**20**	62	5
		R	**2589E**	●	○						S	259	43.2	9	**8**	62	5
RT-X 1.6L TURBO DIESEL		F	**2574E**	●	○						V	280	47	22	**20**	62	5
		R	**2589E**	●	○						S	259	43.2	9	**8**	62	5
S-TURBO 1.4L PETROL	1/2016-on	F	**2574E**	●	○						V	280	47	22	**20**	62	5
		R	**2589E**	●	○						S	259	43.2	9	**8**	62	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 220 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

SUZUKI

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
GRAND VITARA																	
SQ420 2.0L LWB & SQ625 2.5L	1998-2006	F	**579**	●	○	○					V	310	29	22	**20**	108	5
DRUM SQ416, SQ420 & SQ625	1998-2000	R	**1839**	●							Dr	220.6	64.9		**222**	100	5
DRUM SQ416, SQ420 & SQ625	2000-2006	R	**1912**								Dr	220	64		**222**	108.2	5
XL7 JA627 Series 2.7L V6	07/2001-01/2006	F	**579**	●	○	○					V	310	29	22	**20**	108	5
DRUM		R	**1914**								Dr	254	61		**256**	108.2	5
JT Series GRAND VITARA ALL MODELS – *If Rotor Fitted*	2006-2014	F	**2580E**	●	●	○	●	●			V	295	49.5	25	**23**	62	5
		R	**2581E**	●	○						V	308	57	16	**14**	62	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

TESLA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
TESLA MODEL S																	
60 x 225kW, 85 x 270kW, P85 x 310kW, 70 x 235kW, 70D x 245kW, 85D x 315kW & P85D x 515kW		F	**42768**				○	●			V	355	70.7	32	**30**	70	5
ALL ABOVE		R	**42769**				●	●			V	365	66.4	28	**26**	70	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 222 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

TOYOTA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
4 RUNNER																	
2WD	8/1989-1995	F	**780**	●	●	○					V	289	64.5	20	**18**	100	6
TURBO	1986-1998																
4WD – TURBO	1986-1987																
4WD – *Except* TURBO	6/1991-10/1995																
LN, YN 61 4 RUNNER	8/1985-3/1989																
LN, YN, VZN 130 4 RUNNER	8/1989-1991																
RN 61 4 RUNNER	1988-1991																
DRUM YN63 &130 / RN130 / LN61 &130 / VZN130	1985-1996	R	**1744**	●							Dr	295	83		**297**	106	6
4WD – *Except* TURBO	8/1991-1995	F	**775**	●	●						V	291	66	25	**23**	100	6
KUN, GGN, TGN	2005-2014	F	**2714E**	●	●	●	●	●	●		V	297	67	25	**23**	108	6
GRN21#, UZN21# LIMD		F	**2716E**	●	●	●	●	●	●		V	319	67.5	28	**26**	108	6
SR5, UZN210 LIMD		R	**793**	●	●	●	●	●	●		V	312	68	18	**16**	106	6
86																	
GT 2.0L COUPE	06/2012-on	F	**648E**	●	●	●	●	●	●		V	277	57	24	**22**	58	5
		R	**2659-10**	●	●	○	○	●	●		S	286	63.5	10	**8.5**	58	10
GT86 2.0L *Europe*		F	**650E**	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
GTS *Australia*		F	**4650**				●	●	●	●	V	295	57.5	25	**23**	58	5
		F	**5010**							●	V	295	57.5	25	**23**	58	5
		R	**2663-10**	●	●	○	●	●	●	○	V	290	64	18	**16**	58	10
ZN6R Series 2.0L GT	11/2016-on	F	**650E**	●	●	●	●	●	●	●	V	294	57	24	**22**	58	5
		R	**2663-10**	●	●	○	●	●	●	○	V	290	64	18	**16**	58	10
ALLEX *New Zealand*																	
NZE121R Series 1.5L *Check Specs*	01/2001-09/2006	F	**709**	●	●						V	255	48	22	**20**	55	4
ZZE122R 1.8L	2002-2006	F	**712**	●	●	○					V	255	49.5	25	**23**	55	4
		R	**713**	●	●	○					S	269	56	9	**8**	55	4
ZZE123R 1.8L		F	**759**	●	●	○					V	275	50	25	**23**	55	4
ALLION *New Zealand*																	
AZT240R 1.5L	2002-2007	F	**562**								V	275	49.5	25	**23**	55	5
ZRT260 1.8L & ZRT261R 2.0L	2007-on	F	**2783E**	●	○						V	275	46.5	22	**19**	55	5
ALPHARD *New Zealand*																	
ANH15R 2.4L	2002-04/2008	F	**2712**		○	○					V	296	49.5	28	**26**	62	5
		R	**697**	●	○	○					S	291	68.5	12	**10.5**	62	5
AHN10R & HYBRID 2.4L	2002-08/2004	F	**2712**		○	○					V	296	49.5	28	**26**	62	5
	09/2004-05/2008	F	**2705**	●	○	○	●	○	○		V	296	49.3	28	**26**	62	5
		R	**697**	●	○	○					S	291	68.5	12	**10.5**	62	5
AHN20R 2.3L, GGH20R & 25R 3.4L	05/2008-01/2015	F	**2730**	●	●						V	296	49.5	28	**25**	62	5
ALTEZZA *New Zealand*																	
GXE10R, 15R & SXE10R 2.0L	10/1998-07/2005	F	**4748**				●	●	●		V	296	51	32	**30**	62	5
GXE10R		R	**746**	●	●		●	●	○		V	307	67	16	**15**	62	5
GXE15R & SXE15R		R	**4749**				●	●	○		S	307	63	12	**10.5**	62	5
JCE10R 3.0L	07/2001-07/2005	F	**4748**				●	●	●		V	296	51	32	**30**	62	5
		R	**4749**				●	●	○		S	307	63	12	**10.5**	62	5
ARISTO *New Zealand*																	
JZS147R, JZS160 & 161R 3.0L	10/1991-2005	F	**4748**				●	●	●		V	296	51	32	**30**	62	5

The Kangaroo Paw design is not available on all part numbers, ask your supplier for details. FOR LATEST CATALOGUE LISTINGS REFER TO WWW.DBA.COM.AU

F721 2019 Red Master v45.indd 223 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

TOYOTA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
AURIS *New Zealand*																	
NZE151R 1.5L & ZRE152R 1.8L	10/2006-11/2008	F	**2742E**	●	●	○					V	275	46.3	22	**19**	62	5
		R	**2743E**	●	●	○					S	259	30.5	9	**7.5**	62	5
ZRE152R 1.8L	2009-08/2012	F	**2742E**	●	●	○					V	275	46.3	22	**19**	62	5
		R	**2743E**	●	●	○					S	259	30.5	9	**7.5**	62	5
AURION V6																	
3.5L V6 GSV40R	11/2006-03/2012	F	**2709E**	●	●	●	●	●	●		V	296	49.3	28	**25**	62	5
TRD Only GSV40R	11/2006-on	F	**2756E**	●	○		●	●			V	325	45.3	32	**30**	62	5
TRD Only GSV40R		R	**2757E**	●	○						V	310	54.5	18	**16**	62	5
190mm Handbrake		R	**2707E**	●	●	○	●	●	○		S	286	65	10	**8.5**	62	5
3.5L V6 GSV50R 170mm Handbrake	04/2012-2015	R	**2713**	●	●	●	●	●	○		S	281	67	10	**8.5**	62	5
AVALON																	
MCX10R – V6 3.0L DOHC	07/2000-08/2003	F	**735**	●	●	○					V	275	49.5	28	**26**	62	5
ALL MODELS REAR		R	**757**	●	○						S	291	65.5	9	**8**	62	5
ALL MODELS REAR	09/2002-2006	R	**2707E**	●	●	○	●	●	○		S	286	65	10	**8.5**	62	5
ALL MODELS *USA*	1995-2004	F	**735**	●	●	○					V	275	49.5	28	**26**	62	5
AVENSIS VERSO																	
ACM20 & 21 Series GLX ULTIMA – 7 SEATER *MPV Australian Model*	5/2001-2010	F	**735**	●	●	○					V	275	49.5	28	**26**	62	5
		R	**697**	●	○	○					S	291	68.5	12	**10.5**	62	5
BB *New Zealand*																	
NCP30R 1.3L & NCP35R 1.5L	02/2000-07/2000	F	**2718E**	●	○						V	255	46.5	22	**19**	55	4
	08/2000-11/2005	F	**753**								V	255	43.25	20	**18**	55	4
BELTA *New Zealand*																	
KSP92R 1.0L & SCP92R 1.3L	11/2005-07/2008	F	**2718E**	●	○						V	255	46.5	22	**19**	55	4
BLADE *New Zealand*																	
AZE154R & AZE156R HATCH	2006-2012	F	**2754E**	●	○						V	275	46.5	25	**22**	62	5
		R	**2755E**	●							S	279	31	10	**8.5**	62	5
GRE156R 3.4L V6	08/2007-04/2012	F	**2709E**	●	●	●	●	●	●		V	296	49.3	28	**25**	62	5
		R	**2755E**	●							S	279	31	10	**8.5**	62	5
C-HR																	
NGX10R & NGX50R 1.2L TURBO	02/2017-on	F	**2766E**								V				**25**		
		R	**2765E**	●							S	281	44.3	12	**10.5**	62	5
CALDINA *New Zealand*																	
ST191R 2.0L	11/1992-08/1997	F	**2752E**	●	○						V	255	49	25	**22**	55	5
		R	**764**	●	○	○					S	269	65	9	**8**	55	5
ST195R 2.0L		F	**2752E**	●	○						V	255	49	25	**22**	55	5
AT191R, 211R 1.8L & ST210 & 215R 2.0L	01/1996-08/2002	F	**2752E**	●	○						V	255	49	25	**22**	55	5
AZT241R, ZZT241R & 246R 1.8L	09/2002-06/2007	F	**562**								V	275	49.5	25	**23**	55	5
AZT241R & ZZT241R		R	**563**	●	○	○					S	269	56	9	**7.5**	55	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 224 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

TOYOTA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
CAMRY																	
SV20 Series I, II	1987-10/1992	F	**730**	●	○						V	255	47.5	22	**21**	54	5
VZV20 Series I, II	2/1988-10/1992	F	**732**								V	255	48	25	**24**	54	5
SDV10, SVX10 4 Cyl	11/1992-7/1997	F	**733**	●	○						V	255	49	28	**26**	62	5
VCV10, VDV10 VIENTA V6		F	**735**	●	●	○					V	275	49.5	28	**26**	62	5
SDV10, VDV10 ALL SEDANS		R	**736**	●	○	○					S	269	65	10	**9**	62	5
VDV10 V6 ALL WAGONS		R	**734**								S	288	65	10	**9**	62	5
SXV20	7/1997-2002	F	**733**	●	○						V	255	49	28	**26**	62	5
MCV20		F	**735**	●	●	○					V	275	49.5	28	**26**	62	5
REAR DISC FITS ALL SEDANS & WAGONS		R	**736**	●	○	○					S	269	65	10	**9**	62	5
3.0L V6 MCV36R 2.4L 4 Cyl ACV36R	8/2002-8/2006	F	**735**	●	●	○					V	275	49.5	28	**26**	62	5
REAR FITS ALL SEDANS & WAGONS		R	**2707E**	●	●	○	●	●	○		S	286	65	10	**8.5**	62	5
3.0L V6, MCV30 *Europe & USA* 16 inch Wheels	07/2001-on	F	**2705**	●	○	○	●	○	○		V	296	49.3	28	**26**	62	5
		R	**2711**	●							S	269	65	12	**10.5**	62	5
2.4L 4 Cyl ACV40R	06/2006-2012	F	**2709E**	●	●	●	●	●	●		V	296	49.3	28	**25**	62	5
		R	**2707E**	●	●	○	●	●	○		S	286	65	10	**8.5**	62	5
ACV40, GSV40	2006-on	F	**2709E**	●	●	●	●	●	●		V	296	49.3	28	**25**	62	5
ALL *USA Application*	2007-2011	F	**2709E**	●	●	●	●	●	●		V	296	49.3	28	**25**	62	5
ALL *USA Application*		R	**2713**	●	●	●	●	●	○		S	281	67	10	**8.5**	62	5
EURO Spec		R	**2713**	●	●	●	●	●	○		S	281	67	10	**8.5**	62	5
HYBRID AHV40R	01/2010-02/2012	F	**2709E**	●	●	●	●	●	●		V	296	49.3	28	**25**	62	5
		R	**2713**	●	●	●	●	●	○		S	281	67	10	**8.5**	62	5
ASV50R 2.5L	02/2012-on	F	**2709E**	●	●	●	●	●	●		V	296	49.3	28	**25**	62	5
PETROL REAR		R	**2707E**	●	●	○	●	●	○		S	286	65	10	**8.5**	62	5
HYBRID REAR		R	**2713**	●	●	●	●	●	○		S	281	67	10	**8.5**	62	5
ASV70R, AXVH71R & GSV70R	11/2017-on	F	**2744**	○	○	○	●	●	○		V	305	49.5	28	**25**	62	5
		R	**2765E**	●							S	281	44.3	12	**10.5**	62	5
CELICA																	
RA 23, RA 28 LIFTBACK	1976-7/1977	F	**140**								S	254	16	12.7	**11.5**	73	4
RA 40, RA 40 B	8/1977-7/1981																
RA 60, COUPE, LIFTBACK	8/1981-9/1983	F	**146**								V	258	26	20	**19**	76	4
SA 63, 2.0L	10/1983-1984																
RA 65, 2.4L	10/1984-1985																
ST 162 SX, GTS, 2.0 GT COUPE	8/1985-8/1989	F	**739**								V	258	47.5	22	**21**	54	5
ST 162 ST	10/1986-8/1989	F	**740**	○							V	243	48	22	**21**	54	4
DRUM ST162 Series	8/1985-8/1989	R	**1602**	●							Dr	180	65.5		**182**	HUB	4
ST 184, 2.0 GT COUPE 2WD	10/1989-8/1991	F	**742**								V	255	46	22	**20**	54	5
ST 184 2WD	8/1991-11/1993	F	**743**								V	278	46	25	**23**	54	5
ST 185 4WD Inc GROUP A	10/1989-11/1993	R	**744**								S	288	60	10	**9**	54	5
	8/1995-8/1999	R	**764**	●	○	○					S	269	65	9	**8**	55	5
ZZT231 1.8L DOHC	11/1999-06/2000	F	**562**								V	275	49.5	25	**23**	55	5
1.8L WTI 190 BHP	2000-on	R	**563**	●	○	○					S	269	56	9	**7.5**	55	5
CELSIOR ***New Zealand***																	
UCF10R & UCF11R 4.0L V8	10/1989-09/1994	F	**737**	●							V	276	51	28	**26**	60	5
		R	**738**	●	○						V	291	67.5	16	**15**	60	5
C-HR																	
NGX10R & NGX50R 1.2L TURBO	02/2017-on	F	**2766E**														
		R	**2765E**	●							S	281	44.3	12	**10.5**	62	5

The Kangaroo Paw design is not available on all part numbers, ask your supplier for details. FOR LATEST CATALOGUE LISTINGS REFER TO WWW.DBA.COM.AU

F721 2019 Red Master v45.indd 225 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

TOYOTA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
CHASER																	
JZX100R Series 2.5L TURBO	09/1996-06/2001	F	**4748**				●	●	●		V	296	51	32	**30**	62	5
176mm Handbrake		R	**42751**								V	307	67	16	**14**	62	5
COASTER																	
RB 20	5/1982-1/1993	F	**770**								V	300	49	30	**29**	106.5	5
BB 20, BB 21, HB 30, HZB																	
BB 40, HZB 50	1/1993-2003	F	**771**	●							V	296	101	35	**33**	126	5
COROLLA, RUNX, ALLEX																	
KE 30#, KE50#, KE 70, AE 71 Series With LOCAL BRAKES	10/1981-12/1984	F	**144**								S	218	30	12.7	**11.5**	64	4
AE 80, 82 SOHC	1985-12/1988	F	**701**	●	○						S	243	48	13.5	**12.5**	54	4
AE 82 DOHC	1986-12/1988	F	**702**								V	243	48	18	**17**	54	4
		R	**703**	●	○						S	242	37	9	**8**	54	4
AE 90, 92 SOHC	2/1989-10/1994	F	**701**	●	○						S	243	48	13.5	**12.5**	54	4
AE 90, 92, 93 DOHC	8/1989-6/1991	F	**704**	●	○						V	238	48	18	**17**	54	4
AE 95 4WD	2/1988-1994																
AE 92 SX Engine: 4AGE FUEL INJECTED	8/1989-6/1991	R	**703**	●	○						S	242	37	9	**8**	54	4
AE 92 GT, GS, ULTIMA Engine: 4AGE FUEL INJECTED	6/1991-10/1992																
AE 93 Eng: 4AGE FUEL INJECTED	10/1992-1994																
DRUM Series AE82, 90, 91, 92 & 94	1985-1994	R	**1602**	●							Dr	180	65.5		**182**	HUB	4
AE 101	2/1994-7/1999	F	**711**	●	○						V	238	48	22	**20**	55	4
AE 102	7/1994-7/1999	F	**709**	●	●						V	255	48	22	**20**	55	4
AE 102 SPRINTER	2/1994-5/1996																
AE 112 IMPORT & TURBO	5/1997-2001	R	**710**	●	○						S	266	37	9	**8**	55	4
DRUM Series AE101, AE102 & AE112	1994-2001	R	**1842**	●							Dr	200	65		**201.4**	55	4
AE100R 1.5L – *New Zealand*	06/1991-07/2000	F	**711**	●	○						V	238	48	22	**20**	55	4
DRUM		R	**1842**	●							Dr	200	65		**201.4**	55	4
EE100 1.3L– *New Zealand Check Specs*	06/1992-09/1997	F	**704**	●	○						V	238	48	18	**17**	54	4
Check Specs		F	**709**	●	●						V	255	48	22	**20**	55	4
DRUM		R	**1842**	●							Dr	200	65		**201.4**	55	4
AE110 Series 1.5L– *New Zealand*	05/1995-07/2000	F	**704**	●	○						V	238	48	18	**17**	54	4
DRUM		R	**1842**	●							Dr	200	65		**201.4**	55	4
AE111 R Series 1.6L – *New Zealand Check Specs*	1995-2001	F	**711**	●	○						V	238	48	22	**20**	55	4
Check Specs		F	**709**	●	●						V	255	48	22	**20**	55	4
DRUM		R	**1842**	●							Dr	200	65		**201.4**	55	4
NZE141R, 161R & NRE161R Series 1.5L WAGON – *New Zealand*	10/2006-on	F	**TBA**									275	46.2	22	**19**	55	4
DRUM		R	**1908**								Dr	228.6	56.5		**229.6**	55	4
ZRE142R Series 1.8L WAGON– *New Zealand*	102006-04/2012	F	**TBA**									275	46.2	22	**19**	55	4
DRUM		R	**1908**								Dr	228.6	56.5		**229.6**	55	4
ZZE 121 & 122 – ALL MODELS	12/2001-2007	F	**712**	●	●	○					V	255	49.5	25	**23**	55	4
Except South African Model		R	**713**	●	●	○					S	269	56	9	**8**	55	4
ZZE 122 – *South African Model*	12/01-on	F	**712**	●	●	○					V	255	49.5	25	**23**	55	4
		R	**2719**	●							S	258	56	9	**8**	55	4

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 226 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

TOYOTA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
COROLLA, RUNX, ALLEX – Continued																	
ZZE 123 – SPORTIVO	2003-4/2006	F	**759**	●	●	○					V	275	50	25	**23**	55	4
		R	**713**	●	●	○					S	269	56	9	**8**	55	4
ALL – *USA Application*	2003-2008	F	**562**								V	275	49.5	25	**23**	55	5
ALL – *USA Application*	2009-2016	F	**2783E**	●	○						V	275	46.5	22	**19**	55	5
ZRE 152R 1.8L 4 DOOR HATCH	05/2007-01/2014	F	**2742E**	●	●	○					V	275	46.3	22	**19**	62	5
ZRE 152R 1.8L 4 DOOR SEDAN		R	**2743E**	●	●	○					S	259	30.5	9	**7.5**	62	5
ZRE172R – *VIN MR053REH*	02/2014-on	F	**2783E**	●	○						V	275	46.5	22	**19**	55	5
		R	**2753**								S	259	31	9	**7.5**	55	5
ZRE182 1.8L HATCH	10/2012-on	F	**2742E**	●	●	○					V	275	46.3	22	**19**	62	5
		R	**2743E**	●	●	○					S	259	30.5	9	**7.5**	62	5
ZWE186 1.8L HYBRID	06/2016-on	F	**2709E**	●	●	●	●	●	●		V	296	49.3	28	**25**	62	5
		R	**2743E**	●	●	○					S	259	30.5	9	**7.5**	62	5
CORONA																	
RT 104, RT 118	8/1973-9/1979	F	**138**								S	266	42	12.7	**11.5**	76	4
T 130, XT 131	10/1979-5/1983																
RT 132, RT 133	2/1982-5/1983																
ST 141 2.0L, RT 142 2.4L	6/1983-4/1987	F	**705**								S	250	25	12.7	**11.5**	76	4
ST171R 2.0L – *New Zealand*	1987-1992	F	**730**	●	○						V	255	47.5	22	**21**	54	5
		R	**741**								V	269	65	10	**9**	54	5
ST190R 1.8L SEDAN – *New Zealand*	02/1992-12/1995	F	**2752E**	●	○						V	255	49	25	**22**	55	5
CORONA MKII																	
MX 10, 13, 22, 23	1972-11/1976	F	**138**								S	266	42	12.7	**11.5**	76	4
CRESSIDA																	
MX 32, MX 36	12/1976-8/1980	F	**138**								V	248	28.5	18	**17**	76	4
MX 73	8/1984-8/1988	F	**721**								V	248	40	22	**21**	76	4
		R	**722**								V	269	61	18	**17**	60	4
CROWN																	
MS 65 SEDAN	2/1971-9/1974	F	**724**								S	266	42	12.7	**11.3**	76	5
MS 83 WAGON, MS 85	1974-1978																
MS 123	8/1983-6/1986	F	**728**								V	252	40	20	**19**	76	5
MS 123 ROYAL		R	**731**								S	269	65	12	**11**	67	5
CURREN *New Zealand*																	
ST206R Series 2.0L COUP]	01/1994-08/1999	F	**2752E**	●	○						V	255	49	25	**22**	55	5
		R	**741**								V	269	65	10	**9**	54	5
CYNOS *New Zealand*																	
EL44R & EL54R 1.5L	01/1991-12/1999	F	**695**	●	○						V	254	43	18	**17**	55	4
DRUM EL44R		R	**1666**	●							Dr	180	80.5		**181.4**	HUB	4
DUET *New Zealand*																	
M100A & M110A 1.0L	1998-05/2004	F	**495**	●	○						V	234	41	16	**15**	55	4
DYNA 100, 150 Series																	
LH 80R. YH 81-100	8/1985-3/1988	F	**156**	●	●						V	257	47	25	**24**	84	5
DYNA 200, 300, 400 Series																	
BU, YU, WU, BU 100 ALL *Except* WU 90	9/1984-2000	F	**770**								V	300	49	30	**29**	106.5	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

TOYOTA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
ECHO, PLATZ																	
NCP 10, NCP 12	10/1999-10/2005	F	**723**	●	○						V	235	43	18	**16**	55	4
DRUM		R	**1682**	●							Dr	180	48		**181**	55	4
ALL MODELS – *USA*	2001-2004	F	**753**								V	255	43.25	20	**18**	55	4
ESTIMA																	
MCR30R 3.0L PETROL	2000-2005	F	**735**	●	●	○					V	275	49.5	28	**26**	62	5
		R	**697**	●	○	○					S	291	68.5	12	**10.5**	62	5
ACR30R Series 2.4L PETROL	2000-4/2003	F	**735**	●	●	○					V	275	49.5	28	**26**	62	5
141mm INTERNAL HAT DIA.	04/2003-08/2004	F	**2712**		○	○					V	296	49.5	28	**26**	62	5
156mm INTERNAL HAT DIA.	09/2004-2006	F	**2705**	●	○	○	●	○	○		V	296	49.3	28	**26**	62	5
		R	**697**	●	○	○					S	291	68.5	12	**10.5**	62	5
ACR40R Series 2.4L PETROL	2000-03/2003	F	**735**	●	●	○					V	275	49.5	28	**26**	62	5
141mm INTERNAL HAT DIA.	04/2003-08/2004	F	**2712**		○	○					V	296	49.5	28	**26**	62	5
156mm INTERNAL HAT DIA.	09/2004-12/2005	F	**2705**	●	○	○	●	○	○		V	296	49.3	28	**26**	62	5
		R	**697**	●	○	○					S	291	68.5	12	**10.5**	62	5
ACR50R Series 2.4L PETROL	2006-on	F	**2730**	●	●						V	296	49.5	28	**25**	62	5
		R	**2731**	●	●						S	298	64.5	10	**8.5**	62	5
GSR50 & 55R Series 3.4L V6	2006-on	F	**2730**	●	●						V	296	49.5	28	**25**	62	5
		R	**2731**	●	●						S	298	64.5	10	**8.5**	62	5
FJ CRUISER																	
ALL MODELS	2006-2014	F	**2716E**	●	●	●	●	●	●		V	319	67.5	28	**26**	108	6
Check All Specs		F	**2736E**	●	●	●	●	●	●		V	338	68	32	**29**	108	6
GSJ15	03/2011-2014	R	**2737E**	●	●	●	●	●	●		V	312	68	18	**16**	108	6
FORTUNER, VIGO, PRERUNNER																	
ALL MODELS	2005-on	F	**2714E**	●	●	●	●	●	●		V	297	67	25	**23**	108	6
Check All Specs		F	**2716E**	●	●	●	●	●	●		V	319	67.5	28	**26**	108	6
		R	**793**	●	●	●	●	●	●		V	312	68	18	**16**	106	6
GUN156R 2.7L TD	11/2015-on	F	**2700**	●	●	●	●	●	●		V	338	68	28	**26**	108	6
		R	**2737E**	●	●	●	●	●	●		V	312	68	18	**16**	108	6
FUN CARGO ***New Zealand***																	
NCP20, NCP21 & NCP25 Series	2000-09/2005	F	**2718E**	●	○						V	255	46.5	22	**19**	55	4
GAIA ***New Zealand***																	
SXM10 & SXM15 Series	05/1998-2002	F	**733**	●	○						V	255	49	28	**26**	62	5
GRANVIA ***New Zealand***																	
RCH11, VCH10 & VCH22 Series	1995-2001	F	**768**	●	○						V	285	46	28	**26**	84	6
KCH10R Series 3.0L TD	08/1995-05/2002	F	**768**	●	○						V	285	46	28	**26**	84	6
DRUM – 6 STUD HOLES		R	**1761**	●							Dr	270	84		**272**	69	6
HARRIER ***New Zealand***																	
MCU10 & MCU15 Series	10/1998-2003	F	**2712**		○	○					V	296	49.5	28	**26**	62	5
ACU30, MCU30/31/35/36 & MHU38 Series	02/2003-on	F	**2702**	●	●	●	●	●	●		V	320	49.3	28	**26**	62	5
		R	**2703**	●	●	●	○	○	○		S	288	69.5	10	**8.5**	62	5
GSU30/31/35 & 36 Series	2006-2009	F	**2702**	●	●	●	●	●	●		V	320	49.3	28	**26**	62	5
		R	**2703**	●	●	●	○	○	○		S	288	69.5	10	**8.5**	62	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 228 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

TOYOTA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
HI-ACE																	
YH 5, 6, 7, LH 5, 6, 7	12/1982-7/1989	F	**156**	●	●						V	257	47	25	**24**	84	5
RZH101	08/1989-08/2002																
LH, RZH100/102/103/112/113/ 124/125/184	8/1989-2005	F	**766**	●	○						V	255	47	25	**23**	84	5
HI-ACE	11/1994-2005	F	**767**								V	285	46	28	**26**	84	5
LH162, LH172 – 15 inch Wheels	8/2000-2005																
DRUM LH100# & RZH103, 113 & 125	1989-09/1995	R	**1747**	●							Dr	270	81		**272**	67	5
DRUM LH103/113/172/184, RZH103/113/125 & KZH132	09/1995-2005	R	**1760**	○							Dr	270					5
DRUM KZH106R – *New Zealand*	08/1993-07/2004	R	**1744**	●							Dr	295	83		**297**	106	6
SB RCH 12 – 6 STUD HOLES	8/1995-2005	F	**768**	●	○						V	285	46	28	**26**	84	6
DRUM – 6 STUD HOLES		R	**1761**	●							Dr	270	84		**272**	69	6
TRH102/112/122 &124	08/2003-10/2005	F	**768**	●	○						V	285	46	28	**26**	84	6
KDH, TRH Series	2005-2015	F	**2732E**	●	●	○					V	285	48.7	28	**26**	105	6
DRUM KDH & TRH Series	2005-07/2009	R	**1844**	●							Dr	254	71.8		**256**	106	6
DRUM KDH & TRH Series	08/2009-on	R	**1846**	●							Dr	254	71.8		**256**	107	6
THAILAND UPGRADE VERSION HILUX / REVO / VIGO 2WD	2015-on	F	**2717E**								V	315	49	28	**26**	105	6
RN 90 *Rare Model*	8/1988-7/1997	F	**783**	●	○						V	254	46	22	**20**	84	5
YN56 1.8L	8/1983-1988	F	**156**	●	●						V	257	47	25	**24**	84	5
RN 50, YN 50 Series	8/1983-3/1989																
YN85/90 1.8L	1989-1997																
LN50/51/55/56 2.2L & 2.4L	8/1983-1988																
RN 85	8/1988-8/1997																
LN85/90 2.4L DIESEL	1988-1994																
RZN 147, 149, 154	8/1997-2005																
LN 147, 152	8/1997-2005																
DRUM RN85 Series	1994-11/1997	R	**1747**	●							Dr	270	81		**272**	67	5
DRUM RZN149 Series	1997-1998	R	**1747**	●							Dr	270	81		**272**	67	5
KUN 10 Series, GGN 15 Series	8/2004-2007	F	**2715E**	●	●	○	●	○	○		V	255	58.6	28	**26**	62	5
LAN 15 Series, TGN 15 Series, 16R 2WD KUN10 Series, GGN15 Series, LAN 15 & TGN 15 Series	4/2007-2015	F	**2740E**	●	●	○					V	275	58.6	28	**26**	62	5
DRUM TGN16 / KUN16 / GGN15 / KUN15 Series	2005-2015	R	**1756**	●							Dr	254	73.5		**256**	62	5
GUN136 Hi-Rider	2015-on	F	**2716E**	●	●	●	●	●	●		V	319	67.5	28	**26**	108	6
GUN122/123 TD, TGN110,121 & GGN120 2WD		F	**2741E**	●	○						V	296	68.7	30	**27**	62	5
DRUM GGN120/GUN122, GUN123, & TGN121 Series		R	**1869**	●							Dr	254	73.3		**256**	62	5
DRUM Series GUN136	10/2015-on	R	**1757**	●							Dr	295	76		**297**	108	6
HI-LUX 4WD, REVO, SURF, SW4, VIGO																	
RN 36, 45, 46	8/1980-7/1983	F	**154**	●	●						S	302	49	12.7	**11.5**	100	6
LN 36, 46																	
LN 60, 65, YN 60, 62, 65, 67 15mm STUD HOLES	8/1983-3/1989																
DRUM RN3#, 4# / YN6# / LN3#, 4# & 6# Series	1980-1989	R	**1739**	●							Dr	254	78		**256**	91	6
RN 105, LN 106, YN 106	8/1988-7/1997	F	**151**	●	●	●	●	●	●		V	302	49	20	**19**	100	6
LN, RN, VZN, KZN	8/1991-1995	F	**775**	●	●						V	291	66	25	**23**	100	6

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

TOYOTA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
HI-LUX 4WD, REVO, SURF, SW4, VIGO – Continued																	
LN, YN 61 4 RUNNER	8/1985-3/1989	F	**780**	●	●	○					V	289	64.5	20	**18**	100	6
RN 61 4 RUNNER	1988-1991																
LN, YN, VZN 130 4 RUNNER	8/1989-1991																
LN 107, 111, 125, 135, 172	8/1988-2004																
RN 106, 110, 125, 135																	
LN 165, 167, 170, 172	8/1997-2004																
RZN 154, 168, 169, 173, 174																	
LN 192R 3.0L DIESEL 4WD	8/1988-2004																
KZN 165	8/1997-2004																
VZN 167	8/1988-2004																
LN61/107/111/130/167 & 172 Series	08/1985-2005	F	**780**	●	●	○					V	289	64.5	20	**18**	100	6
RN106/110 & 130 Series	1988-1998																
YN61 & 130 Series	1984-1991																
KZN165 Series	12/1999-2005																
RZN169 & 174 Series	11/1997-10/2002																
VZN130/167 & 172 Series	1990-2005																
DRUM YN61 SURF Series	1984-1989	R	**1739**	●							Dr	254	78		**256**	91	6
DRUM RN105, YN106, LN100 & LN106 Series	1988-1999	R	**1743**	●							Dr	295	83		**297**	91	6
DRUM LN61/103/111/107/130/ 131/167 & 172 Series	1985-2004	R	**1744**	●							Dr	295	83		**297**	106	6
RN106/110 & 130 Series	1988-1998	R	**1744**	●							Dr	295	83		**297**	106	6
RZN169 & 174 Series	11/1997-10/2002	R	**1744**	●							Dr	295	83		**297**	106	6
KZN130/165 & 185 Series	1993-2005	R	**1744**	●							Dr	295	83		**297**	106	6
VZN130/167/172 &185 Series	1990-2005	R	**1744**	●							Dr	295	83		**297**	106	6
LN, RN, VZN, KZN	8/1991-1995	F	**775**	●	●						V	291	66	25	**23**	100	6
KUN 20 Series, GGN 25 Series, LAN 25 Series, TGN 26 Series	2005-2014	F	**2714E**	●	●	●	●	●	●		V	297	67	25	**23**	108	6
SR5 – GGN 25, KUN 26 MODELS FITTED With VSC VEHICLE STABILITY CONTROL	2005-2014	F	**2716E**	●	●	●	●	●	●		V	319	67.5	28	**26**	108	6
TRD SUPERCHARGED GGN25 4.0L – *Check All Specs Mainly VIN MROFU29*	2005-2007	F	**2700**	●	●	●	●	●	●		V	338	68	28	**26**	108	6
HI-LUX 4WD *New Zealand*																	
RZN185R Series 2.7L 4WD	12/1995-09/2002	F	**792**	●	●	●	●	●	●		V	319	70	22	**20**	108	6
DRUM		R	**1744**	●							Dr	295	83		**297**	106	6
HI-LUX 4WD, REVO																	
GUN126R Single Cab	2015-on	F	**2714E**	●	●	●	●	●	●		V	297	67	25	**23**	108	6
GUN125, GUN126 Dual Cab & GGN125		F	**2716E**	●	●	●	●	●	●		V	319	67.5	28	**26**	108	6
DRUM KUN20#, GGN20#, GGN100#, GUN100#, KUN100#	2005-2018	R	**1757**	●							Dr	295	76		**297**	108	6
IPSUM *New Zealand*																	
SXM10R 2.0L	05/1996-04/2001	F	**733**	●	○						V	255	49	28	**26**	62	5
ACM21R 2.4L	05/2001-12/2009	F	**735**	●	●	○					V	275	49.5	28	**26**	62	5
ACM21R 2.4L		R	**697**	●	○	○					S	291	68.5	12	**10.5**	62	5
ISIS *New Zealand*																	
AMN10R & AMN15R 2.0L	09/2004-08/2009	F	**735**	●	●	○					V	275	49.5	28	**26**	62	5
DRUM		R	**1753**								Dr	228.5	64		**230.5**	62	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 230 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

TOYOTA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
IST *New Zealand*																	
NCP60R 1.3L	05/2002-06/2007	F	**753**								V	255	43.25	20	**18**	55	4
		R	**713**	●	●	○					S	269	56	9	**8**	55	4
NCP61R 1.5L	05/2002-06/2007	F	**2718E**	●	○						V	255	46.5	22	**19**	55	4
		R	**713**	●	●	○					S	269	56	9	**8**	55	4
KLUGER, HIGHLANDER																	
MCU28R CV, CVX, GRANDE V6 3.3L	8/2003-2007	F	**2710**	●	○						V	296	50	28	**26**	62	5
		R	**2703**	●	●	●	○	○	○		S	288	69.5	10	**8.5**	62	5
GSU40 3.5L 201kW FWD & 4WD	08/2007-2014	F	**2734E**	●	●	●	○	○	○		V	328	49.5	28	**25**	62	5
		R	**2735**	●	●	●					S	309	69.7	10	**8.5**	62	5
GSU50 & GSU55 Series 3.5L PETROL	03/2014-2018	F	**2748E**	●	●	●	●	●	●		V	328	49.5	28	**25**	62	5
		R	**2733**	●	●	●	●	●	●		S	309	62.6	10	**8.5**	62	5
LANDCRUISER, BUNDERA																	
BJ 42	8/1980-10/1984	F	**151**	●	●	●	●	●	●		V	302	49	20	**19**	100	6
BJ 60, 70, 73, 74	11/1984-00/1991																
HJ 47, 60, 61, 75, HZJ 70, 73, 75, PZJ 70, 73, 75	1980-1999	F	**151**	●	●	●	●	●	●		V	302	49	20	**19**	100	6
FJ 40, FJ 60, FJ 70 Series	1980-1992	F	**151**	●	●	●	●	●	●		V	302	49	20	**19**	100	6
FZJ 75, KZJ70	8/1992-1999																
DRUM BJ4#, 6#, 7# / HJ4#, 6# & 7# / FJ4#, 6#, 7,	1974-1992	Dr	**1730**	●							Dr	295	81		**297**	106	6
DRUM PZJ70, 73 & 75 / HZJ70 & 75 MINE SPECIAL	1990-1999	Dr	**1746**	●							Dr	295	81		**297**	106	6
RJ 70, LJ 70	11/1984-8/1992	F	**154**	●	●						S	302	49	12.7	**11.5**	100	6
FJ HZJ 70, 73, 75, FZJ 75	1990-1999	R	**787**	●	●	○					V	312	68	18	**16**	106	6
LANDCRUISER – FJ CRUISER																	
ALL MODELS	2006-2014	F	**2716E**	●	●	●	●	●	●		V	319	67.5	28	**26**	108	6
Check All Specs		F	**2736E**	●	●	●	●	●	●		V	338	68.5	32	**29**	108	66
		R	**2737E**	●	●	●	●	●	●		V	312	68	18	**16**	108	6
LANDCRUISER – 70 Series																	
78 & 79 Series	8/1999-07/2016	F	**790**	●	●	●	●	●	●		V	322	65	32	**30**	115	5
ALL 76 Series MODELS																	
HZJ78, HDJ78		R	**794**	●	●	●	●	●			V	312	102.5	18	**16**	110	5
VDJ76 V8 TURBO DIESEL	2/2007-7/2016	F	**790**	●	●	●	●	●	●		V	322	65	32	**30**	115	5
HZJ76 6 Cyl TURBO DIESEL VDJ78 & VDJ79	2/2007-7/2016	R	**794**	●	●	●	●	●			V	312	102.5	18	**16**	110	5
LANDCRUISER – 80 Series																	
FJ 80, HDJ 80, HZJ 80	1990-8/1992	F	**782**	●	●	○					V	286	58	25	**23**	106	6
EARLY 80 Series – REAR		R	**785**	●	●	●					V	312	103	18	**16**	106	6
FZJ 80, HDJ 80, HZJ 80	8/1992-1/1998	F	**784**	●	●	●	●	●	●		V	311	58	32	**30**	105	6
LATE 80 Series – REAR		R	**786**	●	●	●	●	●	○		V	336	103	18	**16**	106	6
LANDCRUISER – 100 Series																	
UZJ 100 R, HDJ 100 R	1998-10/2007	F	**788**	●	●	●	●	●	●		V	312	71	32	**30**	115	5
LEXUS LX 470 V8																	
6 & 8 Cyl		R	**789**	●	●	●	●	●	●		V	330	103	18	**16**	110	5
FZJ 105 R, HZJ 105 R		F	**790**	●	●	●	●	●	●		V	322	65	32	**30**	115	5
6 Cyl – *Fixed Front Axle Version Only*		R	**791**	●	●	○	●	●	●		V	335	103	18	**16**	110	5

The Kangaroo Paw design is not available on all part numbers, ask your supplier for details. FOR LATEST CATALOGUE LISTINGS REFER TO WWW.DBA.COM.AU

F721 2019 Red Master v45.indd 231 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

TOYOTA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
LANDCRUISER – 200 Series																	
4.0L, 4.5L, 4.7L – UZJ200 & VDJ200 4.5L TWIN TURBO DIESEL	09/2007-04/2012	F	**2722E**	●	●	●	●	●	●		V	340	83.6	32	**29**	112	5
	11/2007-2015	F	**TBA**														
		R	**2723E**	●	●	●	●	●	●		V	345	76.5	18	**16**	112	5
VDJ200, MY16 – 18 inch Wheels *Also Fits Toyota Tundra*	10/2015-on	F	**2724E**	●	●	●	●	●	●		V	354	83.5	32	**29**	112	5
		R	**2723E**	●	●	●	●	●	●		V	345	76.5	18	**16**	112	5
URJ202 4.6L		F	**2722E**	●	●	●	●	●	●		V	340	83.6	32	**29**	112	5
18 inch Wheels		F	**2724E**	●	●	●	●	●	●		V	354	83.5	32	**29**	112	5
		R	**2723E**	●	●	●	●	●	●		V	345	76.5	18	**16**	112	5
LANDCRUISER PRADO – 90 Series																	
VZJ90 & 95 / KZJ90 & 95 / RZJ90 & 95 / LJ90 RV4, RV6, GXL, VX, VT, GRANDE	7/1996-2003	F	**792**	●	●	●	●	●	●		V	319	70	22	**20**	108	6
		R	**793**	●	●	●	●	●	●		V	312	68	18	**16**	106	6
LANDCRUISER PRADO – 120 Series																	
GRJ120, KDH120, RZJ120 & TRJ120	10/2002-10/2009	F	**2700**	●	●	●	●	●	●		V	338	68	28	**26**	108	6
		R	**793**	●	●	●	●	●	●		V	312	68	18	**16**	106	6
LANDCRUISER PRADO – 150 Series																	
ALL MODELS	11/2009-2017	F	**2736E**	●	●	●	●	●	●		V	338	68.5	32	**29**	108	6
		R	**2737E**	●	●	●	●	●	●		V	312	68	18	**16**	108	6
LITE-ACE																	
KM 20 RV 4 DOOR VAN	10/1979-10/1982	F	**755**								V	230	37	18	**17**	74	4
CM 30, 35, KM 36, YM 30, 35	9/1985-0/1992	F	**158**								V	255	42	20	**19**	74	4
YM 40	1986-01/1992	F	**758**								V	260	45	20	**19**	95	5
LEXCEN																	
VN 1, 3, VP 1, 3 – *Except* ABS	6/1989-5/1992	F	**015**	●	●	○					V	270	82	22	**20***	HUB	5
VP 1, VP 3	5/1992-7/1992	F	**025**	●	○	○					V	270	82	23	**20***	HUB	5
VP 1, VP 3	7/1992-5/1993	F	**027**	●	●						V	290	82	23	**20***	HUB	5
VR, VS	6/1993-1997	F	**035**	●	●	●	●	○	○		V	289	83	23	**20**	70	5
VN 1, 3, VP 1, 3 – *Except* IRS	6/1989-5/1993	R	**016**	●	●	●	●	●	○		S	279	83	10.5	**8.5***	70	5
VR, VS – *Except* IRS	6/1993-1997																
VP – With IRS	9/1991-5/1993	R	**026**	●	●	○					S	279	67	10.5	**8.5**	70	5
VR, VS – With IRS	6/1993-1997	R	**036**	●	●	○					S	279	86	10.7	**8.5**	70	5
MARK II *New Zealand*																	
SXV20R 2.2L	04/1997-12/2001	F	**733**	●	○						V	255	49	28	**26**	62	5
		R	**736**	●	○	○					S	269	65	10	**9**	62	5
JZX100 Series 2.5L TURBO	09/1996-09/2000	F	**4748**				●	●	●		V	296	51	32	**30**	62	5
176mm Handbrake			**42751**								V	307	67	16	**14**	62	5
MARK X *New Zealand*																	
GRX120R 2.5L & GRX121R 3.0L V6	11/2004-09/2009	F	**2726E**	●	●	○					V	296	49.5	28	**26**	62	5
		R	**2727E**	●	●	○					S	291	61.5	10	**8.5**	62	5
MIRA																	
JPD10 Series 113kW – *Electric*	2016-on	F	**2709E**	●	●	●	●	●	●		V	296	49.3	28	**25**	62	5
		R	**2785E**	●	○						S	290	53.3	11.8	**10.5**	62	5
MR2, MR-S																	
SPYDER TURBO & Non TURBO	12/1999-2006	F	**753**								V	255	43.25	20	**18**	55	4

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 232 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

TOYOTA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
NOAH *New Zealand*																	
AZR60R 2.0L	11/2001-05/2007	F	**735**	●	●	○					V	275	49.5	28	**26**	62	5
DRUM		R	**1753**								Dr	228.5	64		**230.5**	62	5
ZRR70R 2.0L	06/2007-01/2014	F	**2754E**	●	○						V	275	46.5	25	**22**	62	5
PASEO, SERA																	
EL 44 1.5L COUPE	4/1991-1994	F	**695**	●	○						V	254	43	18	**17**	55	4
EL54	8/1995-12/1999	F	**695**	●	○						V	254	43	18	**17**	55	4
DRUM EL54 Series		R	**1666**	●							Dr	180	80.5		**181.4**	HUB	4
PLATZ *New Zealand*																	
NCP12R 1.5L	08/1999-11/2005	F	**723**	●	○						V	235	43	18	**16**	55	4
DRUM		R	**1682**	●							Dr	180	48		**181**	55	4
PORTE *New Zealand*																	
NCP141R	07/2012-07/2015	F	**2718E**	●	○						V	255	46.5	22	**19**	55	4
PRADO – See LANDCRUISER																	
PREVIA *New Zealand*																	
ACR30R 2.4L	2000-04/2003	F	**735**	●	●	○					V	275	49.5	28	**26**	62	5
	05/2003-2007	F	**2705**	●	○	○	●	○	○		V	296	49.3	28	**26**	62	5
	2000-2007	R	**697**	●	○	○					S	291	68.5	12	**10.5**	62	5
ACR50R SERIES 2.4L	03/2006-on	F	**2730**	●	●						V	296	49.5	28	**25**	62	5
		R	**2731**	●	●						S	298	64.5	10	**8.5**	62	5
PRIUS																	
HNW11R 4 DOOR SEDAN 1.5L	2001-2/2002	F	**712**	●	●	○					V	255	49.5	25	**23**	55	4
		R	**713**	●	●	○					S	269	56	9	**8**	55	4
NHW20	05/2003-2009	F	**2738E**	●	○						V	255	49.5	22	**20**	55	5
		R	**563**	●	○	○					S	269	56	9	**7.5**	55	5
PRIUS-A ZVW41R 1.8L HYBRID	04/2011-on	F	**2754E**	●	○						V	275	46.5	25	**22**	62	5
		R	**2785E**	●	○						S	290	53.3	11.8	**10.5**	62	5
PRIUS-C NHP10R HYBRID	03/2012-on	F	**2718E**	●	○						V	255	46.5	22	**19**	55	4
DRUM		R	**1908**	●							Dr	228.6	56.5		**229.6**	55	4
ZVW30 & ZVW35 HYBRID	2009-2014	F	**2752E**	●	○						V	255	49	25	**22**	55	5
		R	**2753**								S	259	31	9	**7.5**	55	5
PRIUS-V ZVW40 HYBRID	2012-2015	F	**2754E**	●	○						V	275	46.5	25	**22**	62	5
		F	**2709E**	●	●	●	●	●	●		V	296	49.3	28	**25**	62	5
		R	**2785E**	●	○						S	290	53.3	11.8	**10.5**	62	5
RACTIS *New Zealand*																	
NSP120R 1.4L & RATIS X NSP122R	2010-on	F	**2783E**	●	○						V	275	46.5	22	**19**	55	5
RAV 4																	
SXA10, SXA11R & SXA16R	4/1994-5/2000	F	**690**	●	○	○					V	302	46	18	**16**	62	5
DRUM		R	**1753**								Dr	228.5	64		**230.5**	62	5
ACA20R, ACA21R, ACA22R, ACA23R & ZCA26R	5/2000-01/2006	F	**692**	●	●	●					V	275	49	25	**23**	62	5
IF DISC FITTED		R	**693**	●	●						S	303	62	9	**8**	62	5
DRUM		R	**1753**								Dr	228.5	64		**230.5**	62	5

The Kangaroo Paw design is not available on all part numbers, ask your supplier for details. FOR LATEST CATALOGUE LISTINGS REFER TO WWW.DBA.COM.AU

F721 2019 Red Master v45.indd 233 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

TOYOTA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
RAV 4 – Continued																	
ACA33R 2.3L 125kW WAGON	02/2006-2013	F	**2709E**	●	●	●	●	●	●		V	296	49.3	28	**25**	62	5
GSA33 3.5L 201kW WAGON	10/2007-01/2013																
ACA33R 2.4L 125kW	02/2006-2013																
ACA36R 2.4L 127kW – *New Zealand*	11/2005-06/2016																
		R	**2745**	●	○						S	281	55	12	**10.5**	62	5
ZSA42R 2.0L PETROL ASA44R 2.5L PETROL ALA49R 2.2L TD	2013-2017	F	**2709E**	●	●	●	●	●	●		V	296	49.3	28	**25**	62	5
		R	**2745**	●	○						S	281	55	12	**10.5**	62	5
RAUM ***New Zealand***																	
EXZ10R 1.5L	05/1997-04/2003	F	**695**	●	○						V	254	43	18	**17**	55	4
REGIUS ACE ***New Zealand***																	
TRH200R Series 2.0L	08/2004-2015	F	**2732E**	●	●	○					V	285	48.7	28	**26**	105	6
DRUM		R	**1844**	●							Dr	254	71.8		**256**	106	6
RUKUS																	
AZE151 Series	05/2010-11/2015	F	**2754E**	●	○						V	275	46.5	25	**22**	62	5
		R	**2755E**	●	○	○					S	279	31	10	**8.5**	62	5
SAI ***New Zealand***																	
AZK10R 2.4L *Electric / Petrol*	11/2009-on	F	**2754E**	●	○						V	275	46.5	25	**22**	62	5
		R	**2745**	●	○						S	281	55	12	**10.5**	62	5
SECA																	
AE 82 SOHC, AE 93/94 Non SX	9/1985-12/1988	F	**701**	●	○						S	243	48	13.5	**12.5**	54	4
AE 82 DOHC	1986-12/1988	F	**702**								V	243	48	18	**17**	54	4
		R	**703**	●	○						S	242	37	9	**8**	54	4
AE 93 SX DOHC	8/1989-6/1991	F	**704**	●	○						V	238	48	18	**17**	54	4
AE 101	2/1994-7/1999	F	**711**	●	○						V	238	48	22	**20**	55	4
AE 102	7/1994-7/1999	F	**709**	●	●						V	255	48.5	22	**20**	55	4
		R	**710**	●	○						S	266	37	9	**8**	55	4
SEQUOIA																	
Series USK60L & USK65L 5.7L V8	2008-2016	F	**2724E**	●	●	●	●	●	●		V	354	83.5	32	**29**	112	5
		R	**2723E**	●	●	●	●	●	●		V	345	76.5	18	**16**	112	5
SERA																	
1.5L	1990-1995	F	**695**	●	○						V	254	43	18	**17**	55	4
SOARER																	
JZZ30 Engine: 1JZGTE 2.5L TURBO UZZ32 Engine: 1UZFE 4.0L V8 ACTIVE SUSPENSION 4 WHEEL STEER *Check Your Dimensions*	1991-1996	F	**4748**				●	●	●		V	296	51	32	**30**	62	5
		R	**746**	●	●		●	●	○		V	307	67	16	**15**	62	5
JZZ31 Engine: 2JZGE 3.0L	1994-2001	F	**568**								V	275	49.5	28	**26**	62	5
UZZ30 Engine: 1UZFE 4.0L V8 COIL SUSPENSION, 2 WHEEL STEER UZZ31 Engine: 1UZFE 4.0L V8 AIR SUSPENSION, 2 WHEEL STEER	1991-1994																

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 234 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

TOYOTA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
SPRINTER *New Zealand*																	
AE100R 1.5L SEDAN	06/1991-12/1997	F	**711**	●	○						V	238	48	22	**20**	55	4
		R	**1842**	●							Dr	200	65		**201.4**	55	4
AE110R 1.5L SEDAN	05/1995-07/2000	F	**704**	●	○						V	238	48	18	**17**	54	4
DRUM		R	**1842**	●							Dr	200	65		**201.4**	55	4
STARLET																	
EP82	1989-1995	F	**695**	●	○						V	254	43	18	**17**	55	4
EP91	1996-1999	F	**714**	●	○		○	○	●		V	238	43	18	**17**	55	4
DRUM EP91 Series		R	**1666**	●							Dr	180	80.5		**181.4**	HUB	4
SUPRA																	
SUPRA GTE = TURBO : TT = TWIN TURBO : GE = NON TURBO : NA = STANDARD MODEL																	
MK II MA 61	8/1981-12/1985	F	**146**								V	258	26	20	**19**	76	4
SUPRA MK III JZA70																	
MA-70, MA-71 7M-GTE 3.0IL TURBO TT	1986-5/1993	F	**715**				○	○			V	300	53.5	22	**21**	60	5
7M-GE 3.0IL NA		R	**716**	●	○						V	291	68.5	18	**17**	60	5
SUPRA MK IV JZA80 – GZ, RZ, RZ-S, SZ, SZ-R – 3.0-LITRE TWIN-CAM 24-VALVE																	
JAP 2JZ-GTE TT 2 POT CALIPER	5/1993-1995	F	**4748**				●	●	●		V	296	51	32	**30**	62	5
JAP 2JZ-GE NA 2 POT CALIPER	1993-2002																
EXPORT 2JZ-GE NA 2 POT CALIPER	1993-on																
1 POT CALIPER ON THE REAR 16 inch Wheels		R	**746**	●	●		●	●	○		V	307	67	16	**15**	62	5
EXPORT 2JZ-GTE TT 4 POT CALIPER	5/1993-10/1998	F	**4718**				●	●	○	●	V	323	50	30	**28**	62	5
EXPORT 2JZ-GE NA 4 POT CALIPER	1993-2002																
JAP 2JZ-GTE TT 4 POT CALIPER	1995-2002																
2 POT CALIPER ON THE REAR – 17 inch Wheels		R	**4719**				●	●	○		V	324	67.5	16	**15**	62	5
TARAGO, ESTIMA, PREVIA, SIENNA																	
YR 21, 22	8/1985-1/1990	F	**158**								V	255	42	20	**19**	74	4
YR 31 4WD	1986-1/1990	F	**159**								V	260	45	25	**24**	95	5
TCR 1, TCR 2 With REAR DRUMS	5/1990-2/2000	F	**760**								V	255	53	25	**23**	62	5
TCR 1, TCR 2 – With ABS		F	**762**	●							V	271	53	25	**23**	62	5
TCR 1, TCR 2 With REAR DISCS – W/O ABS		F	**761**	●	○						V	279	53	22	**20**	62	5
TCR 1, TCR 2 – Rear		R	**716**	●	○						V	291	68.5	18	**17**	60	5
ACR30 GLI, GLX, ULTIMA	2/2000-4/2003	F	**735**	●	●	○					V	276	49.5	28	**26**	62	5
		R	**697**	●	○	○					S	291	68.5	12	**10.5**	62	5
ACR30 GLI, GLX, ULTIMA	4/2003-1/2006	F	**2705**	●	○	○	●	○	○		V	296	49.3	28	**26**	62	5
		R	**697**	●	○	○					S	291	68.5	12	**10.5**	62	5
ACR50 4 DOOR WAGON	2005-2007	F	**2730**	●	●						V	296	49.5	28	**25**	62	5
GCR50 3 DOOR VAN	2007-2008																
GCR50 4 DOOR WAGON		R	**2731**	●	●						S	298	64.5	10	**8.5**	62	5
TERCEL																	
4WD	8/1982-9/1990	F	**147**	○							S	243	39.1	11	**10**	54	4

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

TOYOTA

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
TOWNACE, SPACIA																	
YR 2#, 39	1992-7/2000	F	**778**	●	○						V	255	42	25	**23**	74	4
TUNDRA																	
4.7L V8 2WD & 4WD	2000-2005	F	**7420**				○	○	●		V	318	70.5	28	**26**	108	6
ALL MODELS – *Also Fits Toyota Landcruiser 200 Series*	2005-2016	F	**2724E**	●	●	●	●	●	●		V	354	83.5	32	**29**	112	5
		R	**2723E**	●	●	●	●	●	●		V	345	76.5	18	**16**	112	5
VANGUARD ***New Zealand***																	
ACA33R, ACA38R 2.4L & GSA33R 3.4L V6	08/2007-11/2013	F	**2709E**	●	●	●	●	●	●		V	296	49.3	28	**25**	62	5
		R	**2745**	●	○						S	281	55	12	**10.5**	62	5
VELLFIRE ***New Zealand***																	
ANH20R & ATH20R HYBRID 2.4L & GGH20R & GGH25R 3.4L V6	05/2008-01/2015	F	**2730**	●	●						V	296	49.5	28	**25**	62	5
VIENTA ***New Zealand***																	
VCV10R 3.0L V6	10/1995-08/1997	F	**735**	●	●	○					V	275	49.5	28	**26**	62	5
		R	**736**	●	○	○					S	269	65	10	**9**	62	5
MCV20R 3.0L V6	09/1997-10/2000	F	**735**	●	●	○					V	275	49.5	28	**26**	62	5
		R	**736**	●	○	○					S	269	65	10	**9**	62	5
VITZ ***New Zealand***																	
NCP10R 1.3L & NCP13R 1.5L	10/1999-01/2005	F	**723**	●	○						V	235	43	18	**16**	55	4
		R	**713**	●	●	○					S	269	56	9	**8**	55	4
DRUM		R	**1682**	●							Dr	180	48		**181**	55	4
NCP95R 1.3L	02/2005-12/2010	F	**2718E**	●	○						V	255	46.5	22	**19**	55	4
SCP10R 1.0L	01/1999-01/2005	F	**2718E**	●	○						V	255	46.5	22	**19**	55	4
SCP10R 1.0L		R	**713**	●	●	○					S	269	56	9	**8**	55	4
SCP13R, KSP90R & SCP90R 1.0L & 1.3L	12/2002-12/2010	F	**2718E**	●	○						V	255	46.5	22	**19**	55	4
DRUM SCP90R		R	**1845**	●							Dr	200	53.1		**201**	55	4
WILL (CYPHA) ***New Zealand***																	
NCP70R Series 1.3L HATCH	10/2002-07/2005	F	**2718E**	●	○						V	255	46.5	22	**19**	55	4
WINDOM ***New Zealand***																	
MCV20R & MCV30R 3.0L V6	08/1996-02/2006	F	**735**	●	●	○					V	275	49.5	28	**26**	62	5
		R	**736**	●	○	○					S	269	65	10	**9**	62	5
YARIS VERSO																	
T-SPIRIT *UK*	2003																
NSP90, NCP91, NCP130 & NCP131 Series	2005-2014	F	**2718E**	●	○						V	255	43.3	20	**19**	55	4
DRUM NSP90, NCP91, NCP130 & NCP131 Series		R	**1845**	●							Dr	200	53.1		**201**	55	4

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 236 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

VOLKSWAGEN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
AMAROK																	
ALL MODELS	2011-on	F	**2238E**	●	●	○	●	●	○		V	302	57	28	**26**	76	5
DRUM		R	**1843**	●							Dr	295	95.6		**296.5**	76	5
2H Series V6 TD – 2E4 Chassis	09/2016	F	**2776E**	●	●		●	●	○		V	332	57	30	**27**	76	5
		R	**2777E**	●	●						V	300	51.1	22	**20**	76	5
ARTEON																	
Series 3H																	
206 TSi R-LINE 2.0L TURBO 1LA & 1LB	10/2017-on	F	**2830E**	●	●	○	●	●		●	V	340	49.6	30	**27**	65	5
1KZ		R	**2809E**	●	●	○	●	●	●		V	310	48.5	22	**20**	65	5
BEETLE NEW																	
Series 9C																	
1ZP & 1ZM	2001-2011	F	**801**	●	○	○					V	280	36.7	22	**19**	65	5
1ZD & 1ZE		F	**802**	●	●	○					V	288	34	25	**22**	65	5
RSI Only V LIMITED		F	**4838**				●	●	●		V	312	34.2	25	**23**	65	5
1KS & 1KV ALL		R	**803**	●	●	○					S	232	39.5	9	**7**	65	5
Series 1L																	
PR Code 1ZM & 1ZQ	2012-on	F	**2812E**	●	●	○					V	280	49	22	**19**	65	5
1ZB, 1ZE & 1ZP		F	**2810E**	●	●	○					V	288	49.7	25	**22**	65	5
1ZA, 1ZB & 1LV		F	**2806E**	●	●	●	●	●	●		V	312	49.8	25	**22**	65	5
1KD, 1KU, 1KQ,1KY,1KW & 1KX		R	**2811E**	●	●	○					S	253	51.5	10	**8**	65	5
1KS & 1KT		R	**2814E**	●	●	○	●	○	○		S	272	48.2	9.7	**8**	65	5
BORA																	
TYPE 4 – 1LQ, 1LS, 1LR, 1ZM & 1ZP 14 inch Wheels	1998-12/2001	F	**800**	●	●	●	●	●			V	256	36.7	22	**19**	65	5
1LS, 1ZP & 1ZM – 15 inch Wheels	1/2002-2005	F	**801**	●	○	○					V	280	36.7	22	**19**	65	5
1LN, 1ZD, 1ZE & 1ZH 15 inch Wheels		F	**802**	●	●	○					V	288	34	25	**22**	65	5
1LJ & 1ZQ – 16 inch Wheels V6		F	**4838**				●	●	●		V	312	34.2	25	**23**	65	5
1KP, 1KT, 1KS & 1KX		R	**803**	●	●	○					S	232	39.5	9	**7**	65	5
1KE & 2EG		R	**TBA**								S	239	33	9	**7**	65	5
1KY, 1KU & 2EE 16 inch Wheels V6		R	**800**	●	●	●	●	●			V	256	36.7	22	**19**	65	5
CADDY VAN																	
Series 2K PR Code 1ZF & 1ZM	2004-2010	F	**2812E**	●	●	○					V	280	49	22	**19**	65	5
1ZE		F	**2810E**	●	●	○					V	288	49.7	25	**22**	65	5
1LJ		F	**2806E**	●	●	●	●	●	●		V	312	49.8	25	**22**	65	5
1ZF		R	**2811E**	●	●	○					S	253	51.5	10	**8**	65	5
1LJ & 1ZE		R	**2813E**	●	●	○					S	259.8	48.5	12	**10**	65	5
1KS		R	**2814E**	●	●	○	●	○	○		S	272	48.2	9.7	**8**	65	5
CADDY WAGON																	
PR Code 1ZF	2010-11/2015	F	**2812E**	●	●	○					V	280	49	22	**19**	65	5
1ZE		F	**2810E**	●	●	○					V	288	49.7	25	**22**	65	5
1LJ		F	**2806E**	●	●	●	●	●	●		V	312	49.8	25	**22**	65	5
1ZF		R	**2811E**	●	●	○					S	253	51.5	10	**8**	65	5
1LJ & 1ZE		R	**2813E**	●	●	○					S	259.8	48.5	12	**10**	65	5
1ZA, 1ZE & 1KS		R	**2814E**	●	●	○	●	○	○		S	272	48.2	9.7	**8**	65	5
PR Code 1ZE	12/2015-on	F	**2810E**	●	●	○					V	288	49.7	25	**22**	65	5
1ZA		F	**2806E**	●	●	●	●	●	●		V	312	49.8	25	**22**	65	5
1ZA & 1ZE		R	**2814E**	●	●	○	●	○	○		S	272	48.2	9.7	**8**	65	5

The Kangaroo Paw design is not available on all part numbers, ask your supplier for details. FOR LATEST CATALOGUE LISTINGS REFER TO WWW.DBA.COM.AU

F721 2019 Red Master v45.indd 237 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

VOLKSWAGEN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
CRAFTER																	
35 & 50 MWB, LWB 2.5L 2 DR & 4 DR CAB 0WC, 0WF & 0WL	2007-2015	F	**2270E**	●	○		●	○	○		V	300	68.5	28	**25**	85	6
0WC & 0WL		R	**2269E**	●	●						S	298	71.5	16	**14**	85	6
0WF		R	**2271**	●			●	●			V	303	93	28	**25**	120	6
SY Series 35 TDi 340 RUNNER MWB 1LA	10/2017-on	F	**TBA**								V	303	70.3	28	**25**	76	5
1LA		R	**2777E**	●	●						V	300	51.1	22	**20**	76	5
CC																	
3C Series COUPE With PR Code 1ZM & 1ZG	7/2012-on	F	**2806E**	●	●	●	●	●	●		V	312	49.8	25	**22**	65	5
1LA & 1LB		F	**2830E**	●	●	○	●	●		●	V	340	49.6	30	**27**	65	5
1KW		R	**2807E**	●	●	○	●	●	○		S	285.6	48.4	11.7	**10**	65	5
2EA		R	**2809E**	●	●	○	●	●	●		V	310	48.5	22	**20**	65	5
EOS																	
1F Series CONVERTIBLE With PR Code 1ZE	3/2007-2016	F	**2810E**	●	●	○					V	288	49.7	25	**22**	65	5
1LJ, 1ZA & 1ZD		F	**2806E**	●	●	●	●	●	●		V	312	49.8	25	**22**	65	5
1LK		F	**2808E**	●	●	○	●	●	●	○	V	345	49.8	30	**27**	65	5
1LK – WAVE Design of DBA2808		F	**42808W**				○		●	●	V	345	49.8	30	**27**	65	5
1KD		R	**2811E**	●	●	○					S	253	51.5	10	**8**	65	5
1KS		R	**2814E**	●	●	○	●	○	○		S	272	48.2	9.7	**8**	65	5
1KJ & 1KZ – *Check All Specs*		R	**2816E**	●	●	○	●	●	○		S	282	47.3	12	**10**	65	5
1KJ & 1KZ – *Check All Specs*		R	**2807E**	●	●	○	●	●	○		S	285.6	48.4	11.7	**10**	65	5
2EA		R	**2809E**	●	●	○	●	●	●		V	310	48.5	22	**20**	65	5
2EA – WAVE Design of 2809E		R	**42809W**						●		V	310	48.5	22	**20**	65	5
GOLF MK1																	
1.1L	4/1974-7/1975	F	**240**							○	S	239	35.2	12	**10**	65	4
1.5L	8/1976-7/1983																
1.6L	8/1975-9/1983																
1.6L TD	3/1982-7/1983																
1.8L	3/1979-10/1983																
GOLF MK2																	
1.0L With ABS	8/1983-10/1991	F	**240**							○	S	239	35.2	12	**10**	65	4
1.3L With ABS	8/1983-7/1992																
1.6L 51/55kW	8/1983-12/1992																
1.6L D AUTO	11/1983-7/1992																
1.6L TD	8/1983-10/1991																
1.8L Inc ABS S DISC																	
1.8L SYNCRO 4WD	1985-1991																
1.8L With ABS Only S	8/1983-10/1991																
ALL ABOVE MODELS		R	**832**								S	226	71.2	10	**8**	39.8	4
1.8I GTI 16V LATE	10/1988-1991	F	**446**	●	○						V	256	38.7	20	**18**	65	4
		R	**832**								S	226	71.2	10	**8**	39.8	4
GOLF MK3																	
PR Code 1LK & 1KM	1994-1998	F	**240**							○	S	239	35.2	12	**10**	65	4
1LY, 1ZK & 1LF		F	**446**	●	○						V	256	38.7	20	**18**	65	4
1LD		F	**835**								V	280	28.2	22	**20**	65	4
GTi VR6 *From SW400000* 1LN		F	**833**								V	288	28	25	**23**	65	5
1KK & 1KD		R	**832**								S	226	71.2	10	**8**	39.8	4
		R	**803**	●	●	○					S	232	39.5	9	**7**	65	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 238 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

VOLKSWAGEN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
GOLF MK4																	
PR Codes 1LQ & 1ZF	1998-2004	F	**800**	●	●	●	●	●			V	256	36.7	22	**19**	65	5
1LR, 1LS, 1ZP, 1ZM & 1ZD		F	**801**	●	○	○					V	280	36.7	22	**19**	65	5
1LN, 1LE, 1ZH, 1ZE, 1ZD		F	**802**	●	●	○					V	288	34	25	**22**	65	5
1ZQ & 1LJ		F	**4838**				●	●	●		V	312	34.2	25	**23**	65	5
R32 3.2L 1ZT		F	**52828**							●	V	334	35	32	**30**	65	5
1KK, 1KS, 1KV, 1KP, 1KT & 1ZK		R	**803**	●	●	○					S	232	39.5	9	**7**	65	5
1KY, 1KU, 2EE & 2EL		R	**800**	●	●	●	●	●			V	256	36.7	22	**19**	65	5
GOLF MK5																	
PR Codes 1ZF, 1ZM & 1ZC	2004-2010	F	**2812E**	●	●	○					V	280	49	22	**19**	65	5
1ZE & 1ZP		F	**2810E**	●	●	○					V	288	49.7	25	**22**	65	5
1LJ, 1LL, 1LV & 1ZD		F	**2806E**	●	●	●	●	●	●		V	312	49.8	25	**22**	65	5
R32 3.2L 1LK & 1LM		F	**2808E**	●	●	○	●	●	●	○	V	345	49.8	30	**27**	65	5
1LK & 1LM WAVE Design of DBA2808E		F	**42808W**				○		●	●	V	345	49.8	30	**27**	65	5
1KD & 1KQ		R	**2811E**	●	●	○					S	253	51.5	10	**8**	65	5
1KE & 1KF		R	**2813E**	●	●	○					S	259.8	48.5	12	**10**	65	5
1KY, 1KZ,1KJ & 1KV		R	**2816E**	●	●	○	●	●	○		S	282	47.3	12	**10**	65	5
R32 3.2L 2EL & 1X1		R	**2809E**	●	●	○	●	●	●		V	310	48.5	22	**20**	65	5
2EL & 1X1 WAVE Design of DBA2809E		R	**42809W**						●		V	310	48.5	22	**20**	65	5
GOLF MK6																	
PR Code 1ZF	2011-2013	F	**2812E**	●	●	○					V	280	49	22	**19**	65	5
1ZE & 1ZP		F	**2810E**	●	●	○					V	288	49.7	25	**22**	65	5
1LJ, 1LL, 1LV, 1ZA, 1ZB & 1ZD		F	**2806E**	●	●	●	●	●	●		V	312	49.8	25	**22**	65	5
1LM & 1ZK		F	**2808E**	●	●	○	●	●	●	○	V	345	49.8	30	**27**	65	5
1LM & IZK WAVE Design of DBA2808E		F	**42808W**				○		●	●	V	345	49.8	30	**27**	65	5
1KD & 1KQ		R	**2811E**	●	●	○					S	253	51.5	10	**8**	65	5
1KE & 1KF		R	**2813E**	●	●	○					S	259.8	48.5	12	**10**	65	5
1KS & 1KT		R	**2814E**	●	●	○	●	○	○		S	272	48.2	9.7	**8**	65	5
1KV, 1KY & 1KZ		R	**2816E**	●	●	○	●	●	○		S	282	47.3	12	**10**	65	5
1KW & 2EL		R	**2809E**	●	●	○	●	●	●		V	310	48.5	22	**20**	65	5
1KW & 2EL WAVE Design of DBA2809E		R	**42809W**						●		V	310	48.5	22	**20**	65	5
GOLF MK 7																	
PR Code 1ZF	2013-2016	F	**2812E**	●	●	○					V	280	49	22	**19**	65	5
1ZE & 1ZP		F	**2810E**	●	●	○					V	288	49.7	25	**22**	65	5
1ZA, 1ZB, 1ZD & 1LV		F	**2806E**	●	●	●	●	●	●		V	312	49.8	25	**22**	65	5
1LJ & 1LM		F	**2830E**	●	●	○	●	●		●	V	340	49.6	30	**27**	65	5
1KD		R	**2811E**	●	●	○					S	253	51.5	10	**8**	65	5
1KS & 1KT		R	**2814E**	●	●	○	●	○	○		S	272	48.2	9.7	**8**	65	5
1KV		R	**2837E**	●	●	○	●	●			S	300	48.3	12	**10**	65	5
1KJ, 1KY & 1KW		R	**2809E**	●	●	○	●	●	●		V	310	48.5	22	**20**	65	5
GOLF R & WOLFSBURG EDITION 1LJ & 1LM	2015-on	F	**2830E**	●	●	○	●	●		●	V	340	49.6	30	**27**	65	5
1KJ & 1KY		R	**2809E**	●	●	○	●	●	●		V	310	48.5	22	**20**	65	5
GTi 2.0L TURBO 1ZB & 1LV RED CALIPER	2016-on	F	**2806E**	●	●	●	●	●	●		V	312	49.8	25	**22**	65	5
1KV RED CALIPER		R	**2837E**	●	●	○	●	●			S	300	48.3	12	**10**	65	5
110 TDi HIGHLINER 2.0L 1ZE & 1ZP	06/2017-on	F	**2810E**	●	●	○					V	288	49.7	25	**22**	65	5
1XO, 1X1, 1KE, 1KR, 0N1 & 0N4		R	**2814E**	●	●	○	●	○	○		S	272	48.2	9.7	**8**	65	5

The Kangaroo Paw design is not available on all part numbers, ask your supplier for details. FOR LATEST CATALOGUE LISTINGS REFER TO WWW.DBA.COM.AU

F721 2019 Red Master v45.indd 239 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

VOLKSWAGEN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
GOLF MK 7 – Continued																	
135 ALLTRACK 2.0L TDi 1ZA & 1ZD	06/2017-on	F	**2806E**	●	●	●	●	●	●		V	312	49.8	25	**22**	65	5
1XO, 1X1, 1KE, 1KR, 0N1 & 0N4		R	**2814E**	●	●	○	●	○	○		S	272	48.2	9.7	**8**	65	5
GTi PERFORMANCE 2.0L TURBO 1LJ RED CALIPER	07/2017-on	F	**2830E**	●	●	○	●	●		●	V	340	49.6	30	**27**	65	5
1KJ RED CALIPER		R	**2809E**	●	●	○	●	●	●		V	310	48.5	22	**20**	65	5
GOLF R 2.0L TURBO BLACK CALIPER 1LM		F	**2830E**	●	●	○	●	●		●	V	340	49.6	30	**27**	65	5
1KY BLACK CALIPER		R	**2809E**	●	●	○	●	●	●		V	310	48.5	22	**20**	65	5
JETTA 1K Series																	
PR Code 1ZM & 1ZQ	2003-2011	F	**2812E**	●	●	○					V	280	49	22	**19**	65	5
1ZE & 1ZP		F	**2810E**	●	●	○					V	288	49.7	25	**22**	65	5
1LJ, 1ZD, 1LV & 1LL		F	**2806E**	●	●	●	●	●	●		V	312	49.8	25	**22**	65	5
1KE & 1KF		R	**2813E**	●	●	○					S	259.8	48.5	12	**10**	65	5
1KS & 1KT		R	**2814E**	●	●	○	●	○	○		S	272	48.2	9.7	**8**	65	5
1KJ & 1KV		R	**2816E**	●	●	○	●	●	○		S	282	47.3	12	**10**	65	5
JETTA 1B Series																	
PR Code 1ZM & 1ZQ	2011-2016	F	**2812E**	●	●	○					V	280	49	22	**19**	65	5
1ZE & 1ZP		F	**2810E**	●	●	○					V	288	49.7	25	**22**	65	5
1ZA, 1ZB & 1LV		F	**2806E**	●	●	●	●	●	●		V	312	49.8	25	**22**	65	5
1KD & 1KU		R	**2811E**	●	●	○					S	253	51.5	10	**8**	65	5
1KS & 1KT		R	**2814E**	●	●	○	●	○	○		S	272	48.2	9.7	**8**	65	5
KOMBI																	
KOMBI	1970-7/1972	F	**245**								S	278	82.5	13	**11.5**	66	5
KOMBI	8/1979-9/1985	F	**442**								S	278	82.5	13	**11.5**	HUB	5
TRANSPORTER, CARAVELLE, MULTIVAN																	
T2, USA VANAGON 2WD FLOATING CALIPER REAR DRUM BRAKES FOR THESE MODELS		F	**443**								S	258	54	16	**13**	HUB	5
15 inch Wheels *Up to 70-T-199 999*	ILP	F	**448**								S	282	64.5	18	**15**	68	5
T3																	
Series T3 *Fist Type Caliper*	1986-1992	F	**443**								S	258	54	16	**13**	HUB	5
T4																	
PR Code 1LA – 14 inch Wheels	1993-2005	F	**443**								S	258	54	16	**13**	HUB	5
1LE & 1LU		F	**548**	●	○						V	280	54	24	**20**	68	5
1LP – 15 inch Wheels		F	**448**								S	282	64.5	18	**15**	68	5
1LP		F	**830**	●	○						S	282	55	18	**15**	68	5
2E2		R	**831**	●	○						S	280	40	12	**10**	68	5
T5																	
2E3 – 16 inch Wheels	2005-2016	F	**2242**	●	●	○	○	○			V	308	55.6	29.5	**25.5**	76	5
2E4 – *To Chassis 7H-A-050000* 17 inch Wheels		F	**2248**	●	○						V	333	55.6	33	**28.5**	76	5
2E4 – *From Chassis 7H-A-200001*		F	**2240E**	●	○	○					V	340	55.6	32.5	**28.5**	76	5
2E3 & 2E4		R	**2247E**	●	○	○					V	294	44.4	22	**19.5**	76	5
0WR, 0ED & 0E9		R	**2243E**	●	○						V	314	76	22	**20**	76	5
T6																	
2.0L TDi 340 & TDi450 2E3 16 inch Wheels	2016-on	F	**2242**	●	●	○	○	○			V	308	55.6	29.5	**25.5**	76	5
2E4 – 17 inch Wheels		F	**2240E**	●	○	○					V	340	55.6	32.5	**28.5**	76	5
2E3 & 2E4		R	**2247E**	●	○	○					V	294	44.4	22	**19.5**	76	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 240 17/9/19 7:16 pm

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

VOLKSWAGEN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
KOMBI – Continued																	
LT MARK II																	
Series 2D LT28, LT35 & LT46	2003-2007	F	**566**	●							V	276	77	22	**19.5**	85	5
LT28		R	**2267**	●							S	258	96.5	12	**10**	85	5
LT35		R	**567**	●	○						S	272	97	16	**14**	85	5
LT46		R	**2268**	●							S	285	93	22	**19**	120	6
PASSAT																	
1.5, 1.6 PETROL	1973-1982	F	**240**							○	S	239	35.2	12	**10**	65	4
Series 3A																	
2.0L x 85kW PETROL	1994-1997	F	**446**	●	○						V	256	39	20	**18**	65	4
		R	**832**								S	226	71.2	10	**8**	39.8	4
2.8L x 128kW VR6 AAA Engine 2WD		F	**833**								V	288	28	25	**23**	65	5
		R	**TBA**														
Series 3B																	
PR Code 1LJ & 1ZJ	1998-2000	F	**806**								V	280	46.2	22	**20**	68	5
1LB & 1LC *To Chassis 3B-X-124107*		F	**836**								V	282	46	25	**23**	68	5
ILB, 1LE & 1ZC *From Chassis 3B-X-124108*		F	**807**	●	○	○					V	288	46.2	25	**23**	68	5
1KD, 1KE, 1KF & 1KW		R	**810**								S	245	63.9	10	**8**	68	5
PR Code 1LE & 1ZC	2001-2006	F	**807**	●	○	○					V	288	46.2	25	**23**	68	5
1LT		F	**2800**	●	○	○	●	○	○		V	312	46.2	25	**23**	68	5
1KD & 1KF		R	**810**								S	245	63.9	10	**8**	68	5
1KE		R	**4569**				○	○	○		V	256	48	22	**20**	68	5
1KW & 1KJ		R	**4241**								V	269	54	22	**20**	68	5
PR Code 1LJ, 1LH, 1ZG & 1ZM	2006-2009	F	**2806E**	●	●	●	●	●	●		V	312	49.8	25	**22**	65	5
1LM & 1LK		F	**2808E**	●	●	○	●	●	●	○	V	345	49.8	30	**27**	65	5
1LM & 1LK WAVE Design of DBA2808		F	**42808W**				○		●	●	V	345	49.8	30	**27**	65	5
1KU & 1KW		R	**2816E**	●	●	○	●	●	○		S	282	47.3	12	**10**	65	5
2EA & 2EL		R	**2809E**	●	●	○	●	●	●		V	310	48.5	22	**20**	65	5
2EA & 2EL WAVE Design of DBA2809E			**42809W**						●		V	310	48.5	22	**20**	65	5
Series 3C																	
PR Code 1LJ, 1LH, 1ZA, 1ZD, 1ZK, 1ZL, 1ZC, 1ZG & 1ZM	2009-2016	F	**2806E**	●	●	●	●	●	●		V	312	49.8	25	**22**	65	5
1LA & 1LB		F	**2830E**	●	●	○	●	●		●	V	340	49.6	30	**27**	65	5
1LM & 1ZK		F	**2808E**	●	●	○	●	●	●	○	V	345	49.8	30	**27**	65	5
1LM & 1ZK WAVE Design of DBA2808		F	**42808W**				○		●	●	V	345	49.8	30	**27**	65	5
1KU & 1KW		R	**2816E**	●	●	○	●	●	○		S	282	47.3	12	**10**	65	5
1KU& 2EA		R	**2837E**	●	●	○	●	●			S	300	48.3	12	**10**	65	5
1KZ & 2EA		R	**2809E**	●	●	○	●	●	●		V	310	48.5	22	**20**	65	5
1KZ & 2EA WAVE Design of DBA2809E		R	**42809W**						●		V	310	48.5	22	**20**	65	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

VOLKSWAGEN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
POLO																	
Series 6N																	
1.4L & 1.6L	1995-1999	F	**837**	●	○						V	239	34	18	**16**	65	4
1.4L & 1.6L GTi	1999-2002	F	**446**	●	○						V	256	38.7	20	**18**	65	4
Series 9N, 6C & 6R																	
PR Codes 1LQ, 1LR, 1ZJ, 1ZF & 1ZG	2002-2018	F	**800**	●	●	●	●	●			V	256	36.7	22	**19**	65	5
1LN, 1ZC, 1ZD & 1ZH		F	**802**	●	●	○					V	288	34	25	**22**	65	5
1LJ, 1ZP & 1ZR		F	**4838**				●	●	●		V	312	34.2	25	**23**	65	5
1KD, 1KK, 1KS, 1KT, 1KV & 2EJ		R	**803**	●	●	○					S	232	39.5	9	**7**	65	5
Series AW																	
1.0L 70kW & 85kW TSi PR Code 1ZG & 1ZJ	09/2017-on	F	**TBA**								V	256		22			
1ZE		F	**TBA**								V	276		24			
1ZB RED CALIPER		F	**TBA**								V	312		25			
1KV		R	**TBA**								S	230		9			
1KE RED CALIPER		R	**TBA**								S	272		10			
1KA *Refers To Brake Drum Fitted*		R	**TBA**														
SCIROCCO																	
Series 13 1S 1.4L & 2.0L 1LR, 1ZG & 1ZJ	2009-2015	F	**800**	●	●	●	●	●			V	256	36.7	22	**19**	65	5
1ZE & 1ZP		F	**2810E**	●	●	○					V	288	49.7	25	**22**	65	5
1LJ, 1ZA, 1ZB & 1ZD		F	**2806E**	●	●	●	●	●	●		V	312	49.8	25	**22**	65	5
1ZK		F	**2808E**	●	●	○	●	●	●	○	V	345	49.8	30	**28**	65	5
1ZK – WAVE Design of 2808E			**42808W**				○		●	●	V	345	49.8	30	**27**	65	5
1KD		R	**2811E**	●	●	○					S	253	51.5	10	**8**	65	5
1KE		R	**2813E**	●	●	○					S	259.8	48.5	12	**10**	65	5
1KS & 1KT	00/2009-00/2015	R	**2814E**	●	●	○	●	○	○		S	272	48.2	9.7	**8**	65	5
1KW		R	**2809E**	●	●	○	●	●	●		V	310	48.5	22	**20**	65	5
1KW WAVE Design of DBA2809E		R	**42809W**						●		V	310	48.5	22	**20**	65	5
TOUAREG																	
Series 7L PR Code 1LB 16 inch Wheels	2004-2011	F	**2242**	●	●	○	○	○			V	308	55.6	29.5	**25.5**	76	5
1LA, 1LC & 1LE – 17 inch Wheels		F	**2244E**	●	●	○	●	●	○		V	330	69	32	**30**	85	5
1LF – 18 inch Wheels		F	**2246E**	●	●	●	●	●	●		V	350	69	34	**32**	85	5
1LT & 1LU		F	**42590**				●	●			V	368	68.7	36	**34**	85	5
1KE – 16 inch Wheels		R	**2243E**	●	○						V	314	76	22	**20**	76	5
1KF & 1KQ – 17 inch Wheels		R	**2245E**	●	●	●	●	●	●		V	330	74	28	**26**	85	5
1KD & 2EA – 18 inch Wheels		R	**2249**	●	●	○	○				V	358	73.5	28	**26**	85	5
Series 7P PR Code 1LA, 1LC & 1LE – 17 inch Wheels	2011-2016	F	**2244E**	●	●	○	●	●	○		V	330	69	32	**30**	85	5
1LG, 1LJ & 1LW		F	**2596E**	●	○		●	●	○		V	360	68.5	36	**34**	85	5
1KJ, 1KQ & 2EG		R	**2245E**	●	●	●	●	●	●		V	330	74	28	**26**	85	5
TOURAN																	
Series 1T 1ZE & 1ZP	2003-2008	F	**2810E**	●	●	○					V	288	49.7	25	**22**	65	5
1LJ, 1ZA & 1ZD		F	**2806E**	●	●	●	●	●	●		V	312	49.8	25	**22**	65	5
1KE & 1KF		R	**2813E**	●	●	○					S	259.8	48.5	12	**10**	65	5
1KS		R	**2814E**	●	●	○	●	○	○		S	272	48.2	9.7	**8**	65	5
1KJ		R	**2816E**	●	●	○	●	●	○		S	282	47.3	12	**10**	65	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 242 17/9/19 7:16 pm

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

VOLKSWAGEN

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
TIGUAN																	
Series 5N	2008-2016	F	**2806E**	●	●	●	●	●	●		V	312	49.8	25	**22**	65	5
		R	**2816E**	●	●	○	●	●	○		S	282	47.3	12	**10**	65	5
5N Series AD1																	
110 TSi 1.4L TURBO & 110 TDi 2.0L 1ZA & 1ZD	09/2016-on	F	**2806E**	●	●	●	●	●	●		V	312	49.8	25	**22**	65	5
1LW & 1LX		F	**TBA**								V	314	49.6	30	**27**	65	5
1KU		R	**2837E**	●	●	○	●	●			S	300	48.3	12	**10**	65	5
132 TSi 2.0L TURBO HIGHLINER 1LA		F	**2830E**	●	●	○	●	●		●	V	340	49.6	30	**27**	65	5
1KU		R	**2837E**	●	●	○	●	●			S	300	48.3	12	**10**	65	5
140 TDi 2.0L TURBO & 162 TSi HIGHLINER 1LA		F	**2830E**	●	●	○	●	●		●	V	340	49.6	30	**27**	65	5
1KU		R	**2837E**	●	●	○	●	●			S	300	48.3	12	**10**	65	5
UP																	
Series AA 999cc x 55kW PR Code 1LA & 1ZQ	2012-on	F	**TBA**								V	256	36.7	22	**19**	65	4
VENTO																	
Series 1H – *Check All Specs*	0/1992-0/1999	F	**446**	●	○						V	256	38.7	20	**18**	65	4
Check All Specs		F	**835**								V	280	28.2	22	**20**	65	5
Check All Specs		F	**833**								V	288	28.2	25	**23**	65	5
Without ABS		R	**832**												**8**		

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

VOLVO

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
VOLVO																	
140, 160 Series																	
142, 144, 145, 164, P1800 ATE BRAKES	1968-1975																
240, 260 Series																	
240, 260 Series *DB62 PADS* ATE CALIPERS	1974-1993	F	**380**								S	263	65	14.5	**13.1**	68	5
240, 260 Series *DB549 PADS* GIRLING CALIPERS	1976-1993	F	**383**								V	263	67.5	22	**20.4**	68	5
	1974-1993	R	**381**								S	281	73.5	9.6	**8.4**	68	5
360 Series																	
GLE, GLT HATCH	1984-1991	F	**687**								S	239	29	12.7	**11.4**	68	4
740 Series																	
GLE – 14 inch Wheels	1988-1992	F	**685**								V	262.5	56	22	**20**	68	5
GLE – With ABS	1991-1992	F	**688**								V	280	56	26	**24**	68	5
ALL REARS – Not MULTILINK	1984-1/1992	R	**381**								S	281	73.5	9.6	**8.4**	68	5
GLE – With ABS	1991-1992	F	**688**								V	280	56	26	**24**	68	5
Without MULTILINK	1983-1987	R	**381**								S	281	73.5	9.6	**8.4**	68	5
850 Series																	
GLE / GLT 4 STUD WHEELS	1993-only	F	**880**	●	○						V	280	50.5	26	**23**	68	4
		R	**881**								S	295	72	9.6	**8.4**	68	4
GLE / GLT 5 STUD WHEELS	1994-1997	F	**882**	●	○	○					V	280	50.5	26	**23**	68	5
5 LUG – *USA*	1993-1997																
		R	**883**	●	○						S	295	72.5	10	**8.4**	68	5
940 Series																	
940 GL/GLE – With ABS	1990-1997	F	**688**								V	280	56	26	**24**	68	5
940 GL, GLE, SE, TURBO Not MULTILINK		R	**381**								S	281	73.5	9.6	**8.4**	68	5
960 Series																	
960	1994-1996	F	**688**								V	280	56	26	**24**	68	5
		R	**381**								S	281	73.5	9.6	**8.4**	68	5
C30																	
2.5L LE, S 2 DOOR HATCH FWD	03/2007-08/2010	F	**2380E**	●	●						V	300	48.5	25	**23**	64	5
2.5L T5, T5 R-DESIGN 2 DOOR	11/2008-03/2012																
		F	**2118E**	●	●	○					V	278	48.5	25	**23**	64	5
		R	**2121**	●	●	○	●	●	○		S	280	41	11	**9**	64	5
C70 COUPE / CABRIOLET																	
C70 – 15 inch Wheels	3/1997-09/2002	F	**882**	●	○	○					V	280	50.5	26	**23**	68	5
C70 REAR 2WD		R	**883**	●	○						S	295	72.5	10	**8.4**	68	5
CONVERTIBLE	2006-2016	F	**2118E**	●	●	○					V	278	48.5	25	**23**	64	
		F	**2380E**	●	●						V	300	48.5	25	**23**	64	
		F	**2120**	●	●	○	●	●	○		V	320	48.6	25	**23**	64	
		R	**2121**	●	●	○	●	●	○		S	280	41	11	**9**	64	

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 244 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

VOLVO

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
S40																	
S40 ALL MODELS	7/1995-6/1997	F	**885**								V	256	46	24	**21.5**	69	4
S40 ALL MODELS	7/1997-12/2003	F	**886**	●	○						V	281	46	24	**21.5**	69	4
S40 REAR – ALL MODELS		R	**887**	●	○						S	260	41	10	**8.4**		
S40 II SALOON MS 2.4L S40 II SALOON MS T5 & AWD	01/2004-2011	F	**2120**	●	●	○	●	●	○		V	320	48.6	25	**23**	64	5
	2004-2011	R	**2121**	●	●	○	●	●	○		S	280	41	11	**9**	64	
2.4L 4 DOOR SEDAN FWD	06/2004-01/2006	F	**2118E**	●	●	○					V	278	48.5	25	**23**	64	5
T5 4 DOOR SEDAN AWD TURBO – 15 inch Wheels	03/2007-10/2009																
2.4L 4 DOOR SEDAN FWD	06/2004-01/2006	F	**2380E**	●	●						V	300	48.5	25	**23**	64	5
T5 4 DOOR SEDAN AWD TURBO – 16 inch Wheels	03/2007-10/2009																
S40 II																	
S40 II – 15 inch Wheels	01/2004-2013	F	**2118E**	●	●	○					V	278	48.5	25	**23**	64	5
S40 II – 16 inch Wheels		F	**2380E**	●	●						V	300	48.5	25	**23**	64	5
S60																	
S60 – 15 inch Wheels	11/2000-2009	F	**2382**	●	○						V	286	50.3	26	**23**	68	5
S60 – 16 inch Wheels		F	**2384**	●	●						V	305	50.3	28	**25**	68	5
S60 – 17 inch Wheels		F	**2378**	●	○						V	316	50.4	28	**25**	68	
S60 REAR – 15 & 16 inch Wheels	11/2000-2009	R	**2383**	●	○						S	288	65	12	**10**	68	5
D5 2.4L – 13.8mm Studs	2010-2014	F	**2128E**	●	●	○					V	300	52	28	**26**	64	5
D & T Series & T6 R-DESIGN POLESTAR – 15.8mm Studs	12/2010-2018	F	**2080E**	●	○	○					V	300	52	28	**26**	64	5
17 inch Wheels		F	**2082E**	●	○						V	316	52	28	**26**	63.5	5
18 inch Wheels		F	**2088E**	●	○						V	336	52	28	**26**	63.5	5
SOLID ROTOR		R	**2087E**	●	○						S	302	40.8	11	**9**	63.5	5
VENTED ROTOR		R	**2089E**	●	○						V	302	40.8	22	**20**	63.5	5
S70																	
S70 – 15 inch Wheels	1/1997-11/2000	F	**882**	●	○	○					V	280	50.5	26	**23**	68	5
S70 REAR 2WD		R	**883**	●	○						S	295	72.5	10	**8.4**	68	5
S80																	
S80 – 15 inch Wheels	5/1998-2006	F	**2382**	●	○						V	286	50.3	26	**23**	68	5
S80 – 16 inch Wheels		F	**2384**	●	●						V	305	50.3	28	**25**	68	5
S80 REAR – 15 & 16 inch Wheels		R	**2383**	●	○						S	288	65	12	**10**	68	5
S80 – 16 inch Wheels 15.8mm Studs	11/2009-08/2015	F	**2080E**	●	○	○					V	300	52	28	**26**	63.5	5
S80 – 17 inch Wheels		F	**2082E**	●	○						V	316	52	28	**26**	63.5	5
S80 – 18 inch Wheels		F	**2088E**	●	○						V	336	52	28	**26**	63.5	5
With Electric Handbrake SOLID ROTOR		R	**2087E**	●	○						S	302	40.8	11	**9**	63.5	5
With Electric Handbrake VENTED ROTOR		R	**2089E**	●	○						V	302	40.8	22	**20**	63.5	5
S90																	
S90 ALL MODELS	1/1997-05/1998	F	**882**	●	○	○					V	280	50.5	26	**23**	68	5
S90 T5 & T6 2.0L TURBO	10/2016-on	F	**3026E**								V	345	48	30	**27.5**	63.6	5
		R	**3027E**								V	320	43	20	**17.5**	63.6	5

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

VOLVO

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
V40																	
V40 ALL MODELS	7/1995-6/1997	F	**885**								V	256	46	24	**21.5**	69	4
V40 ALL MODELS	7/1997-12/2003	F	**886**	●	○						V	281	46	24	**21.5**	69	4
V40 REAR – ALL MODELS		R	**887**	●	○						S	260	41	10	**8.4**	90	4
V40 – 16 inch Wheels *To Chassis 369566*	2013-on	F	**2380E**	●	●						V	300	48.5	25	**23**	64	5
V40 – 17 inch Wheels *To Chassis 25438*		F	**2120**	●	●	○	●	●	○		V	320	49	25	**23**	64	5
		R	**2121**	●	●	○	●	●	○		S	280	41	11	**9**	64	
V50																	
V50 – 15 inch Wheels	04/2004-on	F	**2118E**	●	●	○					V	278	48.5	25	**23**	64	5
V50 – 16 inch Wheels		F	**2380E**	●	●						V	300	48.5	25	**23**	64	5
V50 – 17 inch Wheels		F	**2120**	●	●	○	●	●	○		V	320	49	25	**23**	64	5
V60																	
D5, D4, D3, T5 & T6																	
R-DESIGN – 15.8mm Stud Holes 16 inch Wheels	2010-2018	F	**2080E**	●	○	○					V	300	52	28	**26**	64	
17 inch Wheels		F	**2082E**	●	○						V	316	52	28	**26**	63.5	5
18 inch Wheels		F	**2088E**	●	○						V	336	52	28	**26**	63.5	5
SOLID ROTOR		R	**2087E**	●	○						S	302	40.8	11	**9**	63.5	5
VENTED ROTOR		R	**2089E**	●	○						V	302	40.8	22	**20**	63.5	5
V70																	
V70 – 15 inch Wheels	1/1997-05/2000	F	**882**	●	○	○					V	280	50.5	26	**23**	68	5
V70 REAR 2WD		R	**883**	●	○						S	295	72.5	10	**8.4**	68	5
V70 II																	
V70 II – 15 inch Wheels	03/2000-2006	F	**2382**	●	○						V	286	50.3	26	**23**	68	5
V70 II – 16 inch Wheels		F	**2384**	●	●						V	305	50.3	28	**25**	68	5
V70 II REAR 15 & 16 inch Wheels		R	**2383**	●	○						S	288	65	12	**10**	68	5
V70 II – 16 inch Wheels 15.8mm Studs	2007-on	F	**2080E**	●	○	○					V	300	52	28	**26**	63.5	5
V70 III – 17 inch Wheels		F	**2082E**	●	○						V	316	52	28	**26**	63.5	5
V70 III – 18 inch Wheels		F	**2088E**	●	○						V	336	52	28	**26**	63.5	5
With Electric Handbrake SOLID ROTOR		R	**2087E**	●	○						S	302	40.8	11	**9**	63.5	5
With Electric Handbrake VENTED ROTOR		R	**2089E**	●	○						V	302	40.8	22	**20**	63.5	5
V90																	
V90 ALL MODELS	1/1997-05/1998	F	**882**	●	○	○					V	280	50.5	26	**23**	68	5
XC60																	
WAGON AWD	2008-2012	F	**2374**	●	●						V	328	52	30	**28**	63.5	5
		R	**2375**	●	●						V	305	51	22	**20**	63.5	5
T5 2.0L TURBO AWD	10/2017-on	F	**3026E**								V	345	48	30	**27.5**	63.6	5
		R	**3027E**								V	320	43	20	**17.5**	63.6	5

All rights reserved. © Copyright 2019 Disc Brakes Australia Pty Ltd. TRADEMARKS: All DBA Part References listed in this catalogue are Trademarks of Disc Brakes Australia Pty Ltd.

F721 2019 Red Master v45.indd 246 17/9/19 7:16 pm

DISC BRAKES AUSTRALIA

Catalogue 2020

● = DBA Ranged Item
○ = Special Order Item
BLANK = Not Available



A = Diameter
B = Original Height
C = Original Thickness
D = Min. Thickness
E = Centre Hole Dia.
F = No. of Bolt Holes

Compatible with:

VOLVO

Model	Years	F/R	DBA No.	STREET OED	STREET T2	STREET X	4000 HD	4000 T3	4000 XS	5000 T3	Solid Vented	Dimensions (mm) A	B	C	D	E	F
XC70 CROSS COUNTRY																	
XC70 – 15 inch Wheels	03/2000-2006	F	**2382**	●	○						V	286	50.3	26	**23**	68	5
XC70 – 16 inch Wheels		F	**2384**	●	●						V	305	50.3	28	**25**	68	5
XC70 – 15 & 16 inch Wheels		R	**2383**	●	○						S	288	65	12	**10**	68	5
XC70																	
16 inch Wheels – 15.8mm Studs	11/2009-on	F	**2080E**	●	○	○					V	300	52	28	**26**	63.5	5
17 inch Wheels		F	**2082E**	●	○						V	316	52	28	**26**	63.5	5
18 inch Wheels		F	**2088E**	●	○						V	336	52	28	**26**	63.5	5
With Electric Handbrake SOLID ROTOR		R	**2087E**	●	○						S	302	40.8	11	**9**	63.5	5
With Electric Handbrake VENTED ROTOR		R	**2089E**	●	○						V	302	40.8	22	**20**	63.5	5
XC90																	
2.5T 4D WAGON – 16 inch Wheels	2003-2007	F	**2378**	●	○						V	316	50.4	28	**25**	68	5
3.2L 4D WAGON – 16 inch Wheels	2007-on																
D5 4D WAGON – 16 inch Wheels	2005-2011																
2.5T 4D WAGON – 17 inch Wheels	2003-2007	F	**2376**	●	○						V	336	50.4	30	**27**	68	5
3.2L 4D WAGON – 17 inch Wheels	2007-on																
D5 4D WAGON – 17 inch Wheels	2005-2011																
ALL OF THE ABOVE – *Check Dia.*		R	**2377**	●	○						S	308	65	20	**18**	68	5
T6, T8 & D5 2.0L TURBO	03/2015-on	F	**3026E**								V	345	48	30	**27.5**	63.6	5
		R	**3027E**								V	320	43	20	**17.5**	63.6	5

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
DBA001	HOLDEN	F	S	253	50	9.7	9	72	5	4.1
DBA002	HOLDEN	F	S	270	55	12.7	11.7	72	5	5.3
DBA003	HOLDEN	F	S	270	56.5	15.9	14.7	72	5	6.2
DBA004	HOLDEN	F	S	256	60	15.7	14.7	72	5	5.6
DBA006	HOLDEN	F	S	240	47	10	8.6	68	4	3.6
DBA007	HOLDEN	F	S	227	42	11	9.6	57	4	3.3
DBA008	HOLDEN	F	S	256	60	12.7	12	72	5	5.3
DBA009	HOLDEN	F	S	215	28.5	10	9	61	4	2.5
DBA010	HOLDEN	F	S	256	77	16	14.3	HUB	5	9.2
DBA012	HOLDEN	F	S	215	33.5	10	8	86	4	2.8
DBA013	HOLDEN	F	S	256	78	15.6	14.3	HUB	5	9.0
DBA014	HOLDEN	F	V	276	72	25.4	24.5	HUB	5	10.2
DBA016	HOLDEN	R	S	279	83	10.5	8.5	70	5	5.6
DBA018	HOLDEN	R	S	292	90	15.9	14.7	72	5	8.5
DBA020	HOLDEN	R	V	278	83.6	20	19	70	5	6.4
DBA022	HOLDEN	F	V	231	50	17	15	64	4	3.6
DBA023	HOLDEN	F	V	256	41.1	24	21	60	4	5.8
DBA024	HOLDEN	R	S	270	77	10	8	57	4	4.7
DBA025	HOLDEN	F	V	270	82	23	20	HUB	5	11.2
DBA026	HOLDEN	R	S	279	67	10.5	8.5	70	5	5.5
DBA027	HOLDEN	F	V	290	82	23	20	HUB	5	11.5
DBA030	HOLDEN	F	S	250	35	18	17	80	6	5.4
DBA032	HOLDEN	F	V	250	35	18	16.7	80	6	4.4
DBA033	HOLDEN	F	V	257	36	22	20.6	88	6	5.3
DBA034	HOLDEN	R	S	265	47	12	10.6	97	6	5.0
DBA035	HOLDEN	F	V	289	83	23	20	70	5	9.1
DBA036	HOLDEN	R	S	279	86	10.7	8.5	70	5	5.8
DBA036B	HOLDEN	R	S	279	86	10.7	8.5	70	10	5.8
DBA037	HOLDEN	R	S	279	83	10.7	8.5	70	10	5.6
DBA040B	HOLDEN	F	V	296	83	28	25	70	5	9.6
DBA040E	HOLDEN	F	V	296	83	28	25	71.5	5	9.6
DBA041E	HOLDEN	R	S	286	78.6	16	14	70	5	7.5
DBA045	HOLDEN	R	V	280	67	20	19	70	5	5.8
DBA046B	HOLDEN	F	V	328	83	28	25	71.5	5	9.5
DBA060	AUSTIN HEALEY	F	S	209.8	39.5	7.5	7	63.5	4	2.2
DBA061	MG	F	S	209.8	60	7.7	7	63	4	3.0
DBA062	MG	F	S	273.4	44.5	8.7	7.6	73	4	4.1
DBA068	LEYLAND	F	V	273	62	25.4	22.74	HUB	5	9.8
DBA069	FORD	F	V	330	43.5	28	26.4	71	5	8.8
DBA072	JAGUAR	F	S	280	51.5	9.75	8.5	82.5	5	4.7
DBA075	JAGUAR	R	S	264	25.5	12.7	11.4	70	4	4.7
DBA075B	JAGUAR	R	S	262	25.5	12.5	11.4	70	4	4.8
DBA076	JAGUAR	F	V	285	60.5	24	22.9	82.7	5	7.6
DBA081	MINI	F	S	190	77.5	9.5	8.5	73.5	4	2.9
DBA086	LANDROVER	F	V	298	70	24	22	101.6	5	8.9
DBA087	LANDROVER	F	S	298	70	14	13	101.6	5	7.2
DBA088	LANDROVER	R	S	290	61	12.7	11.7	101.6	5	7.5
DBA092	LANDROVER	F	V	297	64.6	25	22	70	5	8.1
DBA093	LANDROVER	R	S	304	62.7	12.6	11.7	70	5	7.1
DBA094B	AUSTIN HEALEY	F	S	281	38	12.7	11.4	82.6	5	5.0
DBA095	JEEP	F	V	298	56	30	28.5	96	5	7.4
DBA096	JEEP	F	V	280	81	24	22.7	72	5	6.9
DBA097	JEEP	R	S	285	59.5	11	9.5	72	5	5.5
DBA100	FORD	F	S	228	31	11	10	75	4	3.5
DBA101	FORD	F	V	260	32	18	16	75	4	4.4
DBA103	FORD	R	V	287	58.5	24	22.2	83	5	6.0
DBA105	FORD	F	S	279	50	16	14.6	79.5	5	6.7
DBA106	FORD	F	V	287	58.5	24	22.2	83	5	7.5
DBA106H	FORD	F	V	287	75	24	22.2	HUB	5	9.8
DBA107	FORD	F	V	287	75	24	22.2	HUB	5	10.8

F721 2019 Red Master v45.indd 248 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
DBA108	FORD	R	V	287	71.5	24	22.2	70.5	5	7.8
DBA109	FORD	R	V	287	71.5	24	22.2	70.5	5	7.5
DBA110B	FORD	F	V	287	70	24	22.2	HUB	5	9.9
DBA111A	FORD	R	S	287	62	15	14	70.5	5	6.9
DBA111B	FORD	R	S	287	61	13	12	70.5	5	6.2
DBA116	FORD	F	V	237	63.5	22.4	20	78	4	4.6
DBA119	FORD	F	S	250	35	14	12.5	75	4	4.8
DBA120	FORD	F	V	297	82	30	28.5	HUB	5	12.9
DBA121	FORD	F	V	297	70	30	28.5	98.5	5	11.6
DBA130	FORD	F	V	287	70	24	22.2	HUB	5	10.0
DBA131	FORD	F	V	287	70	25	22	HUB	5	9.9
DBA132	FORD	F	V	287	70	25	22	HUB	5	10.0
DBA133	FORD	R	S	299	56.5	10.5	8.5	70.5	5	6.0
DBA138	TOYOTA	F	S	266	42	12.7	11.5	76	4	4.6
DBA140	TOYOTA	F	S	254	16	12.7	11.5	73	4	3.9
DBA144	TOYOTA	F	S	218	30	12.7	11.5	64	4	3.1
DBA146	TOYOTA	F	V	258	26	20	19	76	4	4.6
DBA147	TOYOTA	F	S	243	39.1	11	10	54	4	3.6
DBA151	TOYOTA	F	V	302	49	20	19	100	6	6.8
DBA154	TOYOTA	F	S	302	49	12.7	11.5	100	6	6.2
DBA156	TOYOTA	F	V	257	47	25	24	84	5	5.9
DBA158	TOYOTA	F	V	255	42	20	19	74	4	4.7
DBA159	TOYOTA	F	V	260	45	25	24	95	5	6.3
DBA165	CHRYSLER	F	V	257	38	22	20.4	61	5	4.9
DBA166	CHRYSLER	R	S	270	53	9	7.25	58	5	4.2
DBA167	CHRYSLER	F	V	280	39.5	23	21.4	61	5	6.1
DBA175	CHRYSLER	F	V	257	38	20	18.4	61	5	4.6
DBA177	CHRYSLER	F	V	282	38	24	22.4	73.4	5	6.5
DBA184	HONDA	F	V	262	51	21	19	64	4	5.3
DBA185	HONDA	F	V	282	51	21	19	64	4	5.9
DBA186	HONDA	F	V	262	51.5	21	19	64	4	5.5
DBA187	HONDA	F	V	242	44.5	19	17	61	4	4.5
DBA190	HONDA	F	S	231	50	12	10	61	4	4.0
DBA191	HONDA	F	S	231	44	12	10	61	4	3.3
DBA196	HONDA	F	V	242	50	19	17	61	4	4.2
DBA200	HONDA	F	V	282	47	23	21	64	4	6.1
DBA202	CHRYSLER	F	V	283	63	24	22.3	78	5	7.2
DBA205	MITSUBISHI	F	S	256	32.5	13	11.5	80	4	4.4
DBA206	CHRYSLER	F	S	249	35.6	12.9	11.5	69	4	4.1
DBA207	MITSUBISHI	R	S	280	73	10.5	8.8	68	4	5.1
DBA208	MITSUBISHI	F	V	254	39	24	22.4	87	5	4.8
DBA213	MITSUBISHI	F	V	296	45.2	30	28.4	69	5	7.0
DBA214	MITSUBISHI	R	V	284	52.8	20	18.4	90	5	5.8
DBA215	MITSUBISHI	F	S	228	40	13	11.4	86	4	3.8
DBA216	MITSUBISHI	F	V	314	45.5	30	28.4	69	5	8.6
DBA217	MITSUBISHI	R	V	297	50.5	20	18.4	90	5	6.4
DBA219	MITSUBISHI	F	V	242	34.5	18	16.4	86	4	3.7
DBA220	MITSUBISHI	F	S	255	34	20	18.4	84	6	6.1
DBA221	MITSUBISHI	F	V	266	45.5	24	22.4	69	4	5.9
DBA222	MITSUBISHI	R	S	251	49	10	8.4	HUB	4	6.4
DBA223	MITSUBISHI	R	S	276	84	10	8.4	HUB	4	8.0
DBA224	MITSUBISHI	F	V	275	45	20	18.4	87	6	5.7
DBA225	MITSUBISHI	F	V	232	29.5	20	18.4	84	5	4.3
DBA226	MITSUBISHI	F	V	255	34	20	18.4	84	5	4.9
DBA228	MITSUBISHI	F	V	255	45	20	18.4	87	6	5.3
DBA229	MITSUBISHI	F	V	277	45.5	22	20.4	87	6	6.5
DBA230	MITSUBISHI	F	V	258	33.5	22	20.4	84	5	5.1
DBA231	MITSUBISHI	F	V	258	33.5	22	20.4	84	6	5.1
DBA232	MITSUBISHI	F	V	258	45	22	20.4	87	6	6.6
DBA233	MITSUBISHI	R	S	315	84	18	16.4	108	6	9.0

F721 2019 Red Master v45.indd 249 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
DBA234	MITSUBISHI	F	V	276	45	24	22.4	87	6	6.3
DBA236	MITSUBISHI	F	V	276	45.3	27	25.4	87	6	6.9
DBA237	MITSUBISHI	F	V	314	45.5	24	22.4	87	6	7.4
DBA239	MITSUBISHI	F	V	286	39	22	20	69	5	5.8
DBA240	AUDI	F	S	239	35.2	12	10	65	4	3.4
DBA245	VW	F	S	278	82.5	13	11.5	66	5	6.3
DBA250	MERCEDES BENZ	F	S	273	63.3	12.7	10.6	70	5	6.6
DBA251	MERCEDES	R	S	279	72	10	8.3	67	5	4.4
DBA252	MERCEDES BENZ	F	S	273	63.3	12.7	10.6	80	5	5.3
DBA254	MERCEDES	F	S	278	63.3	12.7	10.6	80	5	5.2
DBA255	MERCEDES	F	V	278	67	22	20	80	5	6.9
DBA258	MERCEDES BENZ	F	V	278	69	22	19.4	80	5	6.5
DBA259	MERCEDES BENZ	F	V	286	60	22	19.4	80	5	6.6
DBA260	MERCEDES	F	S	262	43	11	9	67	5	4.0
DBA261	MERCEDES	R	S	258	55	9	7.3	67	5	3.8
DBA262	MERCEDES	F	V	300	68.5	27.5	25.4	80	5	8.0
DBA263	MERCEDES BENZ	F	S	284	46	12	10	67	5	5.1
DBA264	MERCEDES	F	V	284	43	22	19.4	67	5	6.0
DBA265	MERCEDES	F	S	284	43.4	12	10	67	5	5.0
DBA266	MERCEDES	F	V	295	49.5	22	19.4	67	5	7.1
DBA267	CHRYSLER	R	S	278	56	9	7.3	67	5	3.7
DBA268	MERCEDES BENZ	F	V	294	50	24	22.4	67	5	7.2
DBA269	MERCEDES BENZ	F	V	284	43	22	19.4	67	5	5.8
DBA273	PEUGEOT	F	V	247	35	20.5	18.6	66	4	4.6
DBA274	PEUGEOT	F	V	266	27.5	20.5	18.6	66	4	5.0
DBA275	PEUGEOT	F	V	283	27.5	22	20	66	4	6.3
DBA276	PEUGEOT	R	S	246.5	25	8	6	71	4	2.9
DBA277	PEUGEOT	F	V	283	28.2	26	24	66	4	7.1
DBA279	MERCEDES BENZ	F	V	262	44.5	22	19.4	67	5	5.1
DBA280	MERCEDES BENZ	F	V	300	45.5	28	25.4	67	5	7.5
DBA282	MERCEDES BENZ	F	V	310	83	28	25.4	67	5	8.8
DBA283	MERCEDES BENZ	R	S	290	60	12	9.8	67	5	5.0
DBA284	MERCEDES	F	V	320	82	30	27.4	67	5	12.5
DBA285	MERCEDES BENZ	R	V	300	60	22	19.4	67	5	7.1
DBA286	MERCEDES	F	V	288	47	25	22.4	67	5	7.0
DBA287	MERCEDES	R	S	278	55	9	7.3	67	5	7.5
DBA288	MERCEDES	F	V	300	47	28	25.4	67	5	8.7
DBA289	MERCEDES BENZ	R	S	290	54	10	8.3	67	5	4.6
DBA291	DAIHATSU	F	S	234	47	11	10	56	4	3.6
DBA294	DAIHATSU	F	S	208	29	11	10	47	4	2.5
DBA295	DAIHATSU	F	V	234	47	18	17	56	4	4.1
DBA296	DAIHATSU	F	S	234	47	11	10	56	4	3.7
DBA304	NISSAN	R	S	235	36.5	10	9	HUB	4	4.9
DBA315	NISSAN	F	S	253	48	12.7	10.5	73	4	4.6
DBA329	NISSAN	F	V	295	29	20	18	104	6	7.1
DBA334	FORD	F	V	250	35.5	20	18.5	75	4	4.9
DBA336	MAZDA	F	V	228	59	18	17	HUB	4	6.0
DBA339	MAZDA	F	S	206	54	13	12	HUB	4	5.0
DBA340	SUBARU	F	S	229	52	12.5	10	70	4	4.2
DBA343	RENAULT	F	V	228	45.5	20	19	83	6	3.8
DBA347	RENAULT	F	S	250	45	9	8	84	3	3.5
DBA351	RENAULT	F	V	238	41	20.1	17.7	61	4	4.3
DBA356	ALFA	F	V	284	44	22	20.2	59	5	6.5
DBA359E	ALFA	R	S	251	50.5	10	9	59	5	3.9
DBA380	VOLVO	F	S	263	65	14.5	13.1	68	5	5.5
DBA381	VOLVO	R	S	281	73.5	9.6	8.4	68	5	5.2
DBA383	VOLVO	F	V	263	67.5	22	20.4	68	5	6.1
DBA385	SAAB	F	S	280	47.5	12.7	11.7	86	4	5.1
DBA386	SAAB	F/R	S	267	51	9.7	8	87.5	5	3.7
DBA388	SAAB	F	S	280	65.6	12.8	11.7	86	4	5.8

F721 2019 Red Master v45.indd 250 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
DBA396	PORSCHE	F	S	282	35	12.5	11	107	5	5.0
DBA402	MITSUBISHI	F	V	276	45	24	22.4	69	4	5.9
DBA402B	PROTON	F	V	276	45	24	22.4	69	4	6.0
DBA403	MITSUBISHI	R	S	265	49	10	8.4	90	4	4.2
DBA404	MITSUBISHI	R	S	262	60	10	8.4	90	4	4.1
DBA405	HONDA	F	V	282	47	28	26	64	5	7.6
DBA406	MITSUBISHI	R	S	260	41	10	8.4	90	4	3.7
DBA408	MITSUBISHI	F	S	234	45	13	11.4	64	4	3.6
DBA410	PROTON	R	S	260	41	10	8.4	64	4	3.5
DBA411	MITSUBISHI	F	V	256	45	24	22.4	69	4	4.6
DBA411B	MITSUBISHI	F	V	256	45	24	22.4	69	5	5.0
DBA413	MITSUBISHI	F	V	235	45	18	16.4	64	4	3.9
DBA417	MITSUBISHI	F	V	294	46	24	22.4	69	5	6.7
DBA418	MITSUBISHI	F	V	320	43.5	32	29.8	69	5	10.2
DBA419	MITSUBISHI	R	V	300	58	22	20.4	90	5	7.2
DBA421	MITSUBISHI	F	V	256	45.2	24	22.4	69	5	4.8
DBA422	MITSUBISHI	R	S	258	66	10.4	8.4	90	5	4.6
DBA423	MITSUBISHI	R	V	266	65.5	18	16.4	90	5	5.6
DBA425	MITSUBISHI	F	V	276	45	24	22.4	69	5	6.4
DBA426	MITSUBISHI	R	S	258	56.5	10.5	8.4	90	5	4.3
DBA431	SAAB	F	V	280	44.5	25	23	68	4	6.7
DBA432	SAAB	R	S	258	43	9	7.5	68	4	3.3
DBA438	HONDA	R	S	260	42.2	9.1	8	64	5	3.4
DBA440	AUDI	F	S	257	40.5	13	11	68	4	3.9
DBA442	VW	F	S	278	82.5	13	11.5	HUB	5	8.6
DBA443	VW	F	S	258	54	16	13	HUB	5	7.7
DBA446	VW	F	V	256	38.7	20	18	65	4	4.5
DBA448	VW	F	S	282	64.5	18	15	68	5	7.4
DBA450	HYUNDAI	F	V	241	52	19	17.7	63	4	4.5
DBA451	HYUNDAI	F	V	242	40.5	19	17.7	86	4	4.3
DBA452	HYUNDAI	F	V	257	45.5	22	20	69	4	5.2
DBA453	HYUNDAI	F	V	257	34	22	20	86	4	5.2
DBA454	HYUNDAI	R	S	263	46	12	10	90	4	3.9
DBA455	HYUNDAI	R	S	260	59.5	12	10.5	90	4	4.2
DBA456	HYUNDAI	F	V	257	45	24	21.6	69	4	5.8
DBA457	HYUNDAI	R	S	257	40.5	10	8	76	4	3.9
DBA458	HYUNDAI	R	S	262	61	10	8	76	4	4.4
DBA459	HYUNDAI	R	S	257	40	10	8	90	4	3.9
DBA460	HYUNDAI	F	V	276	46.5	26	24	69	5	6.5
DBA461	HYUNDAI	R	S	262	61	10	8.4	76	5	4.7
DBA463	HYUNDAI	F	V	257	47.5	25	22.4	69	4	6.1
DBA464	HYUNDAI	F	V	276	47	26	24	69	5	6.4
DBA465	HYUNDAI	R	S	284	61	10	8.4	76	5	4.8
DBA466	HYUNDAI	F	V	280	43	27	25.4	87	6	7.1
DBA467	HYUNDAI	R	V	315	86.5	20	18.4	108	6	8.2
DBA469	HYUNDAI	R	S	258	45	10	8	75.5	5	4.1
DBA470	HONDA	F	V	260	34	23	21	92	4	4.8
DBA471	HONDA	R	S	260	49	10	8	64	4	4.1
DBA473	HONDA	F	V	240	45	21	19	61	4	4.7
DBA474	HONDA	F	V	262	45	21	19	64	4	5.4
DBA475	HONDA	R	S	239	48	9	8	61	4	3.7
DBA476	HONDA	F	V	300	47.5	28	26	70	5	7.4
DBA477E	HONDA	R	S	260	48	9	8	64	5	3.8
DBA478	HONDA	F	V	282	47	23	21	70	5	6.2
DBA480	HONDA	F	V	260	47	23	21	64	4	5.5
DBA481	HONDA	R	S	260	43	10	8	64	4	3.6
DBA482	HONDA	F	V	300	40	25	23	70	5	6.3
DBA483	HONDA	R	S	282	40	12	10	64	5	4.5
DBA484	HONDA	F	V	282	36	28	26	70	5	6.8
DBA486	HONDA	F	V	298	36.5	28	26	70	5	6.8

F721 2019 Red Master v45.indd 251 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
DBA487	HONDA	R	V	303	32.5	23	21	64	5	6.5
DBA488	HONDA	F	V	282	47	23	21	64	5	6.4
DBA489	HONDA	R	S	260	48	9	8	64	5	3.9
DBA491	DAIHATSU	F	V	277	33	18	17	96	5	5.1
DBA493	DAIHATSU	F	S	179	33	10	9	70	4	1.8
DBA494	DAIHATSU	R	S	236	40	10	9	56	4	2.9
DBA495	DAIHATSU	F	V	234	41	16	15	55	4	3.6
DBA496	DAIHATSU	F	S	273	37.5	16	15	66.5	5	5.3
DBA498	DAIHATSU	F	V	246	42	17	16	55	4	4.3
DBA499	HONDA	R	S	282	61	12	10	64	5	0.0
DBA500	FORD	F	V	287	70	24	21	71.8	5	7.5
DBA501	FORD	R	S	287	51.5	10.5	8.5	70.5	5	5.6
DBA502	FORD	F	V	287	65	28	25.6	71.8	5	8.4
DBA503	FORD	R	S	287	51	16	14.5	70.5	5	6.8
DBA504E	FORD	F	V	298	65	28	26	71.7	5	9.1
DBA505E	FORD	R	S	303	51	16	14.5	70.5	5	7.7
DBA508	FORD	F	V	278	47.5	24	22.2	64	4	6.6
DBA509	FORD	R	V	253	43.5	20	18	64	4	4.2
DBA510	SUZUKI	F	S	290	46	10	9	107	5	5.2
DBA513	SUZUKI	F	S	290	46.5	10	8	107	5	4.8
DBA514	SUZUKI	F	V	287	46	17	15	107	5	4.8
DBA516	SUZUKI	F	V	250	47	18.5	16.5	64	4	4.5
DBA519	SUZUKI	F	V	235	50	20	18	60	4	3.9
DBA520	SUZUKI	F	V	246	50	20	18	60	4	4.6
DBA523	SUZUKI	F	V	257	49	17	15	60	4	4.7
DBA525	MAZDA	F	S	235	45	12	10	55	4	3.7
DBA526	LANDROVER	F	S	262	51	14	11	66	5	5.2
DBA527	LANDROVER	F	V	277	51.5	21	18	66	5	6.1
DBA528	LANDROVER	F	V	297	91.5	25	22	70	5	9.2
DBA529	FORD	F	S	240	43	12	10	63.5	4	3.8
DBA530	FORD	F	V	235	45.5	18	16	55	4	3.9
DBA531	FORD	R	S	231	35	9	8	55	4	2.9
DBA532	FORD	F	V	234.8	45	22	20	55	4	4.9
DBA532E	FORD	F	V	235	45.5	22	20	55	4	4.9
DBA533	FORD	F	V	257	45.5	22	20	55	4	5.7
DBA534	FORD	R	S	250.5	34.5	9	8	55	4	3.3
DBA535	MAZDA	F	V	274	45	22	20	72	5	5.6
DBA536	MAZDA	R	S	251	34.5	9	8	72	5	3.3
DBA537	MAZDA	F	V	258	47	24	22	55	4	5.8
DBA538	MAZDA	F	V	255	45	20	18	55	4	4.9
DBA539	MAZDA	R	S	261	40	10	8	55	4	3.9
DBA540	JEEP	F	V	305	64	26	24.5	72	5	8.4
DBA541	JEEP	R	S	305	75.5	10	8.5	72	5	6.2
DBA542	MINI	F	V	276	44	22	19	64	4	5.7
DBA543E	MINI	R	S	259	44	10	8.4	64	4	3.7
DBA545	MAZDA	F	V	270	46	22	20	55	4	5.7
DBA546	MAZDA	R	S	276	35	10	8	55	4	4.0
DBA548	VW	F	V	280	54	24	20	68	5	6.9
DBA549	LAND ROVER	R	S	298	59	14	13	101.6	5	6.9
DBA550	MERCEDES	F	V	303	51	26	23	67	5	7.5
DBA551	MERCEDES	R	S	285	53	15	12	67	5	6.4
DBA552	MERCEDES	F	V	345	51	32	30	67	5	12.6
DBA553	MERCEDES	R	S	331	55.5	14	12	67	5	8.4
DBA554	SSANYONG	F	V	278	40.5	24	22	88	6	6.3
DBA555	SSANYONG	R	S	300	67	10.5	8.5	105	6	6.1
DBA556	MERCEDES	F	S	260	40.5	12	10	67	5	4.0
DBA557	MERCEDES	F	V	260	40.5	22	19.4	67	5	4.9
DBA558	MERCEDES	F	V	276	35.5	22	19	67	5	5.2
DBA559	MERCEDES	R	S	258	55.2	8	7	67	5	3.3
DBA562	TOYOTA	F	V	275	49.5	25	23	55	5	6.6

F721 2019 Red Master v45.indd 252 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
DBA563	TOYOTA	R	S	269	56	9	7.5	55	5	3.9
DBA564	MERCEDES	F	V	276	60	22	19.5	67	5	6.1
DBA565	MERCEDES	R	S	280	63	10	8.5	67	5	4.7
DBA566	MERCEDES	F	V	276	77	22	19.5	85	5	7.1
DBA567	MERCEDES	R	S	272	97	16	14	85	5	7.4
DBA568	TOYOTA	F	V	275	49.5	28	26	62	5	7.3
DBA573	NISSAN	F	V	280	49	28	26	68	5	8.0
DBA574	NISSAN	R	V	292	62	16	14	68	5	5.3
DBA579	SUZUKI	F	V	310	29	22	20	108	5	6.5
DBA586	LEXUS	R	V	291	67.5	16	15	60	5	0.0
DBA587	SUZUKI	F	S	290	46	10	8	108.3	5	4.7
DBA602	HOLDEN	F	V	240	45.5	18	16	60	4	4.4
DBA603	NISSAN	F	V	240	45.5	18	16	61	4	4.4
DBA606	NISSAN	R	S	234	80.6	10	9	HUB	4	5.0
DBA609	NISSAN	F	S	250	43	12	10.5	HUB	4	7.6
DBA610	NISSAN	F	S	284	44.5	10.4	9.4	76	4	5.3
DBA611	NISSAN	R	S	280	77	10.5	9.5	68	4	5.9
DBA612	NISSAN	F	V	250	22	18	16	73	4	4.2
DBA614	FORD	R	S	258	45	10	8	68	4	4.3
DBA615	NISSAN	F	V	250	48	22	20	HUB	4	8.0
DBA616	NISSAN	R	S	260	60	10.4	9.4	68	4	4.4
DBA617	NISSAN	F	V	257	49	22	20	68	4	5.8
DBA618	NISSAN	F	V	260	37.5	26	24	81	6	6.3
DBA620	NISSAN	F	V	250	37.5	22	20	81	6	5.4
DBA621	NISSAN	F	V	266	39.5	22	20	100	6	6.0
DBA622	NISSAN	R	V	315	80	18	16	111	6	8.0
DBA623	NISSAN	F	V	306	35.5	26	24	104	6	9.3
DBA624	NISSAN	F	V	277	39	26	24	100	6	7.5
DBA625	NISSAN	F	V	306	47	32	30	109	6	10.3
DBA626	NISSAN	F	V	283	38	28	26	100	6	7.1
DBA627	NISSAN	F	V	250	30	22	20	73	4	5.2
DBA628	NISSAN	F	V	250	45	18	16	61	4	4.7
DBA629	NISSAN	F	V	300	38	28	26	100	6	9.1
DBA631	FORD	F	V	255.8	21	20	18	86	6	4.1
DBA633	MAZDA	F	V	264	47	24	22	64	5	5.6
DBA635	MAZDA	F	S	219	37	13	11	75	4	3.3
DBA636	MAZDA	F	V	276	65	22	20	77	5	6.4
DBA637	MAZDA	R	V	273	53	20	18	66	5	5.1
DBA638	MAZDA	F	V	255	57	22	20	HUB	5	7.6
DBA640	SUBARU	F	V	230	52	18	15.5	70	4	4.2
DBA641	SUBARU	F	V	242	44	18	16	70	4	4.5
DBA642	SUBARU	F	V	260	57	24	22	58	5	5.9
DBA644	SUBARU	R	S	266	67.5	10	8.5	58	5	4.7
DBA645	SUBARU	F	V	242	53	18	16	58	5	4.5
DBA648E	SUBARU	F	V	277	57	24	22	58	5	6.2
DBA649	SUBARU	R	V	266	67.5	18	16	58	5	5.2
DBA650E	SUBARU	F	V	294	57	24	22	58	5	6.8
DBA653	SUBARU	R	V	290	67.5	18	16	58	5	5.9
DBA654-10	SUBARU	F	V	326	53	30	28	58	10	10.6
DBA655-10	SUBARU	R	V	316	67.5	20	18	58	10	8.2
DBA656-10	SUBARU	R	V	290	67.5	18	16	58	10	6.1
DBA657	SUBARU	R	S	290	67.5	10	8.5	58	5	5.4
DBA659	MAZDA	F	V	255	72.4	22	20	HUB	5	7.6
DBA660	MITSUBISHI	F	V	290	46	26	24.4	94	6	6.6
DBA661E	MITSUBISHI	R	V	300	72	22	20.4	94	6	6.9
DBA662	MITSUBISHI	F	V	254	39	24	22.4	87	6	5.0
DBA663	MITSUBISHI	F	V	276	45.3	24	22.4	87	6	6.2
DBA665	ALFA	F	V	284	44	22	20.2	59	4	6.4
DBA671	BMW	R	S	258	60.1	10	8.4	62	4	4.5
DBA677	BMW	F	V	280	78.1	25	23.4	74	5	6.7

F721 2019 Red Master v45.indd 253 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
DBA678	BMW	F	S	260	35.1	12.7	11.1	66	4	4.8
DBA679	BMW	F	V	260	35.1	22	20.4	66	4	5.3
DBA685	VOLVO	F	V	262.5	56	22	20	68	5	5.5
DBA687	VOLVO	F	S	239	29	12.7	11.4	68	4	3.5
DBA688	VOLVO	F	V	280	56	26	24	68	5	6.6
DBA690	TOYOTA	F	V	302	46	18	16	62	5	5.7
DBA692	TOYOTA	F	V	275	49	25	23	62	5	6.5
DBA693	TOYOTA	R	S	303	62	9	8	62	5	5.8
DBA695	TOYOTA	F	V	254	43	18	17	55	4	4.0
DBA697	TOYOTA	R	S	291	68.5	12	10.5	62	5	6.1
DBA698	TOYOTA	F	V	316	47	34	32	109	6	10.7
DBA699	TOYOTA	R	V	330	89	18	16	111	6	8.0
DBA701	TOYOTA	F	S	243	48	13.5	12.5	54	4	4.3
DBA702	TOYOTA	F	V	243	48	18	17	54	4	4.2
DBA703	TOYOTA	R	S	242	37	9	8	54	4	3.1
DBA704	TOYOTA	F	V	238	48	18	17	54	4	4.5
DBA705	TOYOTA	F	S	250	25	12.7	11.5	76	4	4.0
DBA709	TOYOTA	F	V	255	48	22	20	55	4	5.0
DBA710	TOYOTA	R	S	266	37	9	8	55	4	3.7
DBA711	TOYOTA	F	V	238	48	22	20	55	4	4.6
DBA712	TOYOTA	F	V	255	49.5	25	23	55	4	5.5
DBA713	TOYOTA	R	S	269	56	9	8	55	4	4.0
DBA714	TOYOTA	F	V	238	43	18	17	55	4	4.2
DBA715	TOYOTA	F	V	300	53.5	22	21	60	5	7.9
DBA716	TOYOTA	R	V	291	68.5	18	17	60	5	5.9
DBA721	TOYOTA	F	V	248	40	22	21	76	4	5.0
DBA722	TOYOTA	R	V	269	61	18	17	60	4	4.8
DBA723	TOYOTA	F	V	235	43	18	16	55	4	4.0
DBA724	TOYOTA	F	S	266	42	12.7	11.3	76	5	5.0
DBA728	TOYOTA	F	V	252	40	20	19	76	5	4.5
DBA730	TOYOTA	F	V	255	47.5	22	21	54	5	5.4
DBA731	TOYOTA	R	S	269	65	12	11	67	5	4.5
DBA732	TOYOTA	F	V	255	48	25	24	54	5	5.3
DBA733	TOYOTA	F	V	255	49	28	26	62	5	5.4
DBA734	TOYOTA	R	S	288	65	10	9	62	5	5.0
DBA735	TOYOTA	F	V	275	49.5	28	26	62	5	7.6
DBA736	TOYOTA	R	S	269	65	10	9	62	5	4.8
DBA737	TOYOTA	F	V	276	51	28	26	60	5	7.4
DBA738	TOYOTA	R	V	291	67.5	16	15	60	5	5.6
DBA739	TOYOTA	F	V	258	47.5	22	21	54	5	5.2
DBA740	TOYOTA	F	V	243	48	22	21	54	4	5.0
DBA741	TOYOTA	R	V	269	65	10	9	54	5	4.5
DBA742	TOYOTA	F	V	255	46	22	20	54	5	4.7
DBA743	TOYOTA	F	V	278	46	25	23	54	5	6.8
DBA744	TOYOTA	R	S	288	60	10	9	54	5	5.0
DBA745	LEXUS	F	V	315	53.5	28	26	62	5	10.0
DBA746	TOYOTA	R	V	307	67	16	15	62	5	6.0
DBA753	TOYOTA	F	V	255	43.25	20	18	55	4	4.9
DBA755	TOYOTA	F	V	230	37	18	17	74	4	4.0
DBA757	TOYOTA	R	S	291	65.5	9	8	62	5	5.0
DBA758	TOYOTA	F	V	260	45	20	19	95	5	5.5
DBA759	TOYOTA	F	V	275	50	25	23	55	4	7.4
DBA760	TOYOTA	F	V	255	53	25	23	62	5	5.2
DBA761	TOYOTA	F	V	279	53	22	20	62	5	6.8
DBA762	TOYOTA	F	V	271	53	25	23	62	5	6.5
DBA764	TOYOTA	R	S	269	65	9	8	55	5	4.4
DBA766	TOYOTA	F	V	255	47	25	23	84	5	5.8
DBA767	TOYOTA	F	V	285	46	28	26	84	5	7.8
DBA768	TOYOTA	F	V	285	46	28	26	84	6	7.9
DBA769	ALFA	F	V	305	45	28	26	59	5	9.8

F721 2019 Red Master v45.indd 254 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
DBA770	TOYOTA	F	V	300	49	30	29	106.5	5	10.2
DBA771	TOYOTA	F	V	296	101	35	33	126	5	11.8
DBA773	CHEV	F	V	295	63.5	32.8	30.9	78.7	8	8.0
DBA774	HOLDEN	F	V	317.5	70	33	31.4	137.2	8	9.6
DBA775	TOYOTA	F	V	291	66	25	23	100	6	7.7
DBA776	CHRYSLER	F	V	302	39	28	26.5	73.4	5	8.1
DBA777	CHRYSLER	R	S	290	56	12.5	11.25	72	5	5.8
DBA778	TOYOTA	F	V	255	42	25	23	74	4	5.7
DBA780	TOYOTA	F	V	289	64.5	20	18	100	6	6.5
DBA782	TOYOTA	F	V	286	58	25	23	106	6	7.4
DBA783	TOYOTA	F	V	254	46	22	20	84	5	5.3
DBA784	TOYOTA	F	V	311	58	32	30	105	6	8.7
DBA785	TOYOTA	R	V	312	103	18	16	106	6	8.1
DBA786	TOYOTA	R	V	336	103	18	16	106	6	8.1
DBA787	TOYOTA	R	V	312	68	18	16	106	6	6.6
DBA788	TOYOTA	F	V	312	71	32	30	115	5	8.8
DBA789	TOYOTA	R	V	330	103	18	16	110	5	8.2
DBA790	TOYOTA	F	V	322	65	32	30	115	5	9.2
DBA791	TOYOTA	R	V	335	103	18	16	110	5	8.1
DBA792	TOYOTA	F	V	319	70	22	20	108	6	7.0
DBA793	TOYOTA	R	V	312	68	18	16	106	6	6.7
DBA794	TOYOTA	R	V	312	102.5	18	16	110	5	7.6
DBA795	FORD	F	V	330	144	38	36	HUB	8	20.8
DBA796	FORD	R	V	326	98.5	30	28	126.5	8	11.5
DBA797	FORD	F	V	330	143	38	36	HUB	8	20.2
DBA798	FORD	F	V	331	99.5	38	36	128.7	8	16.2
DBA799	FORD	R	V	326	113	30	28	119.5	8	11.8
DBA800	AUDI	F / R	V	256	36.7	22	19	65	5	5.4
DBA801	AUDI	F	V	280	36.7	22	19	65	5	6.1
DBA802	AUDI	F	V	288	34.4	25	22	65	5	7.4
DBA803	AUDI	R	S	232	39.5	9	7	65	5	3.0
DBA804	AUDI	F	S	280	46.2	13	11	68	5	5.3
DBA805	AUDI	F	S	288	46.2	15	13	68	5	6.5
DBA806	AUDI	F	V	280	46.2	22	20	68	5	6.6
DBA807	AUDI	F	V	288	46.2	25	23	68	5	7.7
DBA808	AUDI	R	S	245	83.6	10	8	HUB	5	5.7
DBA809	AUDI	R	S	245	48	10	8	68	5	4.5
DBA810	AUDI	R	S	245	63.9	10	8	68	5	4.0
DBA811	HOLDEN	F	V	250	32	18	16.6	68	4	4.2
DBA813	BMW	F	V	332	62	30	28.4	75	5	11.7
DBA814E	BMW	R	S	324	80	12	10.4	75	5	7.4
DBA815	HOLDEN	F	V	280	42	25	22	70	5	7.0
DBA816	HOLDEN	R	S	264	42	10	8	65	5	4.0
DBA817	HOLDEN	F	V	256	41	24	21	60	4	5.1
DBA818	HOLDEN	R	S	240	42	10	8	57	4	3.3
DBA819	HOLDEN	R	S	260	69	10	8	57	4	4.1
DBA820	HOLDEN	F	S	236	41	12	9.7	60	4	4.1
DBA821	HOLDEN	F	V	236	41	20	17	60	4	4.2
DBA822	HOLDEN	F	V	256	41	20	17	60	4	5.1
DBA823	BMW	F	V	356	62	36	34.4	75	5	14.2
DBA824	BMW	R	V	324	80	20	18.4	75	5	8.2
DBA825	HOLDEN	F	V	288	42	25	22	70	5	7.8
DBA826	HOLDEN	R	S	286	69	10	8	65.5	5	5.2
DBA827	FORD	F	S	254	32	14.7	12.9	78	5	5.0
DBA828	FORD	F	V	270	43	24	22.15	78	5	6.7
DBA829	FORD	F	V	254	43	24	22.15	78	5	6.1
DBA830	VW	F	S	282	55	18	15	68	5	7.4
DBA831	VW	R	S	280	40	12	10	68	5	5.4
DBA832	VW	R	S	226	71.2	10	8	39.8	4	4.7
DBA833	VW	F	V	288	28.6	25	23	65	5	7.6

F721 2019 Red Master v45.indd 255 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
DBA835	VW	F	V	280	28.2	22	20	65	4	5.7
DBA836	VW	F	V	282	46	25	23	68	5	7.3
DBA837	VW	F	V	239	34	18	16	65	4	4.1
DBA840	HOLDEN	F	V	280	36	26	24.6	87.5	6	7.7
DBA841	HOLDEN	R	V	313	80.5	18	16.6	101	6	7.5
DBA842	HOLDEN	F	V	280	36	26	24.6	88	6	7.6
DBA845	TOYOTA	F	V	315	50.25	30	28	62	5	10.8
DBA846	TOYOTA	R	V	310	67.5	16	14.5	62	5	0.0
DBA847	HOLDEN	F	V	260	41.2	24	21	60	4	5.3
DBA849	HOLDEN	R	S	240	41	10	8	57	4	3.4
DBA850	FORD	F	V	260	47	24	22.2	63.5	4	5.6
DBA851	FORD	R	V	253	44	20	18	63.5	4	4.4
DBA852	FORD	F	V	276	46.5	26	24.75	71	5	7.6
DBA853	FORD	R	S	257	39.5	14	12.75	64.5	5	4.9
DBA854	FORD	F	V	239.5	43	20	18	63.5	4	4.5
DBA855	FORD	F	V	276	46.6	26	24.8	71	5	7.1
DBA856	FORD	R	S	267	50	14	12.8	71	5	5.3
DBA857	FORD	F	V	256	25	24	22	86	6	4.9
DBA859A	FORD	F	V	256	72	18	16	HUB	4	8.1
DBA859B	FORD	F	V	256	72	18	16	HUB	4	7.8
DBA860	FORD	F	V	286	66	26	24.5	72	5	7.6
DBA861	FORD	R	S	285	58.5	12	11	71	5	5.8
DBA868	EUNOS	F	V	274	50.8	28	26	72	5	7.0
DBA871	FORD	F	V	294	43	24	22.15	82	5	7.3
DBA873	KIA	F	V	258	48.5	24	22	22	4	6.0
DBA874	KIA	R	S	260	40	10	8	72	4	4.0
DBA875	KIA	F	V	240	44	20	18	57	4	4.5
DBA876	KIA	F	V	284	51	24	22.4	96	5	6.6
DBA877	KIA	F	V	274	48	24	22	72	5	6.3
DBA878	KIA	F	V	274	48	26	24	72	5	7.7
DBA880	VOLVO	F	V	280	50.5	26	23	68	4	5.3
DBA881	VOLVO	R	S	295	72	9.6	8.4	68	4	5.0
DBA882	VOLVO	F	V	280	50.5	26	23	68	5	6.8
DBA883	VOLVO	R	S	295	72.5	10	8.4	68	5	5.4
DBA885	VOLVO	F	V	256	46	24	21.5	69	4	5.3
DBA886	VOLVO	F	V	281	46	24	21.5	69	4	6.3
DBA887	VOLVO	R	S	260	41	10	8.4	90	0	3.7
DBA888	JEEP	F	V	280	78	24.5	22.7	72	5	6.9
DBA889	JEEP	F	V	288	65	28	26	72	5	8.1
DBA890	DAEWOO	F	S	236	41	12	9.7	60	4	3.8
DBA891	DAEWOO	F	V	256	41	24	22	60	4	5.8
DBA892	DAEWOO	F	V	256	47	24	22	60	5	5.8
DBA893	DAEWOO	R	S	258	64.5	10	8	57	5	4.8
DBA894	DAEWOO	F	V	256	47	24	22	60	4	5.4
DBA895	DAEWOO	R	S	258	64.5	10	8	57	4	4.9
DBA896	DAEWOO	F	V	236	41	20	17	60	4	4.0
DBA899	NISSAN	F	V	247	45	18	16	61	4	4.7
DBA900	NISSAN	F	V	252	45	20	18	61	4	4.9
DBA901	NISSAN	F	V	257	45	26	24	61	4	6.7
DBA902	NISSAN	R	S	258	45	9	8	68	4	3.6
DBA904	NISSAN	R	S	258	46.5	9	8	68	4	3.9
DBA906	NISSAN	R	S	258	47	9	8	68	5	3.8
DBA908	NISSAN	R	V	297	63	18	16	68	5	7.1
DBA909	NISSAN	F	V	280	54	30	28	68	5	8.1
DBA910	NISSAN	F	V	280	49.3	22	20	68	5	7.1
DBA912	NISSAN	R	S	258	45	10	9	68	5	3.8
DBA914	NISSAN	F	V	280	50	26	24	68	5	6.9
DBA915	NISSAN	R	S	278	45	9	8	68	5	4.2
DBA917	NISSAN	R	S	234	40	7	6	68	4	2.6
DBA918	NISSAN	F	V	250	49	18	16	68	4	4.7

F721 2019 Red Master v45.indd 256 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
DBA919	NISSAN	F	V	280	49	22	20	68	4	6.6
DBA920	NISSAN	F	S	234	45.5	12	10	59	4	3.7
DBA930	MAZDA	F	V	238	31	18	16	75	4	4.4
DBA931	MAZDA	R	S	222	35	10	8	HUB	4	4.5
DBA934	FORD	F	V	268	20	20	18	86	6	4.5
DBA937	FORD	F	V	298	75.5	30	28.5	HUB	5	11.3
DBA940	MAZDA	F	V	246	56	20	18	HUB	4	6.3
DBA947	MAZDA	F	V	294	67	22	20	72	5	7.3
DBA950	MAZDA	F	V	258	48.5	24	22	72	5	5.5
DBA951	MAZDA	R	S	261	40	9.5	8	72	5	3.9
DBA954	NISSAN	F	V	296	49.2	24	22	68	5	7.8
DBA956	MAZDA	R	V	286	56.5	18	16	72	5	6.0
DBA957	FORD	F	V	278	47	24	22	72	5	6.8
DBA958	MAZDA	F	V	255.7	24	24	22	86	6	5.3
DBA959	MAZDA	F	V	274	28	28	26	93	6	6.9
DBA962	MAZDA	F	V	274	51	28	26	72	5	7.3
DBA964	FORD	F	V	275	24	24	22	93	6	6.1
DBA965	FORD	F	V	272	25	22	20	93	6	6.0
DBA966E	BMW	F	V	300	52	22	20	79	5	7.4
DBA967	BMW	R	V	294	59.5	19	17.4	75	5	6.6
DBA971	BMW	F	V	302	76.1	28	26.4	79	5	9.0
DBA974	BMW	F	V	302	76.4	22	20.4	79	5	8.0
DBA976	BMW	R	S	300	61.1	10	8.4	75	5	5.5
DBA978	BMW	F	S	286	51.7	12	10.4	79	5	5.6
DBA979	BMW	F	V	286	51.6	22	20.4	79	5	6.5
DBA980	BMW	R	V	278	60	19	17.4	75	5	5.7
DBA983	BMW	R	S	280	60.1	10	8.4	75	5	4.9
DBA984E	BMW	F	V	315	52.5	28	26.4	79	5	9.5
DBA986	BMW	F	V	296	76	22	20.4	79	5	7.9
DBA987	BMW	R	S	298	61	10	8.4	75	5	5.4
DBA988	BMW	F	V	324	77.1	30	28.4	79	5	11.0
DBA991	BMW	R	S	324	61	12	10	75	5	7.2
DBA997	CHEV	R	V	304.8	50.4	20.5	19	71	5	6.4
DBA999	CHEV	F	V	304.8	56	20.5	19	71	5	6.4
DBA1602	HOLDEN	R	Dr	200	65.5	Drum	201	54	4	4.5
DBA1609	HOLDEN	R	Dr	200	84	Drum	201.4	HUB	4	4.6
DBA1611	FORD	R	Dr	180	55	Drum	181	HUB	0	4.5
DBA1626	FORD	R	Dr	203	81	Drum	204.3	HUB	4	7.3
DBA1628	FORD	R	Dr	200	58.2	Drum	201.5	55	4	4.1
DBA1642	FORD	R	Dr	295	80.8	Drum	296.5	93	6	12.1
DBA1644	MAZDA	R	Dr	270	80.7	Drum	271.5	93	6	10.4
DBA1650	HOLDEN	R	Dr	230	75.5	Drum	231.2	57	4	5.1
DBA1652	HOLDEN	R	Dr	254	71	Drum	255.5	97	6	7.0
DBA1653	HOLDEN	R	Dr	295	80.5	Drum	296.5	97	6	9.0
DBA1655	HOLDEN	R	Dr	295	80.5	Drum	296.5	101	6	9.0
DBA1656	HOLDEN	R	Dr	200	57	Drum	201	57	4	3.9
DBA1657	HOLDEN	R	Dr	254	71	Drum	255.5	101	6	8.7
DBA1658	ISUZU	R	Dr	295	80.4	Drum	296.5	101	6	10.0
DBA1659	HOLDEN	R	Dr	230	63	Drum	232	60	5	5.9
DBA1662	KIA	R	Dr	203	57	Drum	205.2	62	4	4.3
DBA1666	TOYOTA	R	Dr	180	80.5	Drum	181.4	HUB	4	4.6
DBA1677	HYUNDAI	R	Dr	180	58.4	Drum	182	76	4	3.4
DBA1679	HYUNDAI	R	Dr	203.2	64	Drum	205.2	62.5	4	4.5
DBA1680	DAEWOO	R	Dr	200	67	Drum	201	57	4	3.8
DBA1682	TOYOTA	R	Dr	180	48	Drum	181	55	4	3.2
DBA1701	NISSAN	R	Dr	180	57.5	Drum	181	68	4	4.0
DBA1703	NISSAN	R	Dr	295	88.5	Drum	296.5	100	6	10.0
DBA1704	NISSAN	R	Dr	295	88.5	Drum	296.5	100	6	10.6
DBA1709	NISSAN	R	Dr	295	85	Drum	296.5	111	0	10.3
DBA1711	NISSAN	R	Dr	295	110	Drum	296.5	111	6	13.3

F721 2019 Red Master v45.indd 257 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
DBA1716	NISSAN	R	Dr	260	73	Drum	262	100	6	7.4
DBA1717	NISSAN	R	Dr	203	66	Drum	204.5	68	4	4.9
DBA1718	NISSAN	R	Dr	180	75.5	Drum	181	HUB	4	4.1
DBA1727	MITSUBISHI	R	Dr	180	66	Drum	181	64	4	3.4
DBA1728	MITSUBISHI	R	Dr	229	59.5	Drum	230.6	90	5	5.0
DBA1730	TOYOTA	Dr	Dr	295	81	Drum	297	106	6	11.3
DBA1739	TOYOTA	R	Dr	254	78	Drum	256	91	6	7.0
DBA1743	TOYOTA	R	Dr	295	83	Drum	297	91	6	9.9
DBA1744	TOYOTA	R	Dr	295	83	Drum	297	106	6	9.2
DBA1746	TOYOTA	Dr	Dr	295	81	Drum	297	106	6	11.4
DBA1747	TOYOTA	R	Dr	270	81	Drum	272	67	5	9.1
DBA1753	TOYOTA	R	Dr	228.5	64	Drum	230.5	62	5	5.2
DBA1756	TOYOTA	R	Dr	254	73.5	Drum	256	62	5	9.2
DBA1757	TOYOTA	R	Dr	295	76	Drum	297	108	6	11.0
DBA1760	TOYOTA	R	Dr	270	81	Drum	272	69	5	8.8
DBA1761	TOYOTA	R	Dr	270	84	Drum	272	69	6	0.0
DBA1779	MITSUBISHI	R	Dr	180	74.3	Drum	181	HUB	4	4.8
DBA1781	MITSUBISHI	R	Dr	254	93.5	Drum	255.4	83	6	8.2
DBA1782	MITSUBISHI	R	Dr	254	70.5	Drum	255.4	75	5	7.1
DBA1793	JEEP	R	Dr	229	90	Drum	230	72	5	6.7
DBA1839	SUZUKI	R	Dr	220.6	64.9	Drum	222	100	5	6.0
DBA1840	SUZUKI	R	Dr	200	81.5	Drum	202	47	4	6.5
DBA1842	TOYOTA	R	Dr	200	65	Drum	201.4	55	4	4.1
DBA1843	VW	R	Dr	295	95.6	Drum	296.5	76	5	11.5
DBA1844	TOYOTA	R	Dr	254	71.8	Drum	256	106	6	9.1
DBA1845	TOYOTA	R	Dr	200	53.1	Drum	201	55	4	4.7
DBA1846	TOYOTA	R	Dr	254	71.8	Drum	256	107	6	9.1
DBA1860	SUZUKI	R	Dr	200	56.5	Drum	202.4	58	4	3.9
DBA1863	MITSUBISHI	R	Dr	295	91.5	Drum	297	94	6	11.3
DBA1864	MITSUBISHI	R	Dr	270	93.8	Drum	272	108	6	8.9
DBA1869	TOYOTA	R	Dr	254	73.3	Drum	256	62	5	0.0
DBA1873	HYUNDAI	R	Dr	180	62.7	Drum	182.4	63	4	3.7
DBA1874	NISSAN	R	Dr	295	88	Drum	296.5	68	6	10.9
DBA1900	MAZDA	R	Dr	200	58	Drum	201.5	55	4	0.0
DBA1901	HONDA	R	Dr	200	54	Drum	201.5	61	4	3.5
DBA1902	HYUNDAI	R	Dr	180	57.7	Drum	182	62.5	4	3.4
DBA1903	SUZUKI	R	Dr	180	63.2	Drum	182	HUB	4	0.0
DBA1904	KIA	R	Dr	200	67.5	Drum	201.5	HUB	4	0.0
DBA1905	KIA	R	Dr	200	67.5	Drum	201.5	HUB	4	0.0
DBA1906	FORD	R	Dr	228.5	70.2	Drum	230.2	63.5	4	0.0
DBA1907	FORD	R	Dr	200	57.4	Drum	201.5	63.5	4	4.2
DBA1908	TOYOTA	R	Dr	228.6	56.5	Drum	229.6	55	4	5.7
DBA1909	NISSAN	R	Dr	203.2	75	Drum	204.2	HUB	4	0.0
DBA1910	MITSUBISHI	R	Dr	203	59.2	Drum	205	72	5	0.0
DBA1911	FORD	R	Dr	228.7	66	Drum	230.1	72	5	0.0
DBA1912	SUZUKI	R	Dr	220	64	Drum	222	108.2	5	6.0
DBA1913	SUZUKI	R	Dr	220	64.5	Drum	222	64	5	0.0
DBA1914	SUZUKI	R	Dr	254	61	Drum	256	108.2	5	0.0
DBA1917	FIAT	R	Dr	180	54	Drum	181.4	59	4	0.0
DBA1918	RENAULT	R	Dr	228.6	89.2	Drum	229.5	HUB	4	0.0
DBA1919	HOLDEN	R	Dr	200	57	Drum	201	60	4	3.7
DBA1920	HONDA	R	Dr	220	60	Drum	221.5	64	5	5.7
DBA1921	HONDA	R	Dr	180	56	Drum	181	61	4	0.0
DBA1922	MITSUBISHI	R	Dr	203	60.1	Drum	205	64	4	0.0
DBA1923	HOLDEN	R	Dr	200	83.7	Drum	201	HUB	4	0.0
DBA1924	NISSAN	R	Dr	203	66.7	Drum	204.5	68	4	0.0
DBA1925	SSANGYONG	R	Dr	254	86.4	Drum	255.5	85	5	0.0
DBA2000	CHEV	F	V	305	58	29	27.2	79	6	8.9
DBA2001	CHEV	R	V	330	97	30	28.5	76	6	10.0
DBA2010	CHEVROLET	F	V	330	55.7	30	28	78.6	6	12.2

F721 2019 Red Master v45.indd 258 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
DBA2011	CHEVROLET	R	V	345	85.3	20	18.5	78.6	6	10.3
DBA2012E	HOLDEN	F	V	276	45.7	26	23	60	5	7.2
DBA2013E	HOLDEN	R	S	268	45.3	12	10	60	5	5.0
DBA2014E	HOLDEN	F	V	300	45.7	26	23	70.7	5	8.8
DBA2015E	HOLDEN	R	S	292	45.3	12	10	71	5	5.7
DBA2016	HOLDEN	R	S	264	42	10	8	57	4	4.0
DBA2020	HOLDEN	F	V	320	83	32	30	71.6	5	11.9
DBA2021	HOLDEN	R	V	286	80	18	16	70	5	6.9
DBA2026E	HOLDEN	F	V	298	52.2	30	28	67.5	5	8.5
DBA2027E	HOLDEN	R	V	302	56	22	20	67.4	5	7.5
DBA2028E	HOLDEN	F	V	321	52.2	30	28	67.5	5	9.7
DBA2029E	HOLDEN	R	V	324	56.1	22	20	67.4	5	8.7
DBA2032E	HOLDEN	F	V	236	41	20	18	59	4	4.1
DBA2033	ISUZU	F	V	252	36	22	20.6	88	6	5.5
DBA2034	HOLDEN	F	V	321	44	28	26	70	5	9.8
DBA2035	HOLDEN	R	S	278	42.2	10	8	65	5	4.2
DBA2036	HOLDEN	F	V	280	42.3	25	23	60	4	6.9
DBA2038E	HOLDEN	F	V	278	47	24	22	60	4	7.1
DBA2039	HOLDEN	R	S	276	58.5	12	10	60	4	5.6
DBA2040E	HOLDEN	F	V	296	52	29	27.4	70.7	5	9.0
DBA2041	HOLDEN	R	V	303	72	20	18.4	70.7	5	7.7
DBA2042	HOLDEN	F	V	256	47.5	24	22	60	4	5.7
DBA2042E	HOLDEN	F	V	256	47	24	22	60	4	5.7
DBA2043	HOLDEN	R	S	258	57	10	8	60	4	4.6
DBA2044	JAGUAR	F	V	300	43	30	28	71	5	8.5
DBA2045	JAGUAR	R	V	288	32.5	20	18.5	64.5	5	5.7
DBA2046	JAGUAR	F	V	305	49.5	28	26	73.8	5	0.0
DBA2047	JAGUAR	R	V	305	67.8	20	18.5	73.8	5	7.1
DBA2048	HUMMER	F	V	325	89.5	38	36.5	118.2	8	11.9
DBA2049	HUMMER	R	V	330	85.6	29	26.5	118.2	8	11.3
DBA2050	HOLDEN	F	V	302	45	28	25	71.5	5	9.3
DBA2051	CHEV	R	V	330	91.5	29	27	122	8	11.7
DBA2052	CHEV	F	V	296	43	26	23	66	5	7.5
DBA2054	HUMMER	F	V	315	70.4	28	26.5	100.7	6	9.6
DBA2055	HUMMER	R	S	312	67.9	12	10.5	101	6	6.4
DBA2060E	CHEV	F	V	300	40.3	27	25	88	6	8.5
DBA2061E	ISUZU	R	V	318	80.2	18	16.6	101	6	7.8
DBA2076E	HOLDEN	F	V	256	41	24	22	59	4	5.8
DBA2077E	HOLDEN	F	V	300	45.5	26	23	60	5	8.9
DBA2078	HOLDEN	F	V	345	52	30	28.5	67.5	5	10.6
DBA2079E	HOLDEN	F	V	300	61	27	25	104	6	0.0
DBA2080E	LANDROVER	F	V	300	52	28	26	63.5	5	8.9
DBA2081E	LANDROVER	R	S	302	66	12	10	63.5	5	6.9
DBA2082E	LANDROVER	F	V	316	52	28	26	63.5	5	10.4
DBA2083E	LANDROVER	R	V	302	66	20	18	63.5	5	7.7
DBA2084E	LANDROVER	F	V	325	52	30	28	63.5	5	11.0
DBA2085E	LANDROVER	R	S	300	42	10	8	63.5	5	5.5
DBA2086E	LANDROVER	R	S	302	59.9	11	9	63.5	5	6.1
DBA2087E	VOLVO	R	S	302	40.8	11	9	63.5	5	5.4
DBA2088E	VOLVO	F	V	336	52	28	26	63.5	5	11.8
DBA2089E	VOLVO	R	V	302	40.8	22	20	63.5	5	7.1
DBA2090	LANDROVER	F	V	317	62.2	30	27	79	5	10.4
DBA2091	LANDROVER	R	V	325	59.6	20	17	79	5	8.2
DBA2092	LANDROVER	F	V	344	76.2	30	28.4	79	5	12.8
DBA2093	LANDROVER	R	S	354	75	12	10.4	79	5	9.3
DBA2094	LANDROVER	F	V	337.5	62.2	30	27	79	5	11.8
DBA2095	LANDROVER	R	V	350	59.6	20	17	79	5	9.3
DBA2096	LANDROVER	F	V	360	62	30	27	79	5	12.5
DBA2097	LANDROVER	R	V	354	75.1	20	17	79	5	9.2
DBA2098	LANDROVER	F	V	360	81.3	30	27	79	5	12.2

F721 2019 Red Master v45.indd 259 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
DBA2100	FORD	F	V	258	43.5	22	20	63.5	4	5.5
DBA2103	FORD	R	S	280	25	10	8.9	63.5	4	3.9
DBA2105E	FORD	F	V	340	45.4	32	30	72	5	10.2
DBA2107E	FORD	F	V	322	68	28	26	71	5	10.6
DBA2108E	FORD	R	V	328	59	26	24	71	5	9.4
DBA2109	FORD	R	S	253	33	10	8.9	63.5	4	3.7
DBA2113	FORD	F	V	316	48.5	30	28.4	71	5	9.1
DBA2114	FORD	R	V	300	35	19	17.4	71	5	6.2
DBA2115	FORD	F	V	293	49	30	28.4	71	5	7.4
DBA2118E	FORD	F	V	278	48.5	25	23	64	5	7.4
DBA2119E	FORD	R	S	265	41	11	9	64	5	4.4
DBA2120	FORD	F	V	320	48.5	25	23	63.6	5	10.0
DBA2121	FORD	R	S	280	41	11	9	64	5	4.8
DBA2124	FORD	F	V	355	47	32	30	71	5	11.1
DBA2128E	FORD	F	V	300	52	28	26	63.6	5	9.0
DBA2129E	FORD	R	S	302	50.8	11	9	63.6	5	5.5
DBA2132E	FORD	F	V	301.5	60.7	32	30	98	6	11.5
DBA2133	FORD	R	S	280	16.3	16	13	107.5	10	5.8
DBA2134	FORD	F	V	336	52.3	28	26	63.5	5	11.8
DBA2135	FORD	R	S	280	68.8	16	13	96	5	8.6
DBA2137E	FORD	F	V	332	59	32	30	98	6	12.3
DBA2138	FORD	F	V	280	54.4	28	25	93	5	7.9
DBA2140	PROTON	F	V	266	44	22	20.4	69	4	5.6
DBA2141	PROTON	R	S	280	41	12	10.4	90	4	4.8
DBA2142	FORD	F	V	300	54.4	28	25	93	5	9.3
DBA2145E	FORD	R	S	271	41	11	9	63.5	5	4.6
DBA2146	FORD	F	V	305.5	45	28	26.35	71.8	5	9.8
DBA2147E	FORD	R	S	332	72.1	15.6	13.5	93	6	9.4
DBA2148	FORD	F	V	316	66	28	27.75	71.7	5	9.5
DBA2149	FORD	R	V	295	58.5	19	18	70.7	5	6.3
DBA2150	FORD	F	V	308	104	26	24.5	HUB	5	0.0
DBA2151	FORD	F	V	308	103	30	27.7	HUB	5	11.9
DBA2155	FORD	F	V	369	99.01	39	37.4	129.2	10	18.4
DBA2157	FORD	R	V	390	124	39	37.4	139.5	10	19.6
DBA2159E	FORD	F	V	347	100	38	36.4	129.2	8	16.3
DBA2161E	FORD	F	V	278	45	25	23	63.5	4	7.5
DBA2162E	FORD	F	V	258	44	23	21	63.5	4	6.0
DBA2164E	FORD	F	V	352	64	32	30	71	5	0.0
DBA2167	FORD	R	V	340	125	34	32.4	128	8	14.3
DBA2168E	FORD	F	V	316	51	28	26.5	63.5	5	10.6
DBA2169E	FORD	R	S	280	51	11	9	63.5	5	5.1
DBA2172E	JAGUAR	F	V	300	47	24	22	63.5	5	7.6
DBA2173	JAGUAR	R	S	280	34	12	10	63.5	5	5.3
DBA2174	JAGUAR	F	V	326	46.2	30	28	71	5	10.5
DBA2175	JAGUAR	R	V	326	38.2	20	18	64.5	5	7.2
DBA2177E	FORD	R	S	271	40.8	11	9	63.6	5	4.3
DBA2178	FORD	F	V	363	100	38	36.4	129.2	8	17.7
DBA2179	FORD	R	V	363	126.1	38	36.4	128.1	8	17.2
DBA2180E	NISSAN	F	V	296	49.2	26	24	68	5	8.3
DBA2181	CITROEN / PEUGEOT	R	S	249	69.2	9	7	HUB	4	5.5
DBA2182E	NISSAN	F	V	275	53	28	26	68	6	7.5
DBA2184E	NISSAN	F	V	320	49.3	28	26	68	5	10.2
DBA2185E	NISSAN	R	S	289.5	47	13	11	68	5	5.9
DBA2186E	NISSAN	F	V	296	44	26	24	68	5	7.7
DBA2200	MITSUBISHI	F	V	256	45	24	22.4	64	4	5.1
DBA2201E	MITSUBISHI	F	V	276	45.5	26	24.4	69	5	6.3
DBA2203	MITSUBISHI	R	S	262	60	10	8.4	90	5	4.3
DBA2204E	HOLDEN	R	V	314	45	23	20	70.7	5	0.0
DBA2206	MITSUBISHI	F	V	294	46	28	26.4	69	5	7.4
DBA2207	MITSUBISHI	R	V	302	59.2	18	16.4	69	5	6.2

F721 2019 Red Master v45.indd 260 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
DBA2208E	MITSUBISHI	F	V	295	46.5	28	26.4	94	6	7.3
DBA2209	MITSUBISHI	R	S	262	60.3	10	8.4	80	5	4.4
DBA2212E	MITSIBISHI	F	V	229	41.7	17	15.4	64	4	3.7
DBA2213	MITSUBISHI	R	S	302	58.6	10	8.4	80	5	5.9
DBA2214E	MITSUBISHI	F	V	276	45.5	26	24.4	69	4	6.3
DBA2215E	MITSIBISHI	R	V	315	84.2	18	16.4	94	6	8.2
DBA2216E	MITSUBISHI	F	V	332	56.7	28	26	94	6	9.7
DBA2217	MITSIBISHI	F	V	276	45.4	24	22	93	6	5.9
DBA2219E	MITSUBISHI	R	V	332	74.6	18	16	94	6	8.1
DBA2222	MITSUBISHI	F	V	293	54	40	37.7	110	5	12.7
DBA2226	MITSUBISHI	F	V	256	45.5	24	21.5	69	4	5.4
DBA2227	MITSUBISHI	R	S	250	38.5	10	8	69	4	3.4
DBA2228	MITSUBISHI	F	V	280	46.5	26	23.5	69	4	6.9
DBA2229	HYUNDAI	F	V	276	45.5	22	20.4	87	6	6.3
DBA2232	MITSUBISHI	F	V	256	45	20	18.4	64	4	4.9
DBA2233E	LEXUS	R	V	310	67.3	18	16.5	62	5	6.7
DBA2234E	MITSUBISHI	F	V	320	46	28	26	94	6	9.3
DBA2235E	MITSUBISHI	R	V	315	84.2	18	16.4	94	6	8.7
DBA2237E	MITSUBISHI	R	S	302	36.2	10	8.4	69	5	5.0
DBA2238E	VW	F	V	302	57	28	26	76	5	8.8
DBA2239E	HONDA	R	S	304.7	60.8	9	8	64	5	0.0
DBA2240E	VW	F	V	340	55.6	32.5	28.5	76	5	12.5
DBA2242	VW	F	V	308	55.6	29.5	25.5	76	5	10.7
DBA2243E	VW	R	V	314	76	22	20	76	5	8.1
DBA2244E	VW	F	V	330	69	32	30	85	5	0.0
DBA2245E	VW	R	V	330	74	28	26	85	5	9.1
DBA2246E	VW	F	V	350	69	34	32	85	5	12.6
DBA2247E	VW	R	V	294	44.4	22	19.5	76	5	7.1
DBA2248	VW	F	V	333	55.6	33	28.5	76	5	12.0
DBA2249	PORSCHE	R	V	358	73.5	28	26	85	5	10.3
DBA2250	MERCEDES	F	V	315	83	30	27.4	85	5	10.6
DBA2251E	MERCEDES BENZ	R	S	300	68.3	10	8.3	67	5	5.5
DBA2252	MERCEDES	F	V	330	55	32	29.4	67	5	12.2
DBA2253	MERCEDES	R	S	330	63	14	11.4	67	5	8.1
DBA2254	MERCEDES	F	V	350	54.7	32	29.4	67	5	13.6
DBA2255	MERCEDES	R	V	330	63	22	19.4	67	5	8.6
DBA2256E	MERCEDES	F	V	300	58.6	28	25	67	5	8.8
DBA2257	MERCEDES	R	S	296	57.8	10	8	67	5	5.2
DBA2258	MERCEDES	F	V	296	54.5	28	25.4	67	5	7.8
DBA2259	MERCEDES	R	V	300	68.5	22	19.4	67	5	7.4
DBA2261	MERCEDES	R	S	278	57.5	9	7.3	67	5	4.4
DBA2262E	MERCEDES	F	V	295	64.5	28	25.4	67	5	8.8
DBA2263	MERCEDES	R	S	300	57.7	10	8.3	67	5	5.3
DBA2264	MERCEDES	F	V	288	64.5	25	22	67	5	7.1
DBA2265	MERCEDES	R	V	300	58	22	19.4	67	5	6.7
DBA2266	MERCEDES	F	V	294	68.5	24	22	85	5	7.9
DBA2267	MERCEDES	R	S	258	96.5	12	10	85	5	6.6
DBA2268	MERCEDES	R	V	284.8	93	22	19	120.2	6	7.5
DBA2269E	MERCEDES	R	S	298	71.5	16	14	85	6	7.8
DBA2270E	MERCEDES	F	V	300	68.5	28	25	85	6	9.7
DBA2271	MERCEDES	R	V	303	93	28	25	120	6	10.5
DBA2273	CITROEN / PEUGEOT	R	S	247	35	9	8	71	4	3.4
DBA2274E	CITROEN	F	V	266	34.2	22	20	66	4	5.4
DBA2275E	CITROEN	F	V	283	34.2	26	24	66	4	7.3
DBA2276	CITROEN / PEUGEOT	F	V	302	34	26	24	66	4	8.7
DBA2277	CITROEN / PEUGEOT	R	S	249	69	9	8	HUB	4	4.8
DBA2278	CITROEN / PEUGEOT	F	V	330	48	30	28	71	5	11.6
DBA2280E	BMW	F	V	360	62.3	30	28.4	79	5	12.4
DBA2281E	BMW	R	V	350	66.5	24	22.4	75	5	11.5
DBA2282E	BMW	F	V	300	73	22	20.4	79	5	7.7

F721 2019 Red Master v45.indd 261 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
DBA2284E	BMW	F	V	330	73	24	22.4	79	5	10.2
DBA2285E	BMW	R	V	300	66	20	18.4	75	5	7.0
DBA2286E	BMW	F	V	370	73.1	30	28.4	79	5	14.1
DBA2290E	GREAT WALL	F	V	280	36	26	24	88	6	7.1
DBA2291E	GREAT WALL	R	S	313	80.2	18	16	101	6	7.5
DBA2292E	SSANYONG	F	V	298	45.6	26	24	67	5	7.7
DBA2294E	ALFA	F	V	281	39.5	26	24.2	70	5	7.0
DBA2295E	ALFA	R	S	264	40.5	10	8	70	5	0.0
DBA2296	ALFA	F	V	305	40	28	26	70	5	8.0
DBA2297	ALFA	R	S	278	43	12	10	70	5	5.0
DBA2298	ALFA	F	V	330	40	28	26	70	5	10.3
DBA2299	ALFA	R	S	292	43	22	20	70	5	6.7
DBA2301	NISSAN	R	S	278	45	10	9	68	4	4.8
DBA2303	NISSAN	R	S	258	45	10	8	68	4	3.7
DBA2305E	NISSAN	F	V	260	40	26	24	92	6	6.0
DBA2306	NISSAN	F	V	319	43.5	26	24.5	82	6	9.0
DBA2307	NISSAN	R	S	319.5	58.5	14	12	82	6	7.8
DBA2308	NISSAN	F	V	320	49.2	28	26	68	5	10.2
DBA2309	NISSAN	R	V	308	62	16	14	68	5	6.2
DBA2310E	NISSAN	F	V	295.6	38.3	28	26	68	6	8.1
DBA2311E	NISSAN	R	V	308	62.8	18	16	68	6	6.8
DBA2312E	NISSAN	F	V	320	38.5	28	26	68	6	9.6
DBA2313E	NISSAN	R	V	308	62.2	16	14	68	5	6.3
DBA2314	NISSAN	F	V	354.6	49.2	32	30	68	5	13.7
DBA2315	NISSAN	R	V	350	62	20	18	68	5	9.3
DBA2316E	NISSAN	F	V	296	44	26	24	68	5	7.6
DBA2324	NISSAN	F	V	319.5	49	34	32	68	5	12.2
DBA2326	NISSAN	F	V	238	43.7	22	20	61	4	4.1
DBA2327	NISSAN	F	V	290	49	28	26	68	5	8.1
DBA2328E	NISSAN	F	V	260	44	22	20	68	4	4.9
DBA2329	RENAULT / NISSAN	F	V	320	44	28	26	68	5	9.8
DBA2331	NISSAN	R	S	292	62	9	8	68	5	5.1
DBA2332E	NISSAN	F	V	295.6	53	28	26	68	6	8.6
DBA2333E	NISSAN	F	V	296	44	26	24	68	5	7.9
DBA2335E	NISSAN	F	V	280	44	24	22	68	5	6.8
DBA2338	NISSAN	F	V	252	49	20	18	68	4	4.7
DBA2339E	INFINITY	R	V	350	62	20	18	68	5	9.7
DBA2340	NISSAN	F	V	357.7	58.3	34	32	82	6	15.9
DBA2341	NISSAN	R	V	350	64.5	20	18	82	6	9.6
DBA2345E	NISSAN	F	V	259.7	44	22	20	61	4	5.5
DBA2348	NISSAN	F	V	350	43.2	30	28	90	6	13.0
DBA2350	RENAULT	F	V	312	63	28	26	61	5	8.4
DBA2351	RENAULT	R	S	240	80.6	8	7	HUB	4	0.0
DBA2352	RENAULT	F	V	259	41	20.6	17.7	61	4	5.0
DBA2353E	RENAULT	F	V	280	44	24	21.8	61	4	7.5
DBA2354	RENAULT	R	S	238	74.7	8	7	HUB	4	4.0
DBA2357E	RENAULT	F	V	258	44	22	19.8	61	4	5.8
DBA2360	ALFA	F	V	272	58	22	20	82.1	4	6.4
DBA2362	RENAULT	F	V	300	44	24	21.8	61	4	8.6
DBA2365	RENAULT	F	V	280	44	24	22	68	5	7.0
DBA2366E	RENAULT	F	V	340	63	28	26	68	5	11.7
DBA2367	RENAULT	R	S	290	103.5	11	8.5	HUB	5	9.1
DBA2373E	BMW	F	V	310	77.1	24	22.4	79	5	8.7
DBA2374	VOLVO	F	V	328	52	30	28	63.5	5	12.7
DBA2375	VOLVO	R	V	305	51	22	20	63.5	5	7.7
DBA2376	VOLVO	F	V	336	50.4	30	27	68	5	11.8
DBA2377	VOLVO	R	S	308	65	20	18	68	5	7.5
DBA2378	VOLVO	F	V	316	50.4	28	25	68	0	9.3
DBA2380E	VOLVO	F	V	300	48.5	25	23	64	5	8.6
DBA2381	RENAULT	R	S	260	86.2	8	7	HUB	5	6.5

F721 2019 Red Master v45.indd 262 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
DBA2382	VOLVO	F	V	286	50.3	26	23	68	5	7.1
DBA2383	VOLVO	R	S	288	65	12	10	68	5	5.8
DBA2384	VOLVO	F	V	305	50.3	28	25	68	5	10.1
DBA2387E	PORSCHE	R	V	292	67	20	18	98	5	6.1
DBA2389E	PORSCHE	R	V	299	67	20	18	98	5	6.4
DBA2392	PORSCHE	F	V	322	77.5	32	30	103	5	9.6
DBA2393E	PORSCHE	F	V	330	69	28	26	98	5	10.0
DBA2395E	PORSCHE	R	V	299	67	24	22	98	5	7.1
DBA2400E	FIAT	F	V	300	65	24	21.9	80	5	8.6
DBA2401	FIAT	R	S	280	82	16	14.2	72	5	7.8
DBA2402	FIAT	F	V	300	73.6	32	30	80	5	10.0
DBA2403	FIAT	R	S	300	80	16	14	79	5	8.2
DBA2404	FIAT	F	V	257	40.5	22	20.2	59	4	5.4
DBA2405	FIAT	F/R	S	240	40	11	9.2	59	4	3.7
DBA2406E	FIAT	F	V	280	71	28	25.9	73	5	0.0
DBA2407E	FIAT	F	S	257	40	12	10.2	59	4	0.0
DBA2408E	RENAULT	F	V	296	44	28	23.4	68	5	9.2
DBA2410E	PEUGEOT	F	V	283	48	26	24.7	71	5	7.3
DBA2411	PEUGEOT	R	S	290	35	12	10	71	5	5.3
DBA2412E	RENAULT	F	V	305	50	28	24	72	5	9.7
DBA2413	RENAULT	R	S	280	102.2	12	10	HUB	5	9.1
DBA2414E	RENAULT	F	V	302	70	28	24.5	90	5	9.7
DBA2415	RENAULT	R	S	305	71.4	12	10	90	5	6.9
DBA2416E	RENAULT	F	V	305	77.8	28	25	90	5	9.9
DBA2417	RENAULT	R	S	305	67	12	10	90	5	6.9
DBA2420	CHRYSLER	F	V	302	38.1	28	26.4	72.5	5	8.5
DBA2421E	CHRYSLER	R	S	305	33	12	10.4	72.5	5	5.8
DBA2422	CHRYSLER	F	V	294	45.5	26	24.4	69	5	7.1
DBA2424	JEEP	F	V	302	64	28	26.4	72	5	8.1
DBA2425	DODGE	R	S	302	60.3	10	8.4	80	5	5.7
DBA2426	DODGE	F	V	320	54.8	28	26.5	72.6	5	9.4
DBA2427	JEEP	R	S	316	76.5	12	10.4	72	5	7.7
DBA2431	DODGE	R	V	330	43.7	22.6	20.4	73.5	6	7.7
DBA2433E	DODGE	F	V	330	38	28	26.4	72.5	5	10.1
DBA2434E	DODGE	R	S	328	33.3	12	10.4	72.5	5	6.7
DBA2437	DODGE	R	S	320	67	10	8.5	72	5	6.9
DBA2438	CHRYSLER	F	V	345	55.1	28	26.5	72.6	5	10.7
DBA2439	CHRYSLER	R	V	320	67.3	22	20.5	72.6	5	8.8
DBA2440	DODGE	F	V	287	64	24	22.6	73.5	6	7.3
DBA2442	DODGE	F	V	336	67	28	26.4	78.6	5	10.8
DBA2443	DODGE	R	V	352.2	72.1	22	20.4	78.6	5	10.9
DBA2444	CHRYSLER / DODGE	F	V	360	58.5	32	30	72.5	5	12.8
DBA2445	CHRYSLER / DODGE	R	V	350	68.5	28	26	72.6	5	11.1
DBA2446	CHRYSLER	F	V	280	39.9	28	26.4	61	5	7.5
DBA2447	CHRYSLER	R	S	270	53.2	11.9	10	57.5	5	4.8
DBA2448	DODGE	F	V	355	59.6	32	30	73.5	6	12.0
DBA2449	DODGE	R	V	355	52.2	32	30	73.5	6	11.0
DBA2450E	HYUNDAI	F	V	241	48	19	17	62	4	4.9
DBA2451	HYUNDAI	F	V	256	48	19	17	69	4	5.2
DBA2452	HYUNDAI	F	V	294	46	26	24	69	5	7.5
DBA2453	HYUNDAI	R	S	262	63.8	10	8.4	62.5	4	4.7
DBA2454	HYUNDAI	F	V	303	43	28	26.4	87	6	8.8
DBA2455E	HYUNDAI	F	V	256	43.9	22	20	62	4	5.0
DBA2456E	HYUNDAI	F	V	300	47.5	28	26	69	5	8.7
DBA2457	HYUNDAI	R	S	284	54.3	10	8.4	76	5	4.8
DBA2458	HYUNDAI	F	V	257	47	24.5	22.4	64	4	6.1
DBA2459E	HYUNDAI	R	S	262	61	10	8.4	76	5	4.2
DBA2460E	HYUNDAI	F	V	300	52.5	30	28.4	96.2	6	10.0
DBA2461E	HYUNDAI	R	S	324	82.6	18	16.4	96.2	6	7.9
DBA2462	HYUNDAI	F	V	298	49.5	28	26.4	69	5	8.8

F721 2019 Red Master v45.indd 263 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
DBA2463	HYUNDAI	R	S	302	72	11	9.4	69	5	6.8
DBA2464E	HYUNDAI	F	V	280	47.2	26	24.4	69	5	7.4
DBA2469	HYUNDAI	R	S	284	25	10	8.4	76	5	4.1
DBA2472	HYUNDAI	F	V	320	47	28	26	69	5	9.8
DBA2473	HYUNDAI	R	S	300	25	10	8.4	76	5	4.6
DBA2474E	HYUNDAI	F	V	321	49.1	28	26.4	69	5	10.7
DBA2475	HYUNDAI	R	S	302	71.4	11	9.4	69	5	6.3
DBA2477	HYUNDAI	R	S	262	43.9	10	8.4	62	4	4.1
DBA2478	HYUNDAI	F	V	280	44.4	23	21.5	69	5	6.5
DBA2479	HYUNDAI	R	S	262	45	10	8.4	76	5	4.0
DBA2480	HYUNDAI	F	V	300	47.3	28	26.4	69	5	9.4
DBA2482E	HYUNDAI	F	V	340	49.5	28.5	26	69	5	0.0
DBA2483E	HYUNDAI	R	V	302	71.5	22	20	69	5	8.6
DBA2485E	HYUNDAI	R	S	262	61	10	8.4	76	5	4.6
DBA2489E	KIA	R	S	284	31.9	10	8.4	76	5	4.8
DBA2490E	KIA	F	V	305	46.7	25	23.4	69	5	8.2
DBA2491E	KIA	R	S	302	31	10	8.4	76	5	5.1
DBA2492E	HYUNDAI	R	S	302	54.5	10	8.4	76	5	5.7
DBA2493E	KIA	R	V	315	78.5	20	18.4	96.2	5	8.3
DBA2495E	SUZUKI	F	V	272	40	22	20	62	5	5.5
DBA2496E	SUZUKI	R	S	259	43.2	9	8	62	5	3.7
DBA2497E	HOLDEN	F	V	321	45.5	30	27	71	5	10.2
DBA2499E	KIA	R	S	305	71.4	11	9.4	69	5	6.0
DBA2500	HONDA	F	V	300	47.5	25	23	64	5	7.2
DBA2502	HONDA	R	S	260	48	9	8	61	4	4.0
DBA2503	HONDA	R	S	282	61	9	7.5	64	5	4.7
DBA2504	HONDA	F	V	240	39	21	19	61	4	4.1
DBA2504E	HONDA	F	V	240	39	21	19	61	4	4.1
DBA2505	HONDA	R	S	239	33	9	8	61	4	3.0
DBA2505E	HONDA	R	S	239	33	9	8	61	4	3.0
DBA2506	HONDA	F	V	282	48	25	23	64	5	6.7
DBA2507E	HONDA	F	V	262	44.7	21	19	61	4	5.2
DBA2508	HONDA	F	V	300	57.8	25	23	64	5	7.7
DBA2509	HONDA	R	S	282	55	9	7.5	64	5	4.7
DBA2510E	HONDA	F	V	300	47.2	28	26	64	5	8.4
DBA2511E	HONDA	R	S	260	49.7	9	8	64	5	3.9
DBA2513	HONDA	R	S	260	42	9	8	64	4	3.8
DBA2515	HONDA	R	S	260	48.5	10	8	64	5	3.9
DBA2518	HONDA	F	V	320	62	25	23	64	5	9.1
DBA2519	HONDA	R	S	282	49	9	8	64	5	4.4
DBA2521E	HONDA	F	V	320	47	32	30	64	5	10.6
DBA2523	HONDA	R	S	305	60	9	8	70	5	5.2
DBA2524	MINI	F	V	294	44	22	20.4	64	4	6.7
DBA2526	MINI	F	V	280	44	22	20.4	64	4	5.7
DBA2527E	FORD	F	V	308	55.4	33	30	93	5	0.0
DBA2528	MINI	F	V	316	45	22	20.4	64	4	7.9
DBA2529	MINI	R	S	280	44	10	8.4	64	4	4.0
DBA2530E	JEEP	F	V	328	53	30	28.5	72	5	10.8
DBA2531	JEEP	R	S	320	67	14	12.5	72	5	8.3
DBA2533	JEEP	R	S	350	68.5	28	27.85	72	5	11.4
DBA2534	DODGE	F	V	332	64	28	26	72	5	9.6
DBA2535	JEEP	R	S	285	59.6	12	11	72	5	5.9
DBA2536E	JEEP	F	V	302	55.4	28	26.4	72	5	7.8
DBA2537	JEEP	R	S	316	76.7	12	10.4	72	5	7.7
DBA2543E	HONDA	R	S	305	61.5	9	7.5	64	5	5.5
DBA2544	HONDA	F	V	300	47.2	28	26	64	5	8.2
DBA2547	HONDA	R	S	305	61	10	8.5	64	5	5.7
DBA2548	MAZDA	F	V	297	52	28	26	68	5	8.4
DBA2549	MAZDA	R	S	303	40	10	8	68	5	4.9
DBA2550	MAZDA	F	V	323	46	24	22	72	5	5.8

F721 2019 Red Master v45.indd 264 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
DBA2551	MAZDA	R	V	302	43	18	16	72	5	5.5
DBA2552	MAZDA	F	V	302.5	45	24	22	72	5	7.5
DBA2560	MAZDA	F	V	302.7	47.2	26	24	72	5	8.4
DBA2561	MAZDA	R	S	302	56.1	12	11	72	5	6.3
DBA2562	MAZDA	F	V	296	48.5	28	26	72	5	8.8
DBA2563	MAZDA	R	V	302	57	18	16	72	5	7.0
DBA2565E	MAZDA	F	V	280	51.5	25	23	68	5	6.6
DBA2566	MAZDA	F	V	320	48.3	28	26	72	5	10.4
DBA2567	MAZDA	R	V	324	56	18	16	72	5	8.3
DBA2568E	MAZDA	F	V	258	44	23	21	55	4	6.0
DBA2569E	MAZDA	R	S	281	35.7	9.5	7.5	68	5	4.0
DBA2570E	MAZDA	F	V	295	51.5	25	23	68	5	7.7
DBA2571E	MAZDA	R	S	265	39	9	7	68	5	3.8
DBA2572E	MAZDA	F	V	258	42	22	20	55	4	5.6
DBA2573E	MAZDA	R	S	255	35.7	9.5	7.5	55	4	3.5
DBA2574E	SUZUKI	F	V	280	47	22	20	62	5	5.7
DBA2577E	SUZUKI	R	S	278	46	12	11	62	5	5.1
DBA2578	SUZUKI	F	V	231	51	20	18	60	4	4.5
DBA2579E	SUZUKI	F	V	300	49	26	24	62	5	9.3
DBA2580E	SUZUKI	F	V	295	49.5	25	23	62	5	7.0
DBA2581E	SUZUKI	R	V	308	57	16	14	62	5	6.5
DBA2583E	SUZUKI	F	V	272	39.6	22	20	60	4	5.7
DBA2584E	SUZUKI	F	V	252	40	20	18	60	4	4.5
DBA2585E	SUZUKI	R	S	259	43.4	9	8	62	4	3.8
DBA2586	SUZUKI	F	V	280	47	22	20	62	5	5.9
DBA2587	SUZUKI	R	S	278	43	9	8	62	5	4.5
DBA2588E	SUZUKI	F	V	276	40	20	18	62	5	6.0
DBA2589E	SUZUKI	R	S	259	43.2	9	8	62	5	3.8
DBA2596E	PORSCHE	F	V	360	68.5	36	34	85	5	14.2
DBA2597E	PORSCHE	F	V	350	52.5	34	32	68	5	12.7
DBA2598E	PORSCHE	F	V	360	52.5	36	34	68	5	13.7
DBA2599E	PORSCHE	R	V	356	36.2	28	26	68	5	10.3
DBA2603	CHEV	R	V	315	48	23	21	67.4	5	7.4
DBA2604	CHEV	F	V	355	50	32	30	67.4	5	12.1
DBA2605	CHEV	R	V	365	47.7	28	26	67.4	5	11.5
DBA2606	CHEVROLET	F	V	303	52	30	28	70.7	5	8.8
DBA2607	CHEVROLET	R	S	278	51	11	9	70.7	5	5.3
DBA2610	HONDA	F	V	296	47.2	28	26	64	5	8.1
DBA2611	HONDA	R	S	302	60.8	10	8	64	5	5.6
DBA2612E	HONDA	F	V	280	47.6	25	23	64	5	7.0
DBA2613E	HONDA	R	S	276	31.9	10	8	64	5	3.8
DBA2614E	HONDA	F	V	293	47.3	25	23	64	5	7.7
DBA2615E	HONDA	F	V	262	47.1	21	19	64	5	5.3
DBA2616E	HONDA	R	S	260	42.2	9.1	8	64	5	3.7
DBA2617E	HONDA	F	V	293	47.2	25	23	64	5	8.2
DBA2618E	HONDA	F	V	315	47.2	28	26	64	5	9.1
DBA2620E	NISSAN	F	V	296	44	26	24	68	5	7.7
DBA2621E	NISSAN	R	V	292	47	16	14	68	5	5.5
DBA2622E	NISSAN	F	V	320	44	28	26	68	5	10.2
DBA2623E	MERCEDES	R	V	295	42.5	22	19.4	67	5	6.6
DBA2624E	HONDA	F	V	315	47.3	28	26	64.1	5	0.0
DBA2625E	HONDA	R	S	310	38.9	10	8	64.1	5	5.0
DBA2627E	FORD	F	V	278	40	25	23	63.5	4	6.6
DBA2628E	RANGE ROVER	R	V	350	48.9	25	22	79	5	9.6
DBA2629E	HOLDEN	R	S	278	41.4	11.9	10	65.5	5	0.0
DBA2630	JEEP	F	V	332	55.5	28	26.4	72	5	10.1
DBA2631E	JEEP	R	S	320	33.2	12	10.4	70	5	6.0
DBA2632	JEEP	F	V	380	54.5	34	32	72	5	15.5
DBA2633	JEEP	R	S	350	64	28	27	72	5	11.3
DBA2635	JEEP	F	V	350	54.5	32	30.5	72	5	13.0

F721 2019 Red Master v45.indd 265 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
DBA2636	JEEP	R	S	330	64	14	12.5	72	5	8.4
DBA2637	JEEP	R	V	330	64	22	20	72	5	9.5
DBA2641E	FORD	R	S	302	50.8	11	9.5	63.5	5	0.0
DBA2643E	LAND ROVER	R	S	317	50.8	10	8	63.5	5	6.3
DBA2648E	MERCEDES BENZ	F	V	330	54.5	32	29.4	67	5	11.4
DBA2649E	MERCEDES BENZ	R	S	325	54	14	11.4	67	5	7.4
DBA2650-10	SUBARU	F	V	316	57	30	28	58	10	10.4
DBA2653-10	SUBARU	R	V	320	66	18	16	58	10	7.3
DBA2656-10	SUBARU	R	V	316	63.5	20	18	58	10	8.2
DBA2657	SUBARU	R	V	316	67.5	20	18	58	5	10.1
DBA2659-10	SUBARU	R	S	286	63.5	10	8.5	58	10	5.4
DBA2660E	SUBARU	F	V	293	56.7	28	26	58	5	8.9
DBA2661E	SUBARU	R	S	274	67.5	10	8.5	58	5	5.1
DBA2662E	SUBARU	R	V	300	46.4	17	15	58	5	6.5
DBA2663-10	SUBARU	R	V	290	64	18	16	58	10	6.4
DBA2667E	SUBARU	R	S	273	63.5	10	8.5	58	5	5.0
DBA2669E	SUBARU	R	V	278	61.7	18	16	58	5	6.0
DBA2670	BMW	F	V	334	77	32	30	79	5	11.7
DBA2671	BMW	R	V	328	61	20	18.4	75	5	7.8
DBA2672E	BMW	F	V	330	66	24	22.4	75	5	10.2
DBA2673E	BMW	R	V	330	68.8	20	18.4	75	5	9.1
DBA2674E	BMW	F	V	348	66	30	28.4	75	5	12.5
DBA2675E	BMW	R	V	324	67	22	20.4	75	5	8.3
DBA2676E	BMW	F	V	340	73.2	30	28.4	79	5	11.5
DBA2677E	BMW	R	V	345	66.2	24	22.4	75	5	10.6
DBA2679E	BMW	R	S	290	66	11	9.4	75	5	5.5
DBA2681E	MERCEDES BENZ	R	S	276	44	9	7.3	67	5	4.2
DBA2682E	MERCEDES BENZ	F	V	280	51	25	22.4	67	5	7.0
DBA2683E	MERCEDES BENZ	R	V	300	57.5	22	19.4	67	5	7.6
DBA2684E	MERCEDES BENZ	F	V	295	51	28	26	67	5	7.8
DBA2685E	MERCEDES BENZ	R	S	295	44	10	8.3	67	5	4.9
DBA2686E	MERCEDES BENZ	F	V	320	51	30	28	67	5	9.3
DBA2687E	MERCEDES BENZ	R	V	330	68.25	26	24	67	5	10.3
DBA2688E	MERCEDES BENZ	F	V	322	64.3	32	29.4	67	5	11.3
DBA2689E	MERCEDES BENZ	F	V	276	44.5	22	19.4	67	5	6.1
DBA2691E	MERCEDES BENZ	R	V	330	57.3	26	24	67	5	0.0
DBA2692E	MERCEDES	F	V	288	44.4	25	22.4	67	5	6.6
DBA2693E	MERCEDES	R	S	258	57	8	7	67	5	3.7
DBA2694E	MERCEDES BENZ	F	V	330	46.5	28	26	67	5	10.3
DBA2695	MERCEDES BENZ	R	S	290	55.5	10	8.3	67	5	4.8
DBA2696	MERCEDES	F	V	345	46.5	30	28	67	5	12.3
DBA2697	MERCEDES BENZ	R	V	300	55.3	22	19.4	67	5	7.4
DBA2698E	MERCEDES BENZ	F	V	350	51	32	30	67	5	12.5
DBA2699E	MERCEDES	R	V	330	41.5	22	20	67	5	8.1
DBA2700	TOYOTA	F	V	338	68	28	26	108	6	9.5
DBA2702	LEXUS	F	V	320	49.3	28	26	62	5	8.8
DBA2703	LEXUS	R	S	288	69.5	10	8.5	62	5	5.5
DBA2705	TOYOTA	F	V	296	49.3	28	26	62	5	8.3
DBA2707E	TOYOTA	R	S	286	65	10	8.5	62	5	5.7
DBA2709E	TOYOTA	F	V	296	49.3	28	25	62	5	7.8
DBA2710	TOYOTA	F	V	296	50	28	26	62	5	9.2
DBA2711	TOYOTA	R	S	269	65	12	10.5	62	5	5.3
DBA2712	LEXUS	F	V	296	49.5	28	26	62	5	8.4
DBA2713	TOYOTA	R	S	281	67	10	8.5	62	5	5.2
DBA2714E	TOYOTA	F	V	297	67	25	23	108	6	7.2
DBA2715E	TOYOTA	F	V	255	58.6	28	26	62	5	6.1
DBA2716E	TOYOTA	F	V	319	67.5	28	26	108	6	8.8
DBA2717E	TOYOTA	F	V	315	49	28	26	105	6	9.2
DBA2718E	TOYOTA	F	V	255	46.3	22	19	55	4	5.3
DBA2719	TOYOTA	R	S	258	56	9	8	55	4	3.8

F721 2019 Red Master v45.indd 266 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
DBA2720L&R	LEXUS	F	V	334	51	30	27	62	5	11.3
DBA2721	LEXUS	R	V	310	67.5	18	16.5	62	5	6.7
DBA2722E	TOYOTA	F	V	340	83.6	32	29	112	5	11.0
DBA2723E	TOYOTA	R	V	345	76.5	18	16	112	5	8.1
DBA2724E	TOYOTA	F	V	354	83.5	32	29	112	5	12.3
DBA2726E	LEXUS	F	V	296	49.5	28	26	62	5	7.6
DBA2727E	LEXUS	R	S	291	61.5	10	8.5	62	5	5.2
DBA2728E	LEXUS	F	V	357.1	60.5	34	31	62	5	13.7
DBA2729E	LEXUS	R	V	334.9	66	22	20	62	5	8.4
DBA2730	TOYOTA	F	V	296	49.5	28	25	62	5	8.1
DBA2731	TOYOTA	R	S	298	64.5	10	8.5	62	5	5.6
DBA2732E	TOYOTA	F	V	285	48.7	28	26	105	6	7.4
DBA2733	TOYOTA	R	S	309	62.6	10	8.5	62	5	6.1
DBA2734E	TOYOTA	F	V	328	49.5	28	25	62	5	9.5
DBA2735	TOYOTA	R	S	309	69.7	10	8.5	62	5	6.3
DBA2736E	TOYOTA	F	V	338	68.4	32	29	108	6	10.5
DBA2737E	TOYOTA	R	V	312	68	18	16	108	6	6.6
DBA2738E	TOYOTA	F	V	255	49.5	22	20	55	5	4.9
DBA2740E	TOYOTA	F	V	275	58.6	28	26	62	5	7.4
DBA2741E	TOYOTA	F	V	296	68.7	30	27	62	5	9.6
DBA2742E	TOYOTA	F	V	275	46.3	22	19	62	5	6.2
DBA2743E	TOYOTA	R	S	259	30.5	9	7.5	62	5	3.4
DBA2744	TOYOTA	F	V	305	49.5	28	25	62	5	8.2
DBA2745	TOYOTA	R	S	281	55	12	10.5	62	5	5.2
DBA2748E	TOYOTA	F	V	328	49.5	28	25	62	5	9.8
DBA2752E	TOYOTA	F	V	255	49.2	25	22	55	5	5.6
DBA2753	TOYOTA	R	S	259	31	9	7.5	55	5	3.5
DBA2754E	TOYOTA	F	V	275	46.5	25	22	62	5	6.4
DBA2755E	TOYOTA	R	S	279	31	10	8.5	62	5	4.3
DBA2756E	TOYOTA	F	V	325	45.3	32	30	62	5	10.8
DBA2757E	TOYOTA	R	V	310	54.5	18	16	62	5	7.6
DBA2758	LEXUS	F	V	360	60.7	30	28	62	5	12.5
DBA2759	LEXUS	R	V	344.9	61.7	28	26	62	5	10.2
DBA2760	FORD	F	V	321	51	30	28	70.7	5	0.0
DBA2761	CHEVROLET	R	V	339	48	26	24	70.7	5	0.0
DBA2762	FORD	F	V	345	51	30	28	70.7	5	0.0
DBA2765E	TOYOTA	R	S	281	44.3	12	10.5	62	5	5.0
DBA2766E	TOYOTA	F	V	298	49.3	28	25	62	5	0.0
DBA2776E	VW	F	V	332	57	30	27	76	5	11.2
DBA2777E	VW	R	V	300	51.1	22	20	76	5	7.6
DBA2779E	AUDI	R	V	330	42.5	22	20	68	5	7.9
DBA2783E	TOYOTA	F	V	275	46.5	22	19	55	5	6.3
DBA2784E	LEXUS	R	S	279	30.3	10	8.5	55	5	4.3
DBA2785E	TOYOTA	R	S	290	53.3	11.8	10.5	62	5	5.4
DBA2786E	KIA	F	V	320	49.2	29	27	69	5	11.5
DBA2787E	KIA	R	S	324	66	13	11.4	69	5	8.0
DBA2790	FORD	F	V	350	49	34	32	91.1	6	13.1
DBA2791	FORD	R	V	348	87.12	20	18.4	90	6	10.9
DBA2792	FORD	F	V	350	49	34	32	90	7	13.1
DBA2793	FORD	R	V	348	87.12	20	18	90	7	10.8
DBA2794	FORD	F	V	345	144	40	38.4	HUB	8	22.1
DBA2795	FORD	R	V	344.5	90.5	36	34.4	127	8	13.4
DBA2797	FORD	F	V	347	116	38	36.4	HUB	8	0.0
DBA2798	FORD	F	V	347	100	38	36.4	129	8	14.7
DBA2799	FORD	R	V	340	126	34	32.4	127	8	14.0
DBA2800	AUDI	F	V	312	46.2	25	23	68	5	9.1
DBA2801E	AUDI	R	S	245	39.8	10	8	68	5	3.4
DBA2802E	AUDI	R	S	255	40	12	10	68	5	4.2
DBA2803	AUDI	R	S	245	53.8	10	8	68	5	3.8
DBA2805	AUDI	R	S	255	47.8	10	8	68	5	3.9

F721 2019 Red Master v45.indd 267 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
DBA2806E	VW	F	V	312	49.8	25	22	65	5	9.0
DBA2807E	VW	R	S	285.6	48.4	11.7	10	65	5	5.2
DBA2808E	VW	F	V	345	50	30	28	65	5	12.4
DBA2809E	VW	R	V	310	48.5	22	20	65	5	7.1
DBA2810E	VW	F	V	288	49.7	25	22	65	5	7.9
DBA2811E	VW	R	S	253	51.5	10	8	65	5	3.9
DBA2812E	VW	F	V	280	49	22	19	65	5	6.2
DBA2813E	VW	R	S	259.8	48.5	12	10	65	5	4.3
DBA2814E	VW	R	S	272	48.2	10	8	65	5	4.2
DBA2815	HOLDEN / SAAB	F	V	308	42.3	25.1	22	70	5	8.3
DBA2816E	VW	R	S	282	47.3	12	10	65	5	4.9
DBA2817	HOLDEN / SAAB	F	V	302	45	28	25	70	5	9.0
DBA2818	HOLDEN	R	V	292	42	20	18	66	5	5.6
DBA2819	HOLDEN / SAAB	F	V	314	46	28	25	70	5	9.6
DBA2820	HOLDEN / SAAB	F	V	285	43	25	22	70	5	7.2
DBA2821	AUDI	R	V	330	36	22	20	68	5	8.1
DBA2822E	AUDI	F	V	320	52	30	28	68	5	10.2
DBA2823	AUDI	R	S	300	36.2	12	10	68	5	5.5
DBA2824	AUDI	F	V	313.8	52	25	23	68	5	8.8
DBA2825	AUDI	R	S	288	36	12	10	68	5	4.9
DBA2826E	AUDI	F	V	320.8	59.4	30	28	68	5	10.7
DBA2827E	AUDI	R	S	302	49	12	10	68	5	5.7
DBA2829E	AUDI	R	S	286	58.6	12	10	65	5	5.4
DBA2830E	VW	F	V	340	49.7	30	27	65	5	11.1
DBA2831E	AUDI	R	V	310	58.2	22	20	65	5	7.2
DBA2832E	AUDI	F	V	345	52	30	28	68	5	11.2
DBA2837E	AUDI	R	S	300	48.3	12	10	65	5	5.5
DBA2839	HOLDEN	F	V	256	40.1	26	24.6	88	6	5.8
DBA2840E	HOLDEN	F	V	280	40.5	27	25.6	88	6	7.3
DBA2847E	AUDI	R	V	330	36	22	20	68	5	8.2
DBA2848E	AUDI	F	V	356	52.4	34	31.5	68	5	14.2
DBA2849E	AUDI	R	V	356	36.5	22	20	68	5	8.7
DBA2852	BMW	R	V	300	68.5	20	18.4	75	5	6.7
DBA2854	BMW	F	V	324	73.5	30	28.4	79	5	10.5
DBA2855	BMW	F	V	324	52	25	23.4	79	5	9.2
DBA2856	BMW	R	V	320	60.8	22	20.4	75	5	7.9
DBA2857	BMW	R	V	300	66	20	18.4	75	5	6.7
DBA2858	BMW	F	V	348	73.2	30	28.4	79	5	11.7
DBA2859E	BMW	R	V	336	67.2	22	20.4	75	5	8.8
DBA2860E	BMW	F	V	330	73.2	24	22.4	79	5	9.6
DBA2861	BMW	R	V	300	66	20	18.4	75	5	7.0
DBA2862	BMW	F	V	300	73.7	24	22.4	79	5	8.5
DBA2863E	BMW	R	V	300	76	20	18.4	75	5	7.0
DBA2864E	BMW	F	V	348	62	30	28.4	75	5	12.8
DBA2865	BMW	R	V	320	78	20	18.4	75	5	8.2
DBA2866	BMW	F	V	292	73	22	20.4	79	5	7.4
DBA2867	BMW	R	V	345	78	24	22.4	75	5	9.8
DBA2868	BMW	F	V	324	77.5	30	28.4	79	5	10.9
DBA2869	BMW	R	V	320	63	20	18.4	75	5	7.7
DBA2870	KIA	F	V	274	50.5	28	26	72	5	7.8
DBA2871E	KIA	F	V	300	54.1	28	26	96.3	6	9.1
DBA2872	KIA	F	V	275	47.5	26	24	69	4	6.7
DBA2873	KIA	R	S	258	41.5	10	8	76	4	4.0
DBA2874E	BMW	F	V	332	62	30	28.4	75	5	11.7
DBA2875	BMW	R	V	320	79.7	22	20.4	75	5	8.7
DBA2876	BMW	F	V	325	62	25	23.4	75	5	9.6
DBA2879	BMW	R	S	296	65	10.5	8.9	75	5	5.3
DBA2881	BMW	R	S	280	65	10	8.4	75	5	4.8
DBA2882	BMW	F	V	284	73	22	20.4	79	5	6.7
DBA2883E	BMW	F	V	338	73	26	24.4	79	5	10.3

F721 2019 Red Master v45.indd 268 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
DBA2884	BMW	F	V	327.8	73	28	26.4	75	5	10.6
DBA2885	BMW	R	V	330	71	20	18.4	75	5	7.9
DBA2886	BMW	F	V	312	73.5	24	22.4	79	5	9.2
DBA2887E	BMW	R	V	324	77	22	20.1	75	5	8.5
DBA2890	KIA	F	V	261	24	24	22	86	6	5.8
DBA2891E	KIA	R	S	262	61	10	8.4	76	5	0.0
DBA2892	KIA	R	S	324	69	12	10.4	96.3	6	7.6
DBA2893E	HYUNDAI	F	V	256	47	22	20	62	4	5.6
DBA2894E	KIA	F	V	257	47.5	25	22.4	69	4	6.1
DBA2895	KIA	R	S	261	61.5	9.8	8.4	76	4	4.6
DBA2896	KIA	F	V	235	50	22	20	55	4	4.8
DBA2897	KIA	F	V	258	57	26	24	87	6	7.6
DBA2898	KIA	F	V	302	54	28	26	96.2	5	8.5
DBA2899	KIA	R	V	315	87.5	20	18.4	96.2	5	8.9
DBA2948	ROLLS ROYCE	F	V	281	44	31.5	29.5	89	10	7.9
DBA2950E	MAZDA	F	V	274	47.5	24	22	72	5	6.8
DBA2951E	MAZDA	R	S	280	40	10	8	72	5	4.3
DBA2952E	MAZDA	F	V	288.5	70.5	28	26	98	6	9.2
DBA2953E	MAZDA	F	V	282.5	49	25	23	72	5	8.1
DBA2954E	MAZDA	F	V	278	49	25	23	72	5	7.4
DBA2955E	MAZDA	R	S	264	41	11	9	72	5	4.3
DBA2956	MAZDA	F	V	300	49	25	23	72	5	8.5
DBA2957	MAZDA	R	S	279.5	41.5	11	9	72	5	4.7
DBA2958	MAZDA	F	V	258	43.5	22	20	55	4	5.6
DBA2959	MAZDA	F	V	290	45.1	22	20	72	5	6.6
DBA2960	MAZDA	F	V	320	46.5	25	23	72	5	9.6
DBA2961	MAZDA	R	S	314	41	11	9	72	5	5.6
DBA2962	MAZDA	F	V	320	49	25	23	72	5	10.0
DBA2963E	MAZDA	F	V	300	49	25	23	72	5	8.7
DBA2964E	MAZDA	F	V	280	44	22	20	55	4	6.2
DBA2965E	MAZDA	R	S	280	35.6	9.5	7.5	55	4	3.6
DBA2967E	MAZDA	R	S	278	39.5	10	8	68	5	4.3
DBA2976E	MERCEDES	F	S	280	38	9.6	8	58	3	0.0
DBA2983E	HOLDEN	R	S	292	48	12	10.5	67.5	5	5.9
DBA2984E	HOLDEN	F	V	296	51	30	27	67.5	5	9.1
DBA2985E	HOLDEN / SAAB	R	V	315	48	23	21.5	67.5	5	8.0
DBA2990	CHEV	F	V	340	45	32	30	70.5	5	10.8
DBA2991	CHEV	R	V	330	49	26	24	70.5	5	9.3
DBA2993	CHEV	R	V	340	49.7	26	24	70.7	5	9.4
DBA2995	CHEV	R	V	305	49	26	24	70.5	5	6.9
DBA2996	CHEV	F	V	303	52.5	32	30.7	71	5	10.2
DBA2997	CHEV	R	V	305	62	26	24.7	71	5	6.6
DBA3007E	AUDI	R	V	350	36.4	28	26	68	5	0.0
DBA3008E	AUDI	F	V	320	52.4	30	28	68	5	0.0
DBA3010E	AUDI	F	V	318	57.4	30	28	68	5	0.0
DBA3012E	AUDI	F	V	338	57.4	30	28	68	5	0.0
DBA3026E	VOLVO	F	V	345	48	30	27.5	63.6	5	0.0
DBA3027E	VOLVO	R	V	320	43	20	17.5	63.6	5	0.0
DBA3050-10	SUBARU	F	V	340	53	30	28	58	10	0.0
DBA3051-10	SUBARU	R	V	326	63.5	20	18	58	10	0.0
DBA3053E	SUBARU	R	V	285	46.4	17	15	58	5	0.0
DBA3054E	SUBARU	F	V	293	48.2	24	22	58	5	0.0
DBA3075E	SSANGYONG	R	S	262	62.7	10	8.4	67	5	0.0
DBA3076E	SSANYONG	F	V	294	56.7	28	26	85	5	0.0
DBA3077E	SSANYONG	R	S	299	67.6	10.4	8.5	85	5	0.0
DBA3090E	RANGE ROVER	F	V	380	62	34	31	79	5	15.3
DBA3091E	RANGE ROVER	R	V	365	49	25	22	79	5	10.8
DBA3092E	JAGUAR	F	V	316	49	28	26	63.5	5	0.0
DBA3093E	JAGUAR	R	S	300	42	10	8	63.5	5	0.0
DBA3094E	JAGUAR	F	V	325	48	30	28	63.5	5	0.0

F721 2019 Red Master v45.indd 269 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
DBA3095E	JAGUAR	R	V	325	42	20	18	63.5	5	0.0
DBA3096E	JAGUAR	F	V	350	48	32	30	63.5	5	0.0
DBA3100E	FORD	F	V	300	54.5	28	24	93	5	9.4
DBA3101E	FORD	R	S	284	44	16	13	107.2	10	6.3
DBA3102E	FORD	F	V	308	61	31	28	93	5	0.0
DBA3103E	FORD	R	S	288	68.9	16	13	96	5	0.0
DBA3104E	FORD	F	V	288	55.4	33	30	93	5	0.0
DBA3105E	FORD	R	S	308	25.5	16	13	122.5	5	0.0
DBA3107E	FORD	R	S	308	22	18	15	122.5	6	0.0
DBA3150	RENAULT	F	V	280	45	26	23.8	61	5	0.0
DBA3151	RENAULT	R	S	274	88.2	11	9.5	HUB	5	0.0
DBA3158	RENAULT	R	S	280	104.5	12	10	HUB	5	0.0
DBA3166	PEUGEOT	F	V	304	48	28	26	71	5	0.0
DBA3168	CITROEN / PEUGEOT	F	V	303.7	48.2	28	26	71	5	0.0
DBA3201E	JEEP	R	V	330	67.7	22	20.5	72	5	0.0
DBA3248E	HOLDEN	F	V	256	41.1	20	18	60	4	0.0
DBA3249E	HOLDEN	R	S	264	44	10	8	60	5	4.0
DBA3260E	ALFA	F	V	305	39.7	28	26	70	5	7.5
DBA3271	PEUGEOT	R	S	249	73.2	9	8	HUB	4	5.7
DBA3273E	PEUGEOT	R	S	267.8	73.2	12	10	HUB	4	6.7
DBA3280E	BMW	F	V	294	45.2	22	20.4	67	5	6.6
DBA3281E	BMW	R	S	280	50.6	10	8	67	5	4.4
DBA3283E	MINI	R	S	259	50.8	10	8.4	67	5	4.0
DBA3284E	MINI	F	V	280	45.1	22	20.4	67	5	6.0
DBA3285	MINI COOPER	R	S	280	50.2	10	8.4	79	5	0.0
DBA3286E	BMW	F	V	330	45.2	24	22.4	67	5	9.5
DBA3287E	BMW	R	V	300	50.6	20	18.4	67	5	5.9
DBA3290EL/R	BMW	F	V	348	66	36	34.4	75	5	12.8
DBA3291E	BMW	R	V	345	69	24	22.4	75	5	0.0
DBA3292E	BMW	F	V	348	77.1	30	28.4	79	5	0.0
DBA3293E	MINI COOPER	R	S	259	44	10	8.4	64	4	0.0
DBA3294E	BMW	F	V	307	45.2	24	22.4	67	5	0.0
DBA3296E	MINI COOPER	F	V	276	44	22	20.4	64	4	0.0
DBA3300E	HOLDEN	F	V	321	60	30	27	67.4	6	0.0
DBA3301E	HOLDEN	R	V	315	48.1	23	20	67.4	6	0.0
DBA3334E	HYUNDAI	F	V	275	47.4	26	24	69	5	0.0
DBA3336E	KIA	F	V	256	43	20	18	62.2	4	0.0
DBA3338E	KIA	F	V	241	49	18	16	62	4	0.0
DBA3345E	KIA	R	S	234	37.5	10	8.4	62.5	4	0.0
DBA3348E	KIA	F	V	277.8	26.9	26.2	24	92	5	0.0
DBA3350E	MERCEDES	F	V	305	62.8	28	25.4	69	5	0.0
DBA3351E	MERCEDES	R	S	300	48.5	12	10.3	69	5	0.0
DBA3359	MERCEDES	R	V	360	50.5	26	24	67	5	0.0
DBA3360	MERCEDES	F	V	390	54.5	36	34	67	5	0.0
DBA3361	MERCEDES	R	V	345	54	26	24	67	5	0.0
DBA3362E	MERCEDES	F	V	330	58.5	32	28	67	5	0.0
DBA3400E	MITSUBISHI	F	V	270	45.2	24	22.4	64	4	0.0
DBA3450E	LEXUS	F	V	328	49.4	28	25	62	5	0.0
DBA3451E	LEXUS	R	V	338	39.5	18	16.5	62	5	0.0
DBA3550E	MAZDA	F	V	320	51.5	28	26	68	5	10.2
DBA3551E	MAZDA	R	S	325	45	11	9	68	5	0.0
DBA3552E	MAZDA	F	V	297	51.5	28	26	68	5	8.8
DBA3601E	MERCEDES	R	S	300	57.8	12	9	67	5	0.0
DBA3700E	HONDA	F	V	350	54.7	32	30	70	5	0.0
DBA3701E	HONDA	R	S	304.5	43.7	11	9	70	5	5.0
DBA3750E	SUZUKI	F	V	249	44.1	18	16	64	5	0.0
DBA3752E	SUZUKI	F	V	252	40.2	20	18	60	4	0.0
DBA3754E	SUZUKI	F	V	231	40.2	17	15	60	4	0.0

F721 2019 Red Master v45.indd 270 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
4000 SERIES										
DBA4019	HOLDEN	F	V	327	82	28	25	HUB	5	13.5
DBA4046	HOLDEN	F	V	328	82	28	25	70	5	10.0
DBA4047	HOLDEN	R	V	280	86	20	19	70	5	7.5
DBA4048	HOLDEN	F	V	330	82.5	32	29	71.5	5	11.8
DBA4049	HOLDEN	R	V	315	71	18	16	70	5	8.5
DBA4055	HOLDEN	F	V	343	82.5	32	30	71.5	5	10.0
DBA4102	FORD	R	V	296	51	18	16.8	71	5	5.8
DBA4240	AUDI	F	V	320	52	30	28	68	5	9.5
DBA4241	AUDI	R	V	269	54	22	20	68	5	5.0
DBA4428	MITSUBISHI	F	V	276	45.5	24	22.4	69	5	5.9
DBA4429	MITSUBISHI	R	V	284	60.2	20	18.4	90	5	6.2
DBA4506	FORD	F	V	329	48.3	28	25	71.8	5	9.4
DBA4507A/B	FORD	R	V	330	51	28	26	70.5	5	9.4
DBA4569	AUDI	R	V	256	48	22	20	68	5	5.1
DBA4600	NISSAN	F	V	324	49	30	28	68	5	9.9
DBA4601	NISSAN	R	V	322	62.5	22	20.2	68	5	8.5
DBA4650	SCION	F	V	295	57.5	25	23	58	5	6.7
DBA4718	TOYOTA	F	V	323	50	30	28	62	5	9.7
DBA4719	TOYOTA	R	V	324	67.5	16	15	62	5	6.1
DBA4748	LEXUS	F	V	296	51	32	30	62	5	9.4
DBA4749	LEXUS	R	S	307	63	12	10.5	62	5	6.3
DBA4838	AUDI	F	V	312	34.2	25	23	65	5	8.3
DBA4926	NISSAN	F	V	296	54	32	30	68	5	8.8
DBA4928	NISSAN	F	V	324	53.75	30	28	68	5	10.0
DBA4929	NISSAN	R	V	300	63	22	20	68	5	7.4
DBA4963	NISSAN	F	V	296	53.75	30	28	68	5	8.3
DBA4993	FORD	F/R	S	248	7	7	7	126	6	1.9
DBA4994	FORD	F/R	S	248	41	7	7	76	4	2.8
DBA5000	SUBARU	F	V	295	57.5	25	23	58	5	5.4
DBA5003.1	FORD	F/R	V	277.8	16.5	15.9	15.9	156	8	3.0
DBA5010	SCION	F	V	295	57.5	25	23	58	5	6.3
DBA5355	LOTUS	F/R	V	280	26	26	24.5	56.6	4	5.6
DBA5575	AUDI	F	V	320	46	30	28	68	5	0.0
DBA7420	TOYOTA	F	V	318	70.5	28	26	108	6	9.6
DBA42019	HOLDEN	R	V	332	75.2	24	22	70.1	5	9.2
DBA42022	HOLDEN	F	V	336	45.2	32	30	71.5	5	11.2
DBA42025	HOLDEN	R	V	343	76.3	26	24	70.1	5	10.3
DBA42030	HOLDEN	F	V	365	54	32	30	67.4	5	12.7
DBA42031	HOLDEN	R	V	350	51.5	26	24	67.4	5	10.7
DBA42065	HOLDEN	R	V	367	51.7	28	26	67.4	5	11.5
DBA42066	HOLDEN	F	V	367	54	32	30	67.4	5	13.0
DBA42069	HOLDEN	R	V	372	47.5	28	26	67.4	5	0.0
DBA42074	HOLDEN	R	V	360	51.5	28	26	67.4	5	10.6
DBA42102	FORD	F	V	355	50.5	32	30	71.8	5	13.0
DBA42104	FORD	F	V	325	45.3	32	30	71.5	5	9.9
DBA42126	FORD	F	V	336.5	48	30	28.4	71	5	9.9
DBA42163	FORD	F	V	278	44	23	21	63.5	4	6.6
DBA42165	FORD	R	V	330	43.7	25	23	71	5	8.4
DBA42166	FORD	F	V	380	64	34	31.6	71	5	15.8
DBA42224	MITSUBISHI	F	V	350	44	32	30	69	5	12.2
DBA42225	MITSUBISHI	R	V	330	59	22	20	80	5	9.2
DBA42282E	BMW	F	V	300	73	22	20.4	79	5	8.1
DBA42287	BMW	R	V	345	66.3	24	22.4	75	5	9.5
DBA42304	NISSAN	F	V	310	53.75	30	28	68	5	9.8
DBA42355	LOTUS	F/R	V	288	44.5	26	24.5	60.1	4	6.8
DBA42359	LOTUS	F/R	V	308	44.5	26	24	60.1	5	8.1
DBA42361	LOTUS	R	V	332	63	26	24	71	5	9.8
DBA42363	LOTUS	F	V	332	43.5	32	30	70	5	8.8
DBA42364	LOTUS	F	V	350	54	32	30	71	5	12.1

F721 2019 Red Master v45.indd 271 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
4000 SERIES										
DBA42368	RENAULT	F	V	320	44	28	25.4	68	5	9.9
DBA42386	PORSCHE	F	V	330	69.5	34	32	98	5	10.9
DBA42394	PORSCHE	F	V	318	67	28	26	98	5	8.6
DBA42396E	PORSCHE	F	V	350	67.5	34	32	98	5	12.0
DBA42397	PORSCHE	R	V	330	75.5	28	26	98	5	9.5
DBA42398	PORSCHE	F	V	298	67	24	22	98	5	7.3
DBA42429	MITSUBISHI	R	V	284	57	20	18.4	90	5	0.0
DBA42448	CHRYSLER	F	V	355	59.6	32	30	73.5	6	12.9
DBA42449	CHRYSLER	R	V	355	52.2	32	30	73.5	6	12.7
DBA42532	JAGUAR	F	V	360	53.5	32	31.8	72	5	13.6
DBA42534	JEEP	F	V	332	64	28	26	72	5	8.3
DBA42575	AUDI	F	V	344.5	46.7	30	28	68	5	11.0
DBA42576	AUDI	R	V	300	36.5	22	20	68	5	6.3
DBA42590	PORSCHE	F	V	368	68.7	36	34	85	5	15.0
DBA42592E	PORSCHE	F	V	360	68.6	36	34	98	5	14.1
DBA42593E	PORSCHE	R	V	330	75	28	26	98	5	9.4
DBA42602	HOLDEN	F	V	321	51	30	27	67.4	5	10.3
DBA42608	CADILLAC	F	V	370	49.5	34	32	67.5	5	13.6
DBA42634	JEEP	F	V	330	55	32	30	72	5	12.4
DBA42690	MERCEDES	F	V	360	64.5	36	34	67	5	16.5
DBA42751	TOYOTA	R	V	307	67	16	14	62	5	6.2
DBA42767	ASTON MARTIN	F	V	355	52.5	32	30	71	5	11.9
DBA42768	TELSA	F	V	355	70.7	32	30	70	5	13.9
DBA42769	TELSA	R	V	365	66.4	28	26	70	5	13.1
DBA42790	FORD	F	V	350	49	34	32	90	6	13.1
DBA42791	FORD	R	V	348	87.12	20	18.4	90	6	13.5
DBA42792	FORD	F	V	350	49	34	32	90	7	13.1
DBA42793	FORD	R	V	348	87.12	20	18	90	7	13.5
DBA42808W	VW	F	V	345	50	30	27	65	5	12.4
DBA42809W	VW	R	V	310	48.5	22	20	65	5	7.1
DBA42850	BMW	F	V	325	52.5	28	26.4	79	5	9.4
DBA42851	BMW	R	V	327	61	20	18.4	75	5	8.4
DBA42992	CHEV	F	V	355	45.5	32	30	70.7	5	12.7
DBA42999	FORD	F/R	S	254	9.65	9.65	9.65	126	6	2.8
DBA43340E	KIA	F	V	320	56.8	28	26	69	5	0.0
DBA43341E	KIA	F	S	314	60	13	11	69	5	0.0
DBA43342E	KIA	R	V	350	56.7	30	28	69	5	0.0
DBA43343E	KIA	R	V	340	58.5	22	20	69	5	0.0
5000 SERIES										
DBA52018	HOLDEN	F	V	350	83	32	30	71.6	5	9.6
DBA52024	HOLDEN	F	V	362	83	32	30	71.5	5	11.0
DBA52068	HOLDEN	F	V	390	54	35.6	33.6	67.4	5	0.0
DBA52069.1	HOLDEN	R	V	372	27.9	27.9	26	211	12	8.6
DBA52070	JAGUAR	F	V	356	50.5	32	30	73.8	5	9.5
DBA52072	HOLDEN	F	V	378	54.5	36	34	67.4	5	0.0
DBA52073	HOLDEN	F	V	355	32	32	30	185	0	0.0
DBA52075	FORD	F	V	355	45	32	30	71.8	5	9.0
DBA52075.1	FORD	F	V	356	32	32	30	180	10	9.0
DBA52218	MITSUBISHI	F	V	320	43.5	32	29.8	69	5	9.0
DBA52223.1	MITSUBISHI	F	V	350	32	32	30	177	8	9.9
DBA52224.1	MITSUBISHI	F	V	350	32	32	30	165	12	10.2
DBA52230	HOLDEN	F	V	365	61	32	30	67.4	5	0.0
DBA52231.1	LOTUS	F	V	308	26	26	24	174	12	0.0
DBA52288	MINI COOPER	F	V	335	45.2	30	28	67	5	10.0
DBA52320	NISSAN	F	V	380	49.3	34	32	68	5	11.2
DBA52321	NISSAN	R	V	380	62	30	28	68	5	12.0
DBA52322.1	NISSAN	F	V	380	34	34	32	240	10	10.9
DBA52323.1	NISSAN	R	V	380	30	30	28	222.9	8	9.0

F721 2019 Red Master v45.indd 272 17/9/19 7:16 pm

DISC ROTOR AND DRUM WEIGHTS AND DIMENSIONS COMPABILITY CHART

A = DIAMETER
B = ORIGINAL HEIGHT
C = ORIGINAL THICKNESS
D = MIN. THICKNESS
E = CENTRE HOLE DIA.
F = NO. OF BOLT HOLES



DBA#	Make	F/R	Vent Type	Rotor Ø A	Height B	Thickness C	Min.Th D	Bore E	Studs F	Weight
5000 SERIES										
DBA52356	LOTUS	F/R	V	280	29.4	26	24.5	56.6	4	0.0
DBA52358	LOTUS	F/R	V	296	44.5	26	24.5	60.1	4	5.5
DBA52370.1	NISSAN	F	V	388	34	34	32	250	10	11.6
DBA52371.1	NISSAN	F	V	390	35	35	33	208	10	12.3
DBA52372.1	NISSAN	F	V	396	34	34	32	208	10	12.3
DBA52379.1	NISSAN	F	V	390	34	34	33	204	10	0.0
DBA52385.1	PORSCHE	F	V	380	35	35	33	234.5	10	9.6
DBA52388	PORSCHE	F	V	350	69.5	34	32	98	5	0.0
DBA52390	PORSCHE	F	V	322	72.2	32	30	103	5	9.6
DBA52399.1	PORSCHE	F	V	380	32	32	30	219.5	10	10.1
DBA52430	CHRYSLER	F	V	330	62.7	32	30.1	73.5	6	9.5
DBA52468	HYUNDAI	F	V	320	27	27	26	0	0	0.0
DBA52525	MINI COOPER	F	V	320	48.5	28	27	64	4	5.7
DBA52545	MAZDA	F	V	280	48.5	21	19	55	4	0.0
DBA52546	MAZDA	R	S	273	36.5	9	8	55	4	0.0
DBA52644	RENAULT	F	V	350	63	28	26	68	5	0.0
DBA52645	RENAULT	F	V	360	63	28	26	68	5	0.0
DBA52690	MERCEDES BENZ	F	V	360	36	36	34	169	10	11.1
DBA52770.1	CHEVROLET	F	V	370	34	34	32	191	10	0.0
DBA52771.1	CHEVROLET	R	V	365	26	26	24	216	10	0.0
DBA52774	AUDI	F	V	380	52.5	36	34	68	5	0.0
DBA52778	AUDI	F	V	385	64.1	36	33.5	68	5	0.0
DBA52788	LEXUS	F	V	380	50.8	34	32	62	5	0.0
DBA52804	AUDI	F	V	360	46.7	32	30.4	68	10	12.4
DBA52828	AUDI	F	V	334	35	32	30	65	5	10.9
DBA52832W	AUDI	F	V	345	52	30	28	68	5	9.7
DBA52833	AUDI	R	V	356	43.4	32	30	68	5	0.0
DBA52834	AUDI	F	V	365	52.4	34	32.4	68	5	10.3
DBA52834W	AUDI	F	V	365	52.4	34	32.4	68	5	11.2
DBA52835	AUDI	R	V	330	41	22	20.4	68	5	0.0
DBA52836	AUDI	F	V	365	49.7	34	32.4	65.5	5	0.0
DBA52838.1	AUDI	F	V	365	34	34	32.4	202	10	10.6
DBA52841	AUDI	R	V	330	36	22	20.4	68	5	0.0
DBA52842	AUDI	F	V	370	49.7	32	30	65	5	0.0
DBA52844	AUDI	F	V	370	59.7	34	32	65	5	0.0
DBA52880	BMW	F	V	325	52.5	28	26.4	79	5	7.5
DBA52903.1	LOTUS	R	V	332	27	26	24	195.3	12	6.6
DBA52908.1	LOTUS	F	V	332	32	32	30	178	12	9.4
DBA52909.1	FORD	R	V	355	26	26	24.4	203.2	10	9.2
DBA52910.1	DODGE	F	V	390	34	34	32	205	10	0.0
DBA52938	PORSCHE	F	V	345	50	30	28	65	5	0.0
DBA52994	CHEV	F	V	325	45	32	30	70.7	5	0.0
DBA53000	AUDI	F	V	390	59.5	36	34.4	68	5	0.0
DBA53001	AUDI	R	V	356	42.4	28	26.4	68	5	0.0
DBA53002	AUDI	F	V	390	52.2	36	34.4	68	5	0.0
DBA53003	AUDI	R	V	356	36.3	22	20.4	68	5	0.0
DBA53004	AUDI	F	V	370	52	34	32	65	5	0.0

F721 2019 Red Master v45.indd 273 17/9/19 7:16 pm

dba™
DISC BRAKES AUSTRALIA

WE PROVIDE BRAKING SOLUTIONS

FOR THE WORLD'S TOP CAR BRANDS

SUITABLE FOR USE WITH:

JAGUAR LOTUS PEUGEOT PORSCHE MERCEDES-BENZ RENAULT FIAT MG JAGUAR SKODA AUDI PORSCHE RENAULT JAGUAR PORSCHE FIAT MINI VOLVO PORSCHE RENAULT PEUGEOT FIAT BMW JAGUAR PORSCHE VOLKSWAGEN MERCEDES-BENZ JAGUAR ALFO ROMEO VOLKSWAGEN BMW ROYCE ROLLS MINI AUDI BMW PORSCHE LANDROVER ALFO ROMEO FIAT LOTUS MG AUDI PORSCHE SKODA

CADILLAC JEEP SCION GMC INFINITI CADILLAC PONTIAC FORD DODGE PONTIAC HUMMER JEEP CHRYLSER INFINITI DODGE JEEP CHEVROLET HUMMER GMC CADILLAC CHRYLSER PONTIAC INFINITI PONTIAC HUMMER GMC DODGE JEEP FORD SCION DODGE INFINITI CHRYLSER CHEVROLET CADILLAC SCION DODGE CHEVROLET

LEXUS SUBARU HYUNDAI MAZDA SUBARU TOYOTA NISSAN HOLDEN MITSUBISHI MOTORS HONDA SUZUKI LEXUS KIA MAZDA SUBARU HYUNDAI MITSUBISHI MOTORS SUBARU SUZUKI LEXUS TOYOTA ISUZU NISSAN TOYOTA KIA TOYOTA HONDA MAZDA HYUNDAI LEXUS HONDA HOLDEN SUZUKI MAZDA SUZUKI ISUZU HYUNDAI LEXUS HOLDEN SUZUKI NISSAN HONDA HOLDEN

COVERING 97% OF AUSTRALIAN CAR PARC

- OVER 97% OF VEHICLE MANUFACTURER
- OVER 97% OF VEHICLE FITMENTS

PUT ON WEIGHT?



SLOTTED T2 & T3 DISC ROTOR

- Designed for serious off-road or heavy towing applications
- Patented Kangaroo Paw ventilation design
- Stays cooler, is stronger and outperforms standard vane rotors
- Up to 30% better brake pedal feel than standard disc rotors
- Tri-Symmetrical curve slots provide a quieter, responsive and smoother brake pedal feel

XTREME PERFORMANCE PADS

- For drivers seeking high initial bite and friction consistency from low to high temperatures
- Improved braking performance over traditional OE brake pads
- Various pad friction combinations balance the brake torque on the front and rear axles for greater performance

BULK UP YOUR BRAKES!

dba™
DISC BRAKES AUSTRALIA

FOR MORE INFORMATION, CHECK OUR WEBSITE
WWW.DBA.COM.AU

FOLLOW US ON

IMPORTANT INFO FOR HAT TYPE ROTORS

™

THERMO-GRAPHIC TEMPERATURE MONITORING
Markings are placed on the outer edge of each rotor

Initial Colour	When the rotor exceeds this core temperature:	The colour will change to:
GREEN	458°C/856°F	WHITE
ORANGE	550°C/1022°F	YELLOW
RED	630°C/1166°F	WHITE

This brake rotor is marked with three (3) heat sensitive markings (refer to the code chart above).

These temperature markings allow you to gauge the disc operating temperature according to your driving style. This allows better choice in the most compatible friction material.

IMPORTANT FITMENT INFORMATION

- Check that the wear tolerance in the hub bearings is within the manufacturer's tolerance.
- Clean rotor hub mounting surfaces thoroughly with a wire brush and emery paper to remove all rust scale and debris.
- Check rotor to hub mounting surfaces for damage, burrs and/or distortion. Repair or replace if necessary.
- Failure to have a clean and smooth hub/rotor mounting surfaces can result in the rotor being mounted with excessive runout.
- The installed runout of the rotor must not exceed 0.050mm. Excessive runout will result in DTV (Disc Thickness Variation) being worn into the rotor within as little as 1000-2000kms.
- DTV will cause pedal pulsation, steering shudder or vibration during braking.

DIRTY HUB FACE

CLEAN HUB FACE

SPECIAL NOTE:

Before fitting disc rotor, wipe clean the face of the disc on which the disc pads run using brake cleaner. To avoid damage to the painted surface moisten cloth first.

Do not wipe or spray the painted area with cleaner as this will remove the paint

DO NOT WIPE THE OUTER EDGE AREA

DO NOT WIPE THE HUB/HAT AREA

FITTING A HAT-TYPE DISC ROTOR

The following steps are recommended to ensure the best possible results after fitting a hat type disc rotor:

DIRTY HUB FACE



CLEAN HUB FACE

1. Remove wheel.
2. Remove brake pads and push caliper piston back. Start by first loosening the bleeder so as not to push contaminated fluid into the system. Check caliper condition e.g. slides are not stiff or worn.
3. Remove caliper from its supports without disconnecting brake line, making sure to secure it without letting it hang.
4. Remove old brake rotor.
5. Check hub bearings for wear, replace as necessary (refer to the vehicles manual for exact specifications).
6. Remove any scale or grit off hub face to ensure positive contact with the inside of the new rotor.
7. Clean any grease or foreign material off the rotor with Brake Cleaner.
8. Fit new disc rotor to hub making sure it is indexed to a point with minimum run-out (using a radial dial indicator).
9. Refit brake caliper.
10. Select correct brake pads to suit the style and driving conditions of the driver and vehicle.
11. Check brake fluid condition and replace as necessary. Do not flush dirty fluid through the system, remove dirty fluid from reservoir first.
12. Refit wheel, tightening wheel nuts in correct sequence and to recommended torque settings.
13. Carry out road test and bedding-in procedure. Refer to brake pad manufacturer's bedding in procedure.
14. Ensure vehicle owner understands that the rotors will take approximately 300km to bed-in.

TIGHTENING WHEEL NUTS

Tighten the nuts following the criss-cross sequence shown below:

Failure to tighten nuts in the criss-cross sequence will cause misalignment of the wheel. Continue this process until all nuts are tightened to the torque recommended by the vehicle manufacture. Wheels supplied as aftermarket accessories my require different wheel nut tightening torques. If in doubt seek advice from the manufacturer or supplier.

WARRANTY STATEMENT

Standard Communications Warranty against defects

IMPORTANT: THIS WARRANTY APPLIES TO ALL GOODS SOLD BY US ON OR AFTER 1 JANUARY 2012 AND IT REPLACES ANY PREVIOUS WARRANTY STATEMENTS IN RELATION TO SUCH GOODS.

1. This warranty against defects ("Warranty") is given by Disc Brakes Australia Pty Ltd ABN 12 003 543 995 of address Unit 33 / 2 Slough Avenue Silverwater NSW 2128 Australia ("We, Us, Our or DBA").

This Warranty only applies to products purchased in Australia. Please contact your local DBA distributor for products sold outside of Australia.
Local distributor details at http://www.dba.com.au/where-to-buy/

WARRANTY

2.1 We warrant, to the original purchaser ("You") that Our goods will be free from defects in materials and workmanship for 12 months or 20,000 kms (12,000 miles) from the date of purchase whichever occurs earlier ("Warranty Period), provided that subject to Our obligations under clause 2.3, We will at Our option either repair or replace goods where;

(a) We are satisfied that the goods are defective; and
(b) Freight charges both ways are paid for by You and We accept no liability for loss or damage during transit.

2.2 No repair or replacement during the Warranty Period will renew or extend the Warranty specified in this clause;

2.3 Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

2.4 Notwithstanding the preceding clause, Our liability in respect of a breach of a consumer guarantee, condition, warranty or other obligation made under this Warranty is limited, to the extent permissible by law, at Our option to:

(a) in the case of goods We supply;
    (i) the replacement of the goods or the supply of equivalent goods;
    (ii) the repair of the goods;
    (iii) the payment of the cost of repairing the goods or of acquiring equivalent goods;
    (iv) the payment of the cost of having the goods repaired.
(b) in the case of services We supply;
    (i) the supplying of the services again;
    (ii) the cost of having the services supplied again.

2.5 To the extent permitted by law, all other warranties whether implied or otherwise, not set out in this Warranty are excluded and We are not liable in contract, tort (including, without limitation, negligence or breach of statutory duty) or otherwise to compensate You for:

(i) any increased costs or expenses;
(ii) any loss of profit, revenue, business, contracts or anticipated savings;
(iii) any loss or expense resulting from a claim by a third party; or
(iv) any special, indirect or consequential loss or damage of any nature whatsoever caused by Our failure in complying with our obligations.

2.6 We warrant that We will perform any Warranty services with reasonable care and skill and agree to investigate any complaint regarding Our services made in good faith. To the extent permitted by law, Our liability in relation to such services is limited to matters set out in clause 2.4(b) provided that We are satisfied that the complaint is justified.

2.7 To make a claim pursuant to this Warranty You must, before the end of the Warranty Period, contact the reseller, distributor or workshop from where You purchased the product and follow their warranty claim instructions. In the event that the reseller or repairer is no longer trading, please phone DBA on 1800 730 039 where you will be assisted.

2.8 This Warranty is in addition to and does not limit, exclude or restrict your rights under the Competition and Consumer Act 2010 (Australia) or any other mandatory protection laws that may apply.

3. What this warranty does not cover

3.1 This warranty will not apply in relation to:

(a) goods modified or altered in any way;
(b) defects and damage caused by use with non standard tools
(c) repairs performed other than by an authorised mechanical or brake expert;
(d) defects or damage resulting from misuse, accident, impact or neglect;
(e) goods improperly installed or used in a manner contrary to the relevant instruction manual; or
(f) goods where the serial number part number on the product has been removed
(g) all associated components are within recommended specifications
(h) the rotor that has been subjected to conditions beyond those for which it was intended, such as, but not limited to, being used in any form of motor sport.

Motorsport Warranty Statement

DBA's warranty will not apply in relation to: use of the product for any form of motorsport or speed trial.
Whilst DBA promote it's product for use in motor sport applications, DBA cannot warrant the product when used in any form of motor sport because it may be subjected to many variables that are not controllable (such as vehicle modifications, ie. wheels, tyres, suspension).

DBA cannot be held responsible for fitment if; not installed by a licensed motor mechanic or licensed brake specialist, wear and tear and lack of maintenance, including situations, where DBA's product is used past the design limits.

This by no means detracts from the quality of the product DBA manufacture, its simply states that if the product is used in motor sport applications, DBA have no control on how or by whom the product is used.

MOTORSPORT - IMPORTANT INFORMATION

There are many factors that directly affect the longevity of disc rotors and the safety of the driver when using a high performance street vehicle on a race track.

The major considerations are listed below:

CORRECT BEDDING OF ROTORS

Generally, experienced drivers will use their track rotors on the street with standard pads for a week or two before any track use. Driving in normal traffic conditions for 200 to 300 km (180 miles) is more effective and less likely to prematurely fatigue the disc rotor material.

If you are unable to utilise this method or prefer the accelerate and brake repetition shortcut, please warm your brakes up first. Drive for at least 1-2 kms (1 mile), with long easy braking. The thermal shock from braking at high speed on cold rotors WILL prematurely fatigue your brakes.

PAD SELECTION

Standard street pads are NOT suitable for track day applications. Core Temperatures of rotors used on track days are generally in the 450°C to 600°C (1110°F) range and peak surface temperatures up to 800°C (1470°F) for 5 seconds or more.

Street pads will generally start to break down at 300°C to 350°C (570°F to 660°F), causing brake pad fade and glazing of the rotor surface. Also the pad structure is degraded resulting in poorer product performance.

WARM UP & COOL DOWN

Disc rotors must be preheated before track sprints to reduce the thermal shock from sudden high speed braking. The greater the difference in rotor temperature from when the pedal is applied to when the pedal is released, is directly proportional to metal fatigue.

This is also applicable after the event, when you exit the track. A cool down lap is advisable at reduced speed with lighter braking to lower the core temperature slowly, or if this is not possible, go for a short drive off the track for a few minutes.

Do not pull up immediately after exiting the track with hot brakes if you plan on using them again!
NOTE : Applying the hand-brake on hot rotors after a track session will distort the rear discs as they cool down.

POST TRACK DAY ROTOR INSPECTION

All disc rotors should be inspected after track day events. This involves removing the rotor from the vehicle and inspecting for heat checking (surface cracking) and severe cracks from fatigue on the pad surfaces. If a suspected crack is found, rub the area with a light grade emery paper, 240 grit or higher, to confirm that it is a crack and not leaching or etching from the pad material.

Pad etching looks similar to light cracking but will disappear with a light rub with emery paper. If the heat checking is advanced to the point where the surface cracks are clearly visible, discard the pair of rotors. One ideal method that should be adopted is to have two sets of rotors.

One set for track use and one for street use. Changing to your street rotors after a track event encourages rotor inspection. Also, your street rotors can become your next track rotors with the advantage of being bedded in gradually. After the initial purchase of two sets of rotors you are still only replacing one set at a time.

ROTOR TEMPERATURES

Rotor temperature analysis is one method that can be used to enhance your driving technique. The use of thermo-graphic heat paint is the simplest method to record temperatures. To maintain optimal disc rotor life, the core temperatures should not exceed 630°C (1160°F). If you are exceeding this limit you should reconsider pad grades and driving technique. Take note of the time and distance the brakes are applied into a corner and compare them to other drivers. One or two seconds of additional braking can make a substantial difference in rotor temperature and product life.

THERMO-GRAPHIC TEMPERATURE MONITORING
Markings are placed on the outer edge of each rotor

Initial Colour	When the rotor exceeds this core temperature:	The colour will change to:
GREEN	458°C/856°F	WHITE
ORANGE	550°C/1022°F	YELLOW
RED	630°C/1166°F	WHITE

Safe operating temperatures of brake fluid.

Brake Fluid Type	Dry Boiling Point[A]	Wet Boiling Point[B]
DOT 3	205°C/401°F	140°C/284°F
DOT 4	230°C/466°F	155°C/331°F
DOT 5.1	260°C/500°F	180°C/356°F
DOT 4/600	310°C/590°F	216°C/420°F

A Dry Boiling Point is the temperature at which a brake fluid will boil in its virgin non-contaminated state.

B Wet Boiling Point is the temperature at which a brake fluid will boil after it has been saturated with moisture.
Special Note : It is recommended that the brake fluid is changed every two years / 50,000kms (31,000 miles), or as recommended by the brake fluid manufacturer.

DISC ROTOR : APPLICATION Q&A

Q. What causes steering wheel vibration?

A. There are two common causes for steering wheel vibration, friction material deposits and disc thickness variation (DTV).

Some friction material technologies rely on an even layer of friction material transferred onto the disc surface. This is called a transfer layer. When this layer becomes irregular in thickness brake shudder will occur due to a grab and release effect from the pads on the disc rotor when braking. This oscillating torque from the brakes will transfer to the steering rack resulting in steering wheel vibration.

Disc thickness variation, DTV is an irregular wear issue with the disc rotor. As the name suggests, the thickness of the friction disc varies causing the pads to grab and release braking. Both symptoms result in the same effect but for different reasons. DTV is typically caused by incorrect fitting of the brakes. The two most common fitting errors are not cleaning the hub mating faces correctly and irregular wheel nut torque, typically from the incorrect use of pneumatic impact wrenches.

Q. What causes pedal pulsation?

A. Pedal pulsation is when the brake pedal oscillates up and down while applying the brakes. This is almost always the result of hydraulic line oscillation due to DTV in the disc rotor. The variation in thickness of the disc rotor causes the caliper pistons to extend and retract transferring brake fluid back and forth in the hydraulic circuit to the brake pedal.

Q. What causes brake squeal?

A. There are several causes for brake squeal and sometimes solving a squeal issue can be the result of trial and error. The most common causes are;

1. Excessive friction for the application. High performance or race pads used in a light duty application.
2. Brake pad contamination. Dirt, grit, glazing or lubricants.
3. Lack of contact between the pad and rotor.
4. Rotor surface un-even or surface rust build up
5. Brake hardware damaged, Guide pins, abutment clips, springs.
6. Some pads require the use of grease in between the shim and plate.

Q. Do I need to clean new disc rotors before installing?

A. Definitely yes! All disc rotors will have some form of anti-corrosion treatment applied before packing. Regardless of whether the disc has an "En-Shield" type painted coating or just anti-corrosive fluid, they should be cleaned. Methanol based brake cleaning products are readily available to clean the disc surfaces. The best method is to apply the cleaning product to paper towel or a cleaning cloth and wipe the disc friction surfaces and hub mounting face. When no more grease or oil products transfer to the cleaning cloth you're good to go.

While carburettor (carby) cleaner is effective as a cleaning solution, the chemicals used in this product are intended to leave a residue. The residue from "carby" cleaner often negatively affects the bedding in process therefore this product is NOT recommended.

Please note: spraying some aggressive cleaners directly onto new painted surfaces of the disc rotor can damage the paint finish quality. Apply to a cloth or paper towel first.

Q. Why use slotted rotors?

A. The slots in these rotors assist in the evacuation of brake dust, maintaining a clean friction surface between the pad and rotor. This maximises friction performance and eliminates pad glazing, a common cause for brake noise, poor braking performance and overheating.

Slotted rotors are highly recommended in applications where frequent braking or heavy loads are present, such as trades vehicles, 4wd's, performance vehicles and vehicles towing heavy loads. These applications typically produce more dust and debris than standard street vehicles and greatly benefit from the regular dust evacuation performed by the slots.

Q. What is brake pedal modulation and why should I use it?

A. Brake pedal modulation is the controlled application and release of the brake pedal when towing heavy loads or descending steep hills. Typically, the brake pedal is applied slightly heavy than normal for a few seconds and then released to allow the brakes to recover before applying again. This lowers the temperature and stress on the brakes compared to holding the brakes on continuously and potentially inducing brake fade or loss of friction performance.

BRAKE PADS : APPLICATION Q&A

Q. What is the best pad for my vehicle?

A. Refer to the 'DBA Performance – Disc Rotor & Brake Pad Reference Guide'.

The key factors that determine which brake pad is best for your car is based on the type of vehicle and what you intend on using it for.

DBA Street Performance (SP) brake pads have been developed to provide an effective friction response to pedal application and low wear. **Low wear means less dust.**
SP is ideal for normal to spirited street use in most vehicles.

DBA Xtreme Performance (XP) brake pads, are for heavy duty applications, where higher friction levels are required, in order to safely brake under extreme conditions.
Heavy loads can either be; high axle loads, higher speeds or a combination of both.

There are many applications where the ideal brake pad recommendation will be to use a mix of:
DBA Xtreme Performance (XP) on the front; and
DBA Street Performance (SP) on the rear.
This is when the front brakes are doing considerable more work than the rears, typically on trade utes, vans, 4WD's and some performance applications.

Refer to the 'DBA Performance – Disc Rotor & Brake Pad Reference Guide'

Q. Why doesn't DBA have both SP & XP available for all applications?

A. DBA stocks most popular applications in both SP and XP friction compounds. Exceptions arise where vehicle testing has indicated (for certain applications) optimal performance is achieved by using only SP or XP.
e.g. high friction noise generation, possibility of lock-up from excessive friction on the rear brakes, or heavy vehicle requirements.

Q. What is the difference between SP and XP?

A. The key difference between SP and XP is the friction level and operating temperature(s).

The DBA SP range has been developed for optimal friction performance and longer life in street applications.

The DBA XP range has a higher friction level and operating temperature.
The addition of carbon fibre elements in the DBA XP brake pad range, assists with better thermal stability at higher temperatures, when used in heavy duty applications.

Note: Wear and dust may increase in heavy duty applications.

Q. Why should I choose DBA Performance Pads over other pads?

A. DBA performance pads are developed for extreme Australian conditions.

We have focused on higher friction class materials, optimal thermal stability, low dust and wear rates to produce a new generation of braking performance. We have developed these compounds from the ground up, listening to our customers' demands. DBA Performance Pads work perfectly with DBA's range of disc rotors, addressing limitations of other brake pads in the market – that may compromise vehicle performance.

Q. Why use XP not SP (even though there is no track use)?

A. There are many applications that require higher friction and thermal stability other than track use. Such as large 4WD's fully fitted out for adventures (GVM upgrade), towing a boat or caravan or trades vehicles carrying tools and equipment. Axle weight can add up fast.

Vehicles carrying heavy loads and/or vehicles travelling at high speed (i.e. track use) demand similar performance requirements when it comes to braking.

Why don't I just buy the Xtreme Performance (XP) Pads?

A. Sometimes too much friction can have an adverse affect on braking.
Too much or too sensitive brake torque (wheel lock-up) may reduce your ability to adjust braking performance in environments such as wet roads or loose surfaces.
i.e. More is not always better!

Refer to the 'DBA Performance – Disc Rotor & Brake Pad Reference Guide'.

BRAKE PADS : APPLICATION/TECHNICAL Q&A

Q. Can DBA pads be used on any rotor or does it have to be only on DBA rotors?

A. DBA performance pads are suitable for all makes of disc rotors.

However, they have been developed and tested for optimal use with DBA rotors. Use with other types of rotors, may result in varying performance, wear rates and dust.

Q. Why are some of your part numbers different to other brands?

A. DBA Performance Pads are aligned with the DB part numbering system (industry standard in Australia) - where possible. Where a DB reference does not exist at the time of production, DBA has adopted a DB number using the international FMSI reference (Friction Manufacturers Standards Institute).

Q. Should I machine my existing rotors when fitting new pads?

A. Ideally you should fit new rotors with new pads. Pads and rotors typically have the same life span in street applications.

If pads do need to be changed before the rotor has reached minimum thickness it is recommended to re-machine the rotor friction surfaces. This is to ensure a clean flat surface for maximum life and performance of the new brake pad.

Q. What are the DBA pads made of?

A. DBA SP (semi-metallic) and XP (semi-metallic carbon fibre) - contain various metals and complimentary elements (carbon fibre, ceramics, and more) to achieve optimal performance.

DBA's range of performance brake pads DO NOT contain any harmful chemicals or substances.

Most importantly: No Asbestos!

Q. Are the pads low dust?

A. Brake dust is the product of wear on both the disc brake rotor and the brake pads.
Compared to leading performance brands tested, the wear rate is lower when using DBA performance pads and therefore the dust may be less.

Note: XP will have higher dust levels than SP, due to the higher friction levels

Q. Are the pads copper free?

A. The SP pads are copper free. The XP pads have a low copper content. The focus on copper in USA (2 states), is due to new legislation being implemented by 2025 for brake pads to contain less than 0.5% copper, to reduce waste for environmental reasons.

Q. Do the pads have asbestos?

A. NO! DBA products contain NO asbestos.

Q. Are the Pads NAO (Non-Asbestos Organic)?

A. The DBA Performance pads are "Non-Asbestos Semi Metallic" materials, not NAO.
NAO pads are typically considered light duty and not suitable for performance applications. Extensive R&D has found both DBA SP and DBA XP semi-metallic friction materials provide the best performance levels for Australia's extreme conditions.

Q. Are the pads R90 certified (European Standard)?

A. The ECE R90 standard requires performance characteristics within 15% of the Original Equipment Manufacturer's standard brake pad. DBA Performance Pads are a ***high-performance product*** for applications above and beyond the standard expectation.

Q. How long do the pads last?

A. DBA has conducted testing on various vehicle applications and are continuously undertaking monitoring and testing. Based on these results the product life has shown to be approximately 20% or better than many leading brands.

Q. Are the pads soft or hard (pedal feel)?

A. DBA Performance pads produce a hard (firm) pedal feel. They are a high density / low compressibility friction material, which provides improved pedal feel (hard) and high brake torque.

Q. Do the pads have slots and why?

A. All DBA Performance pads have a centre groove/ slot. This slot is required to reduce internal stress under high temperatures.

Q. Do the pads have chamfers and why?

A. The DBA Street Performance (SP) pads do have chamfers to reduce noise at lower temperatures and speed.

Based on testing the DBA Xtreme Performance (XP) and DBA Race Performance (RP) pads do not require chamfers when used in the intended application.

Q. Do the DBA pads have wear indicator lines?

A. Most DBA Performance pads have either electronic sensors or mechanical screech sensors to notify the driver when the pads are at end of life. Those that do not have sensors are typically opposed piston calipers where the pads are clearly visible through the wheels.

Q. When should I replace my DBA pads?

A. On most DBA performance pads the wear sensors will let you know. When no sensors exist, it is recommended to replace the pads when approx. 4mm of friction material is remaining. This may not be applicable for motorsport applications where higher temperatures and stresses exist.

Q. Do the pads have 'titanium strips, bedding in strips/coatings'?

A. While bedding stripes may provide a temporary benefit for some general-purpose friction materials, the friction compounds used in DBA Performance pads do not require any additional intervention to bed-in quickly and effectively. All DBA pads are scorched to minimise any brake fade during the replacement process.

Q. What is Scorching / Thermal Stability Profiling (TSP) on DBA Pads?

A. DBA has a well-established TSP heat treatment process with our performance disc rotors to prepare the rotor for extreme applications.
The same consideration has been applied to our performance brake pads.

Pad scorching is a heat treatment process developed to remove any excess resin material that typically results in brake fade when bedding in and reduced performance in new brake pads.

Q. If I replace my brake pads, do I need to replace my disc brakes?

A. It is not necessary to replace disc rotors when changing pads unless the discs are at or near minimum thickness. Exceptions may be when the disc rotor surface is heavily scored, and re-machining may not be economical when near minimum thickness.

Q. Should I replace my rubber brake line hoses and when?

A. Rubber brake hoses should be replaced if damaged or if the rubber material shows signs of degradation (perished).

This is a decision best left to experienced brake technicians/ mechanics.
Upgrading to stainless steel (braided) hoses should be considered when modifying vehicles to higher GVM's or for motorsport applications.

Q. When should I use a stainless-steel brake line hose?

A. Stainless steel reinforced or braided brake hoses reduce compliance (expanding) in the flexible hoses between the chassis and caliper.

This provides a more responsive and firmer brake pedal. You should consider braided hoses when upgrading 4WD's to carry heavy loads or in motorsport applications when brake fluid temperatures are higher and reduces the expansion of the rubber brake line hoses.

Q. How often should I flush my brake fluid?

A. Firstly, as per the manufacturers recommendations unless braking performance is reduced due to degraded fluid from extreme driving applications.
Typically, 24 months.

Q. What brake fluid should I use?

A. Start with the manufacturers recommendations. If you have issues with performance due to motorsport activities or heavy towing, then consider a higher temperature fluid. Most vehicles use DOT 4 fluid which is quite good. DOT 5.1 is the next step up but with shorter use life.

Q. Brake Booster (Rubber) Vacuum Hose. Should it be replaced; When / Why?

A. The answer is YES.
The vacuum brake booster rubber hose, is installed in 99% of passenger and 4WD/SUV vehicles. The vacuum booster hose is fitted between the vehicles inlet manifold and the brake booster.

This hose is an oil & fuel vapour resistant Nitrile (NBR) rubber inner tube, with high levels of Polyester fibre reinforced for resistance to vacuum collapse, with an outer cover material known for its excellent heat and ozone resistance.

Unfortunately, the hose over a period of time (say approx. 8 years and older) does deteriorate internally, due to the heat from the engine exhaust manifold area.
The outer hose becomes very hard; HOWEVER, the inner vacuum tube becomes pliable and will reduce the vacuum/pressure required to assist vehicle braking. Definitely replace - this is a forgotten and integral part of a vehicles braking system!

Important:
The plastic check-valve located in the brake booster, should be checked or replaced as well!

Q. What warranty does DBA offer on the pads?

A. DBA provides an industry standard 20,000 km or 12 month warranty against manufacturing defects on all DBA rotors and pads (except for motorsport applications).

Warranty does not cover motorsport applications as there are many indirect influences on product life and performance out of our control.

Refer to DBAs Global Warranty at www.dba.com.au

Q. Will DBA warrant the pads if they are used on other branded disc brake rotors, if so how?

A. Yes. Refer to DBAs Global Warranty at www.dba.com.au

Note: DBA Performance Pads have been developed and tested for optimal use with DBA rotors, as such performance, wear rates and dust levels may vary when used with other branded rotors.

GLOBAL DISTRIBUTION CENTRES

DISC BRAKES AUSTRALIA

MANUFACTURING SAFETY & BRAKING EXCELLENCE FOR OVER 40 YEARS



- SYDNEY, AUSTRALIA HEAD OFFICE
- 6 3PL'S ACROSS AUSTRALIA
- KEY DISTRIBUTION HUBS IN USA, EUROPE & ASIA

AUSTRALIA

Local Sales / Order Inquiries:

Ph: 1800 730 039 (Toll free Australia only)
Email: orders@dba.com.au
technical@dba.com.au

Export Sales / Order Inquiries

Ph: + 61 2 9748 0211
Fax: + 61 2 9748 0676
Email: exports@dba.com.au
Web: www.dba.com.au

Admin/Account Inquiries

Ph: + 61 2 9748 0211
Fax: + 61 2 9748 0676
Email: ap@dba.com.au
Web: www.dba.com.au

NORTH AMERICA

Sales Inquiries:

Ph: + 1 833-61BRAKE
Ph: + 1 833-612-7253

Email: usaorders@dba.com.au
Web: www.dbausa.com

EUROPE

Ph: + 48 52 553 1339
Fax: + 48 56 477 4875
Email: info@dbabrakes.eu

export@dba.com.au

FOR MORE INFORMATION, CHECK OUR WEBSITE
WWW.DBA.COM.AU

TÜVRheinland CERTIFIED
ISO 9001:2015 Incl. Approval Relevant Requirements Management System
www.tuv.com ID 9105060733

FOLLOW US ON

THE PERFECT COMBO FOR PERFORMANCE

dba®
DISC BRAKES AUSTRALIA

THINK SAFETY, THINK PERFORMANCE, THINK DBA

5000 SERIES

2 PIECE DISC ROTORS

T3

dba®
DISC BRAKES AUSTRALIA

Ph: +61 2 9748 0211
International calls

Ph: 1800 730 039
Toll free Australia only

sales@dba.com.au
dba.com.au

9 316391 43938938 3